

Two Great Teams Are Now One In The Same!

The greenhouse and nursery industry just got growing in the right direction providing the finest horticultural products and services to the green industry.

In January 2015, **Waldo & Associates, Inc.** of Perrysburg, Ohio and **Premium Horticultural Supply Co.** in Louisville, Kentucky joined hands to better serve you. These two highly respected horticulture distributors are officially one company. This is great for you, our valued customer, because the product line is now expanded with new items being offer all the time. Services such as custom greenhouse structures, parts and a vast array of irrigation parts to save you time and money.

We invite you to visit our website **www.waldoinc.com** and see our current flyers, current catalogs and information to help you increase your profit and exposure.

Feel free to call, email or stop in either location and experience the difference that makes our focus on small and medium sizes growers and garden centers second to none.

Waldo & Associate, Inc.

28214 Glenwood Road Perrysburg, Ohio 43551

Phone: 419-666-3662 Fax: 419-666-2079

Premium Horticultural Supply Co.

915 Jefferson Avenue Louisville, Kentucky 40206

Phone: 502-582-3897 Fax: 502-582-3898



CONTAINER - ACCESSORIES

Foil

DECO JACKETS

S-Hooks

SAUCERS

HANGING BASKET REMOVER

SLEEVES

6

CONTAINER - GROWER

At's FLOWER POUCH

LANDMARK

DILLEN-ITML

Poppelmann

BELDEN PLASTICS

HAVILAND

T.O PLASTICS

ITML

JIFFY

42

CONTAINER - RETAIL

MOOLAH BASKET

Moolah Moss

MOOLAH METALIIC

NATURE-REAL

DYNASTY

52

JOLLY GARDENER

PROMIX

Sungro

Monty's Liquid Carbon

ACTION-IRON

60

GROWING CHEMICAL

AI GAECIDES

DISINFECTANT

ECO-SAFE ALTERNATIVES

PEROXIDES

ROOTING COMPOUNDS

SPRAY AIDS

FUNGICIDE

INSECTICIDE

PGR

HERBICIDE

GROWTH REGULATORS

95

PROPAGATION EQUIPMENT

VEGIBEE

Plug Pusher

WAND SEEDER

COMPLETE GERMINATING KIT

VIBRO HAND SEEDER

GERMINATING BAGS

SEEDLING HEAT MATS

Propagation Domes

AGRITAPE

HEAT MAT

Oasis

GROWING MEDIA

SUNSHINE

Soil Moist

COVERING

BERRY PLASTIC

GRIFFOLYN

KLERKS K1 GREENHOUSE

SUN MASTER FILMS

INFLATION FAN COMPONENTS

DEWITT

CO-EX CORPORATION

CONTINENTAL PRODUCTS

110

HEATING & COOLING

MODINE
STERLING
J&D MANUFACTURING
SCHAEFER
COOLAIR
SENSAPHONE

TAYLOR THERMOMETER

117

FABRICATION

BENCHWARMER
CONVECTION TUBING
BENCH
BANCH FRAME
DISPLAY

CARTS

TIRE

GREENHOUSE

Door

VENT

Rack

STEEL TUBING

ALUMINUM EXTRUSIONS

157

IRRIGATION & WATERING

WONDER WATERER
WATER ACCESSORIES
TUBING
REGULATOR
HOSE
HOSE ACCESSORIES
WATERING TOOL

WATERING SYSTEM

Nozzle

IRRIGATION SYSTEM

SPRAYER

INJECTOR

201

FERTILIZER

JACK'S PROFESSIONAL FERTILIZERS
MAJOR ELEMENTS
MINOR ELEMENTS
PH ADJUSTERS
NATURE'S SOURCE
BIO SAFE PLANT FOOD
DRAMMATIC PLANT FOOD

Monty's

MILWAUKEE PH METER

NUTRICOTE FERTILIZER EVERRIS FERTILIZER GROWTH PRODUCTS

216

NURSERY ITEMS

BAMBOO PLANT SUPPORTS & STAKES
CROSSBOTTOM TRELLIS
TOMATO CAGE
FLAGGING TAPE
MAX TAPENER
TYNE PLANT SUPPORTS

227

WALDO SIGN SHOP

STOCK & CUSTOM SIGNS, BANNERS, AND POS

241

GENERAL INFORMATION

MEASUREMENTS CALENDAR

249

FORMS /CREDIT APPLICATION

CUSTOMER ORDER LIST TERMS AND CONDITIONS CREDIT APPLICATION

254

INDEX



© 2015 - 2016 All rights Reserved

Waldo & Associate, Inc. is not responsible for any typographical or printer errors within the 2015 Grower Supply Catalog.

All prices within the Waldo & Associate, Inc 2015 Grower Supply Catalog are subject to change

Foils

HIGHLANDER FLORIST FOILS®

Florist Foil Rolls are used to quickly dress up your potted plants. Simply cut the desired amount off the roll and wrap around the pot. One 20" x 50' roll of Florist Foil will cover approximately forty 6" pots.

| Catalog # | Colors | Catalog # | Colors |
|-----------|----------|-----------|------------------|
| 63-019941 | Gold | 63-019903 | Fuchsia |
| 63-019922 | Emerald | 63-019937 | Lavender |
| 63-019921 | Moss | 63-019936 | Purple |
| 63-019900 | True Red | 63-019931 | Sky Blue |
| 63-019946 | White | 63-019932 | Royal Blue |
| 63-019902 | Pink | 63-019942 | Copper Nugget |

Each Price: \$ 6.99 Case (pk 25) Each Price: \$ 5.99

SLIK COVER

Dress up your potted plants with

our colorful covers, a quick and easy way to increase the value of your plants. Gently drop the pot into the pre-formed cover for a beautifully finished look. Red, Blue, Deep Purple, Lavender, Pink, Evergreen, Silver, Gold, and Burgundy.

| Pot Size | Product Description | Qty |
|----------|----------------------------|-----|
| 4" | Slik Cover 400/cs | 1 |
| 4.5" | Slik Cover 250/cs | 1 |
| 6" | Slik Cover 250/cs | 1 |
| 6.5" | Slik Cover 150/cs | 1 |
| 7" | Slik Cover150/cs | 1 |
| 8" | 10" Slik Cover 150/cs | 1 |
| 10" | 10" Slik Cover150/cs | 1 |



S-Hooks

Fit more baskets in one area!

Aluminum: Made from a sturdy 10 gauge aluminum. Use them to maximize your growing area by staggering your hanging baskets. These hooks do not rust and will last forever.

| Catalog # | ALUMINUM S-HOOKS | Pack | | |
|-----------|----------------------|------|--|--|
| 55-915009 | 15" Aluminum S-Hooks | 25 | | |
| 55-920009 | 20" Aluminum S-Hooks | 25 | | |

Galvanized: Made from a sturdy galvanized wire which is ideal for displaying hanging baskets.

| Catalog # | GALVANIZED S-HOOKS | Pack |
|-----------|-----------------------------|------|
| 55-906059 | 6" Galvanized Wire S-Hooks | 25 |
| 55-912059 | 12" Galvanized Wire S-Hooks | 25 |
| 55-915059 | 15" Galvanized Wire S-Hooks | 25 |
| 55-918059 | 18" Galvanized Wire S-Hooks | 25 |
| 55-924059 | 24" Galvanized Wire S-Hooks | 25 |





SAUCERS CLEAR VINYL

These saucers are made of durable clear polyethylene and are waterproof. They have a raised ridge design for better drainage, are nested solid.

| Catalog # | Item # | Description | Pack |
|-----------|--------|----------------------------|------|
| 63-800040 | CS4 | 4" Clear Vinyl Saucers | 25 |
| 63-800050 | CS5 | 5" Clear Vinyl Saucers | 25 |
| 63-800060 | CS6 | 6" Clear Vinyl Saucers | 25 |
| 63-800070 | CS7 | 7" Clear Vinyl Saucers | 25 |
| 63-800080 | CS8 | 8" Clear Vinyl Saucers | 25 |
| 63-800100 | CS10 | 10" Clear Vinyl Saucers | 25 |
| 63-800120 | CS12 | 12" Clear Vinyl Saucers | 10 |
| 63-800140 | CS14 | 14" Clear Vinyl Saucers | 10 |
| 63-800160 | CS16 | 16" Clear Vinyl Saucers | 5 |
| 63-800170 | CS17 | 17" Clear Vinyl Saucers | 5 |

CLEAR DEEP VINYL



| | , | | |
|-----------|--------|---------------------------------|------|
| Catalog # | Item # | Description | Pack |
| 63-801040 | DL4 | 4" Clear Deep Vinyl Saucers | 25 |
| 63-801050 | DL5 | 5" Clear Deep Vinyl Saucers | 25 |
| 63-801060 | DL6 | 6" Clear Deep Vinyl Saucers | 25 |
| 63-801070 | DL7 | 7" Clear Deep Vinyl Saucers | 25 |
| 63-801080 | DL8 | 8" Clear Deep Vinyl Saucers | 25 |
| 63-801100 | DL10 | 10" Clear Deep Vinyl Saucers | 25 |
| 63-801120 | DL12 | 12" Clear Deep Vinyl Saucers | 25 |
| 63-801140 | DL14 | 14" Clear Deep Vinyl Saucers | 25 |

Perfect for use in garden centers and greenhouses

Hanging Basket Remover


where hanging baskets need to be hung high enough to be out of the way. And since the ring is placed around the pot, foliage and flowers don't get damaged!

| Catalog # | Description |
|-----------|-----------------|
| 79-250100 | HBR w/ 10" Ring |
| 79-251080 | 8" Ring Only |
| 79-251100 | 10" Ring Only |
| 79-251120 | 12" Ring Only |

HIGH DENSITY

SLEEVES

We stock both NESTED and WICKETED. Nested sleeves are packed one inside the other and are designed for use with a sleeve stand. Wicketed sleeves are stacked one on top of the other



and are joined at top with a wood or carded header. The perforated design allows for easy 'drop and tear' application.

All sleeve measurements are: Bottom (B) x Top (T) x Height (H).

| | Catalog # | Pot Size | Dimensions | Pack | Format | | |
|---|--|--------------------|---------------|----------|----------|--|--|
| ĺ | 64-302200 | 4.5-5" | 5.5"x14"x16" | 1000 | wicketed | | |
| | 64-305200 | 0.05" | 8"x24"x24" | 1000 | wicketed | | |
| 1 | 64-306200 | 6-6.5" 1-306200 | 9"x24"x30" | 1000 | wicketed | | |
| ļ | 64-310200 | 14"x24"x24" | 1000 | wicketed | | | |
| | 64-310201 | 10" | 14x24x24 | 1000 | shotgun | | |
| ł | 64-370100 | 12" | 16"x29"x30" | 500 | nested | | |
| | 64-318330 | 14" | 18.5"x30"x30" | 500 | nested | | |
| 1 | Call for volume discount over 10 cases | | | | | | |

Call for volume discount over 10 cases.

Paper Kraft Sleeves and Breather Sleeves available by special order - call.

Paper Sleeves

These sleeves are made from a water-resistant natural kraft paper.

Call for current pricing.
Drop Ship - F.O.B. Factory.

AL'S FLOWER POUCH

Al's Flower Pouches are made of 6 mil green plastic with sturdy handles, drainage holes and pre-cut slits to insert plugs.

Al's Flower Pouch can be hung on your walls, decks, lamp posts, around swimming pools, or anywhere to show off the great beauty and color of your planting!

| Item # | Description | Pk |
|------------|-------------|----|
| 55-400800 | 10 hole | 50 |
| 55-400250 | 5 hole | 50 |
| 055-400150 | 6 hole mini | 50 |

AL'S FLOWER POCKET



| Item # | Description | Pk |
|---------------|--------------------|----|
| 55- 400995 | Al's Flower Pocket | 50 |







GENERATION II FLOWER POUCH

The Al's Flower Pocket is specifically made for growing herbs or plants on a fence or wall. Place the compost in the bag. Seeds, plants or bulbs can be planted in the bag. Ensure that the compost does not dry out.

- · 20% less growing media
- · Oxo-Degradable
- · Contains Recycled Content
- · Guaranteed for 12 month season
- UV protected



GENERATION DUAL GROW POUCH



| Item # | Item # Description | |
|---------------|---------------------------------------|----|
| 55- 400555 | Generation Dual Grow Pouch, 8 hole | 25 |

LANDMARK PLASTIC















| Standard Insert | | | | | | | |
|-----------------|-------------------|-----------------|-------|-------|---------|---------|----------|
| Product | Description | Cell Dimensions | | Case | 22/2111 | / | |
| Code | | Length | Width | Depth | QTY | CS/Skid | Bulk QTY |
| 54-600020 | L-606 STD Insert | 2.35 | 2.15 | 2.33 | 100 | 32 | 4050 |
| 54-600030 | L-804 STD Insert | 2.35 | 2.35 | 2.33 | 100 | 32 | 4050 |
| 54-600040 | L-806 STD Insert | 2.35 | 1.55 | 2.33 | 100 | 32 | 4050 |
| 54-600104 | L-1004 STD Insert | 2.40 | 1.85 | 2.33 | 100 | 32 | 4050 |
| 54-600203 | L-1203 STD Insert | 3.15 | 1.55 | 2.33 | 100 | 32 | 4050 |
| 54-600204 | L-1204 STD Insert | 2.35 | 1.45 | 2.33 | 100 | 32 | 4050 |
| 54-600206 | L-1206 STD Insert | 1.55 | 1.55 | 2.33 | 100 | 32 | 4050 |
| 54-600801 | L-1801 STD Insert | 3.10 | 3.10 | 2.33 | 100 | 32 | 4050 |
| 54-600700 | L-2401 STD Insert | 3.10 | 2.25 | 2.33 | 100 | 32 | 4050 |

| Standard Ser | ies Super Jumbo/Deep Packs | | | | | | |
|--------------|----------------------------|--------|-----------------|-------|-----|------|------|
| Product | Product Description | | Call Dimensions | | | CS/ | Bulk |
| Code | Description | Length | Width | Depth | QTY | Skid | QTY |
| 54-600600 | L-606 Super Jumbo Pack | 2.35 | 2.15 | 3.13 | 100 | 32 | 4050 |
| 54-600804 | L-804 Super Jumbo Pack | 2.46 | 2.47 | 3.05 | 100 | 32 | 3200 |
| 54-600806 | L-806 Super Jumbo Pack | 2.35 | 1.60 | 3.12 | 100 | 32 | 3200 |
| 54-600214 | L-1204 Deep Pack | 2.63 | 1.72 | 2.75 | 100 | 32 | 3200 |

L1020 CR L1020 NCR L1020 R6

L1020 R12

L1020 Web Tray

L1020 R8

L1020 R18

L1020 R6 Web Trav

| | | | | L1020 NO WED ITAY | | | | |
|--------------|-----------------------------|-----------------|-------|-------------------|------|------|------|--|
| Standard Ser | ies Trays (21.22" x 10.80") | | | | | | | |
| Product | B | Call Dimensions | | | Case | CS/ | Bulk | |
| Code | Description | Length | Width | Depth | QTY | Skid | QTY | |
| 58-601020 | L-1020 Center Rib Tray | 21.22 | 10.80 | 2.33 | 100 | 32 | 3200 | |
| 58-601111 | L-1020NCR Tray W/Holes | 21.22 | 10.80 | 2.33 | 100 | 32 | 3200 | |
| 58-601112 | I-1020ncr No Hole | 21.22 | 10.80 | 2.33 | 100 | 32 | 3200 | |
| 58-601106 | L-1020 r6 Tray | 21.22 | 10.80 | 2.33 | 100 | 32 | 3200 | |
| 58-601108 | L-1020 R8 Tray | 21.22 | 10.80 | 2.33 | 100 | 32 | 3200 | |
| 58-601116 | L-1020 R18 Tray | 21.22 | 10.80 | 2.33 | 100 | 32 | 3200 | |
| 58-601118 | L-1020 R18 Individual | 21.22 | 10.80 | 2.33 | 100 | 32 | 3200 | |
| 58-600450 | L-1020 INJ Web Tray SS | 21.13 | 10.67 | 2.39 | 50 | 54 | 2700 | |
| 58-600452 | L-1020 INJ Web Tray ALT SS | 21.13 | 10.63 | 2.31 | 50 | 54 | 2700 | |
| 58-600454 | L-1020 INJ R6 Web Tray SS | 20.88 | 10.45 | 2.12 | 100 | 36 | 3600 | |



| TRUE SERIE | S PACKS | | | | | | |
|------------|----------------------------------|--------|----------|-------|------|----------|----------|
| Product | Description | Cell | Dimensio | ns | Case | CS/ Skid | Bulk QTY |
| Code | Description | Length | Width | Depth | QTY | CS/ SKIG | BUIK Q11 |
| 54-601030 | T-804 TRUE PACK | 2.28 | 2.24 | 2.61 | 100 | 36 | 4500 |
| 54-601040 | T-806 TRUE PACK | 2.28 | 1.50 | 2.61 | 100 | 36 | 4500 |
| 54-601203 | T-1203 TRUE PACK | 3.03 | 1.53 | 2.61 | 100 | 36 | 4500 |
| 54-601204 | T-1204 TRUE PACK | 2.25 | 1.45 | 2.61 | 100 | 36 | 4500 |
| 54-601206 | T-1206 TRUE PACK | 1.45 | 1.44 | 2.61 | 100 | 36 | 4500 |
| TRUE SERIE | S SUPER JUMBO | | | | | | |
| 54-601606 | T-606 TRUE SUPER JUMBO PK | 2.21 | 2.03 | 3.25 | 100 | 36 | 4500 |
| 54-601202 | T-1202 TRUE SUPER JUMBO PK | 3.00 | 2.13 | 3.25 | 100 | 36 | 3600 |
| TRUE SERIE | S TRAYS | | | | | | |
| 58-650452 | T-TRAY R6 - EX DEEP - C-TR6NXD | 20.00 | 10.00 | 2.71 | 100 | 36 | 3600 |
| 58-650454 | T-TRAY R8 - EX DEEP - C-TR8XD | 20.00 | 10.00 | 2.71 | 100 | 36 | 3600 |
| 58-650465 | T-TRAY R12 - EX DEEP - C-TR12NXD | 20.00 | 10.00 | 2.71 | 100 | 36 | 3600 |
| 58-650470 | T-TRAY R18 - EX DEEP - C-TR18IXD | 20.00 | 10.00 | 2.71 | 100 | 36 | 3600 |
| 58-650410 | T-1020 NO RIB FLAT - C-TNCRXD | 20.00 | 10.00 | 2.71 | 100 | 36 | 3600 |
| 58-650450 | T-1020 INJ TRAY - I-TIM | 20.00 | 10.00 | 2.63 | 100 | 36 | 3600 |





Green



| BASKET PAC | СК | | | | | | |
|------------|--------------------------------|-------|------|------|-----|----|------|
| 54-653441 | TSS306 MKT PACK BK - C-TSS306 | 19.88 | 7.5 | 3.34 | 100 | 24 | 4400 |
| 54-603325 | 3.5 RD BSKT PACK BK - X-3.5RPP | 10.88 | 7.13 | 3.38 | 300 | 32 | 9600 |
| 54-603301 | T POT PACK 6 BK - C-TPP6 | 10.71 | 6.73 | 3.50 | 300 | 32 | 9600 |
| 54-603302 | T POT PACK 6 BK WH - C-TPP6 | 10.72 | 6.74 | 3.51 | 300 | 32 | 9600 |
| 54-603303 | T POT PACK 6 BK - C-TPP6 | 10.73 | 6.75 | 3.52 | 300 | 32 | 9600 |
| 54-603304 | T POT PACK 6 BK TC - C-TPP6 | 10.74 | 6.76 | 3.53 | 300 | 32 | 9600 |
| 54-603305 | T POT PACK 6 BK PW - O | 10.75 | 6.77 | 3.54 | 300 | 32 | 9600 |



| CO-EX Therr | noformed Pots | | | | | | |
|-----------------|---|------|-------|--|---------------|----------------|-------------|
| Product Code | Description | Diam | Depth | Compatible Trays | Pcs / Case | Cases/ Skid | Bulk Box |
| | 3.5" STANDARD POT - X-3.5P450 | 3.50 | 3.25 | X-35TPP10B, X-35TP12B, X-3.5TPB | 450 | 48 | 12,232 |
| 57-608400 | 4" MAXI-GROW POT - X-4RMGT | 4.00 | 3.49 | X-4TP(6,14,15)B C-LN4TP10B | 825 | 42 | 24,192 |
| 57-601430 | 4.33" MAXI-GROW POT - X-43RMGT | 4.33 | 3.90 | X-43TPB, X-43TP12B | 900 | 36 | 17,000 |
| | 4.33" DEEP MAXI-GROW POT - X-43DRMG | 4.33 | 5.00 | X-43DTHS8B, X-43DTH10B | 540 | 36 | 12,000 |
| 57-601241 | 4.5" GERANIUM MAXI-GROW POT - X-45RMGT | 4.50 | 4.02 | X-45TPP8, X-4.5TP10B, X-45TPS10B, X-4.5TPB12, X-4.5TPPPB | 675 | 48 | 15,000 |
| 57-049600 | TRUE QUART MAXI-GROW POT - X-TQTMGT | 4.75 | 5.27 | X-QTPP8, X-QTTN9, X-QTPWL12 | 600 | 24 | 8,640 |
| 57-602205 | 5" STANDARD MAXI-GROW POT - X-5RMGT | 5.00 | 4.57 | X-T13TPPPB | 360 | 48 | 9,792 |
| 57-049850 | 8" MUM PAN MAXI-GROW POT - X-8MPMGT | 8.00 | 5.00 | - | 300 | 25 | 3900 |
| 57-053003 | 9" MUM PAN MAXI-GROW POT - X-9MPMGT | 9.00 | 5.90 | - | 100 | 40 | 3000 |



| ROUND TRAYS | 6 (3.5" - 4.5") | | | | | |
|--------------|--|--------|---------------------|---------------|----------------|----------|
| Product Code | Description | Length | Compatible Trays | Pcs / Case | Cases/ Skid | Bulk Box |
| 56-620160 | 4" LN TRANSPORT TRAY (10) - C-LN4TP10B | 20.38 | X-4RMGT | 100 | 40 | 4,000 |
| 56-601400 | 4" TRANSPORT TRAY (15) - X-4TP15B | 20.25 | X-4RMGT | 85 | 21 | 2,100 |
| 56-601430 | 4.33" TRANSPORT TRAY (10) - X-43TPB | 21.63 | X-43RMGT | 100 | 40 | 4,000 |
| 56-600380 | 4.5" TRANSPORT TRAY (8) - X-45TPP8 | 19.50 | X-45RMGT | 50 | 36 | 2,700 |
| 56-600450 | 4.5" OFFSET TRANSPORT TRAY (10) - X-45TPS10B | 21.23 | X-45RMGT | 175 | 16 | 2,800 |
| 56-600400 | 4.5" TRANSPORT TRAY (12) - X45TPB12 | 18.99 | X45TPB12 | 75 | 24 | 1,600 |
| 56-632610 | 4.5" TRANSPORT TRAY (15) - X-45TPPPB | 23.06 | X-45RMGT | 90 | 16 | 1,800 |







PF = Pressfit Product

| Basket Pack | nandie | Cell | Dimensi | ons | 0 | 00/ | |
|-----------------|--------------------------------|--------|---------|-------|-------------|-------------|----------|
| Product Code | Description | Length | Width | Depth | Case QTY | CS/ Skid | Bulk QTY |
| 56-699482 | BSKT PK HNDL BK - X-19SEHNK300 | 19.00 | 1.00 | N/A | 300 | 24 | 28800 |
| 56-699483 | BSKT PK HNDL WH - X-19SEHWH300 | 19.01 | 1.01 | n/a | 300 | 24 | 28800 |
| 56-699484 | BSKT PK HNDL GN - X-19SEHGN300 | 19.02 | 1.02 | N/A | 300 | 24 | 28800 |
| 56-699485 | BSKT PK HNDL PK - X-19SEHPK300 | 19.03 | 1.03 | N/A | 300 | 24 | 28800 |
| 58-650501 | LNDSCP TRAY GRY - C-TLF18BH | 20.00 | 10.00 | 3.47 | 100 | 20 | 3150 |

| Square Pots | | | | | | | |
|-------------|----------------------------------|------|------|------|------|----|-------|
| 57-604600 | 3" SQ PF POT BLACK - X-3P800BK | | 2.63 | 2.25 | 800 | 52 | 41600 |
| 57-604610 | 3" SQ POT DEEP BLACK - X-3PD | | 2.64 | 3.50 | 800 | 48 | 24096 |
| 57-604702 | 3" SQ POT DEEP TC - X-3PD | | 2.65 | 3.51 | 800 | 48 | 24096 |
| 57-601325 | 3.25" T-POT DP BK - X-325TPD | | 3.25 | 4.20 | 1200 | 36 | 21710 |
| 57-601490 | 3.25" SQ T-POTS BK - C-TP900 | | 3.25 | 3.50 | 900 | 36 | 15236 |
| 51-600401 | 4" SQ ECON POT BK - X-41PE900 | | 3.50 | 3.50 | 900 | 48 | 26640 |
| 57-601410 | 4" SQ PF POT BK - X-4P450BK | | 3.50 | 3.50 | 450 | 48 | 12768 |
| 57-601414 | 4" SQ PF POT TC - X-4P450TC | | 3.50 | 3.50 | 450 | 48 | 12768 |
| 57-601420 | 4" SQ PF XDP BK - X-4PXDBK | | 3.50 | 5.02 | 450 | 32 | 10560 |
| 57-601440 | 4.5" SQ PF POT TC - X-45PTC | | 4.19 | 3.63 | 375 | 28 | 7450 |
| 57-601443 | 4.5" SQ PF POT GN - X-45PGN | | 4.19 | 3.63 | 375 | 28 | 7450 |
| 57-601450 | 4.5" SQ PF POT BK - X-45PBK | | 4.19 | 3.63 | 375 | 28 | 7450 |
| 57-601453 | 4.5" SQ PF DP BK - X-45PDBK | | 4.19 | 4.88 | 375 | 28 | 6800 |
| 57-601442 | 4.5" SQ PF DP TC - X-45PDTC | | 4.19 | 4.88 | 375 | 28 | 6800 |
| 57-601460 | 4.5" SQ PF XDP BK - X-45PXD | | 4.20 | 5.38 | 250 | 40 | 6500 |
| Sheet Pots | | | | | | | |
| 57-601350 | 3.5" SHEET POTS - X-35SPWB | 3.53 | 3.51 | 3.00 | 100 | 32 | 3200 |
| 57-601352 | 3.5" SHEET POTS DP - X-35SPD | 3.49 | 3.46 | 3.23 | 100 | 32 | 3200 |
| 57-601355 | 3.5" SHEET POTS XD - X-3.5SPXD | 3.48 | 3.47 | 3.50 | 100 | 20 | 2000 |
| 57-601456 | 4.5" SHEET POTS BK - X-45SP15 | 4.09 | 4.09 | 3.65 | 100 | 16 | 1600 |
| 54-606180 | T-1801 SHEET POTS - C-T1801SP | 3.14 | 3.00 | 3.31 | 100 | 36 | 3600 |
| 57-601475 | 2001 T-POT SHEET POT - C-T2001SP | 3.00 | 3.00 | 3.31 | 100 | 24 | 2400 |





PF = Pressfit Product TF = Thermo-formed Product

| ri = ricssiitri | Toduct IF = Mermo-formed Product | | | | | | |
|-----------------|-----------------------------------|--------|-------------|-------|-------------|-------------|-------------|
| SQUARE TRAY | rs . | | | | | | |
| Product Code | Description | Com | patibility | Pots | Case QTY | CS/ Skid | Bulk QTY |
| 57-604750 | 3" SQ POT XDEEP TRAY - X-3PXDT20 | ; | x-3pxd400 | | 100 | 36 | 3600 |
| 56-032050 | 3" SQ PF TRAY - L-PF32TRAY | x-3 | 3p800, x-3 | od | 100 | 32 | 3200 |
| 56-032100 | 4" SQ PF TRAY - L-PF12TRAY | x-41; | pe900, x-4 | o300 | 100 | 48 | 2000 |
| 56-032110 | 4" SQ PF TRAY - L-PF18TRAY | x-41p | pe900, x-4 | o450 | 100 | 32 | 3200 |
| 56-631240 | 4.5" SQ PF TRAY - L-4.5PF12 | x-4.5p | 300, x-4.5 | od300 | 100 | 20 | 2000 |
| 56-631143 | 4.5" SQ (10) TRAY - X-45SPT10 | X-4 | 1.5p, x-4.5 | od | 90 | 30 | 2600 |
| 56-631145 | 4.5" SQ (12) TRAY - X-4.5SPT12 | X-4 | 1.5p, x-4.5 | od | 100 | 21 | 2100 |
| 56-032250 | 4.5" SQ PF TRAY (15) - L-PF15TRAY | x-4.5p | 375, x-4.5 | od375 | 50 | 32 | 1600 |
| 56-032114 | 4" SQ MG TRAY (15) - X-T15S40MG | | i-s400mg | | 60 | 32 | 1920 |
| 56-014270 | SQ T-POT TRAY (18) - C-TPT18 | | c-tp900 | | 100 | 36 | 3600 |
| 56-014275 | SQ T-POT TRAY (20) - C-TPT20 | | c-tp900 | | 100 | 30 | 3200 |
| AZALEA POTS | | | | | | | |
| 57-602101 | 5" AZA MG TF POT BK - X-5AMGT | | 5.00 | 3.61 | 440 | 48 | 12000 |
| 57-602103 | 5" AZA MG TF POT WH - X-5AMGT | | 5.00 | 3.61 | 440 | 48 | 12000 |
| 57-602105 | 5" AZA MG TF POT GN - X-5AMGT | | 5.00 | 3.61 | 440 | 48 | 12000 |
| 57-602107 | 5" AZA MG TF POT TC - X-5AMGT | | 5.00 | 3.61 | 440 | 48 | 12000 |
| 57-603101 | 6" AZA MG TF POT BK - X-6AMGT | | 6.00 | 4.38 | 220 | 48 | 15000 |
| 57-603103 | 6" AZA MG TF POT WH - X-6AMGT | | 6.00 | 4.38 | 220 | 48 | 15000 |
| 57-603105 | 6" AZA MG TF POT GN - X-6AMGT | | 6.00 | 4.38 | 220 | 48 | 15000 |
| 57-603107 | 6" AZA MG TF POT TC - X-6AMGT | | 6.00 | 4.38 | 220 | 48 | 15000 |
| 57-604101 | 6.5" AZA MG TF POT BK - X-65AMGT | | 6.00 | 5.00 | 240 | 48 | 10500 |
| 57-604103 | 6.5" AZA MG TF WH - X-65AMGT | | 6.00 | 5.00 | 240 | 48 | 10500 |
| 57-604105 | 6.5" MG TF GN - X-65AMGT | | 6.00 | 5.00 | 240 | 48 | 10500 |
| 57-604107 | 6.5" MG TF TC - X-65AMGT | | 6.00 | 5.00 | 240 | 48 | 10500 |
| 57-605101 | 7.5" AZA MG TF BK - X-75AMGT | | 7.50 | 5.71 | 220 | 27 | 7200 |
| 57-605103 | 7.5" AZA MG TF WH - X-75AMGT | | 7.50 | 5.71 | 220 | 27 | 7200 |
| 57-605105 | 7.5" AZA MG TF GN - X-75AMGT | | 7.50 | 5.71 | 220 | 27 | 7200 |
| 57-605107 | 7.5" AZA MG TF TC - X-75AMGT | | 7.50 | 5.71 | 220 | 27 | 7200 |
| NURSERY TRA | NYS | | | | | | |
| 57-018702 | 6.5" NURSERY TRGAL BK - X-65NTGT | | 6.50 | 6.50 | 200 | 48 | 9450 |
| 57-018700 | 6.5" NURSERY TRGAL TC - X-65NTGT | | 6.50 | 6.50 | 200 | 48 | 9450 |
| 57-018704 | 6.5" NURSERY TRGAL OL - X-65NTGT | | 6.50 | 6.50 | 200 | 48 | 9450 |
| 57-028000 | 8.5" NURSERY TR2GAL BK - X-85NT2G | | 8.50 | 8.50 | 100 | 24 | 5800 |
| SEEDER TRAY | 'S | | | | | | |
| 54-232991 | 20 ROW SEEDER TRAY - P-SEED20 | 21.50 | 11.00 | 1.25 | 100 | 32 | 3200 |
| - | * | | | | | | |





TF = Thermo-formed Product

| ROUND PO | TS | | | | | | |
|-----------|-------------------------------|--------|-----------|-------|------|----------|------------|
| Product | December 1 | Cel | l Dimensi | ons | Case | 00/0144 | D. II. OTV |
| Code | Description | Length | Width | Depth | QTY | CS/ Skid | Bulk QTY |
| 57-608400 | 4" STD RD MG TF BK - X-4RMGT | | 4.00 | 4.39 | 825 | 42 | 24192 |
| 57-608404 | 4" STD RD MG TF TC - X-4RMGT | | 4.00 | 4.39 | 825 | 42 | 24192 |
| 57-601430 | 4.33" STD RD MG BK - X-43RMGT | | 4.33 | 3.90 | 900 | 36 | 17000 |
| 57-610241 | 4.5" GER MG TF BK - X-45RMGT | | 4.50 | 4.02 | 675 | 48 | 15000 |
| 57-610245 | 4.5" GER MG TF GN - X-45RMGT | | 4.50 | 4.02 | 675 | 48 | 15000 |
| 57-602450 | 4.5" GER MG TF TC - X-45RMGT | | 4.50 | 4.02 | 675 | 48 | 15000 |
| 57-602205 | 5" STD MG TF POT GN - X-5RMGT | | 5.00 | 4.57 | 360 | 48 | 9792 |
| 57-602207 | 5" STD MG TF POT TC - X-5RMGT | | 5.00 | 4.57 | 360 | 48 | 9792 |
| 57-614040 | 6" TRADE MG TF BK - X-T600 | | 5.30 | 4.51 | 240 | 48 | 17640 |
| 57-614042 | 6" TRADE MG TF TC - X-T600 | | 5.30 | 4.51 | 240 | 48 | 17640 |
| 57-049600 | TRUE QT MG TF BK - X-TQTMGT | | 4.75 | 5.27 | 600 | 24 | 8640 |
| 57-049850 | 8" MUM PAN MG BK - X-8MPMGT | | 8.00 | 5.00 | 300 | 20 | 7800 |
| 57-049853 | 8" MUM PAN MG TC - X-8MPMGT | | 8.00 | 5.00 | 300 | 20 | 7800 |
| 57-053003 | 9"X6" MUM COEX BK - X-9MPMGT | | 9.00 | 5.90 | 100 | 40 | 3500 |
| 57-053001 | 9"X6" MUM COEX TC - X-9MPMGT | | 9.00 | 5.90 | 100 | 40 | 3500 |
| 57-053004 | 9"X6" MUM COEX GN - X-9MPMGT | | 9.00 | 5.90 | 100 | 40 | 3500 |



| NURSERY CONTA | AINERS | | | | | | |
|----------------|-----------------------------------|--------|-----------|-------|------|------|------|
| D. L. J. O. L. | B | Cel | l Dimensi | ons | Case | CS/ | Bulk |
| Product Code | Description | Length | Width | Depth | QTY | Skid | QTY |
| 61-030095 | 100 NURSERY CONTAINER - I-NC1QT | | 4.40 | 4.75 | 408 | 24 | 5760 |
| 61-030100 | 300 NURSERY CONTAINER - I-NCTGAL | | 6.13 | 6.87 | 60 | 42 | 6552 |
| 61-030150 | 400 NURSERY CONTAINER - I-NCSGAL | | 7.15 | 7.00 | 75 | 30 | 4500 |
| 61-030200 | 600 NURSERY CONTAINER - I-NCT2GAL | | 8.04 | 8.50 | 65 | 30 | 4350 |
| 56-657300 | 300 NURSERY CONTAINER - X-3QTCTPP | | 19.50 | 12.75 | 50 | 36 | 1400 |

54-601288

54-601512

P-288 SQ PLUG TRAY - P-288SQ

P-512 SQ PLUG TRAY - P-512

21.38

21.38

11.05

11.05

1.00

1.00

100

100

32

20

3200 2000



| BOTENIEA | | Coll | l Dimensi | nne | | | |
|-----------------|----------------------------------|--------|-----------|-------|-------------|-------------|----------|
| Product Code | Description | Length | Width | Depth | Case QTY | CS/ Skid | Bulk QTY |
| 51-070081 | 8" SATURN POT TC - K-SAT8 | | 8.00 | 5.73 | 100 | 40 | 7000 |
| 51-070083 | 8" SATURN POT CH - K-SAT8 | | 8.00 | 5.73 | 100 | 40 | 7000 |
| 51-070085 | 8" SATURN POT TN - K-SAT8 | | 8.00 | 5.73 | 100 | 40 | 7000 |
| 57-070087 | 8" SATURN POT OL - K-SAT8 | | 8.00 | 5.73 | 100 | 40 | 7000 |
| 51-070101 | 10" SATURN POT TC - K-SAT10 | | 10.00 | 7.86 | 50 | 40 | 3290 |
| 51-070103 | 10" SATURN POT CH - K-SAT10 | | 10.00 | 7.86 | 50 | 40 | 3290 |
| 51-070105 | 10" SATURN POT TN - K-SAT10 | | 10.00 | 7.86 | 50 | 40 | 3290 |
| 51-070121 | 12" SATURN POT TC - K-SAT12 | | 12.00 | 9.27 | 40 | 30 | 2100 |
| 51-070123 | 12" SATURN POT CH - K-SAT12 | | 12.00 | 9.27 | 40 | 30 | 2100 |
| 51-070125 | 12" SATURN POT TN - K-SAT12 | | 12.00 | 9.27 | 40 | 30 | 2100 |
| 51-070214 | 12" SATURN POT OL - K-SAT12 | | 12.00 | 9.27 | 40 | 30 | 2100 |
| 51-070141 | 14" SATURN POT TC - K-SAT14 | | 14.00 | 11.19 | 30 | 16 | 1080 |
| 51-070143 | 14" SATURN POT CH - K-SAT14 | | 14.00 | 11.19 | 30 | 16 | 1080 |
| 51-070145 | 14" SATURN POT TN - K-SAT14 | | 14.00 | 11.19 | 30 | 16 | 1080 |
| 51-070147 | 14" SATURN POT OL - K-SAT14 | | 14.00 | 11.19 | 30 | 16 | 1080 |
| 51-070201 | 12" TREASURE BOWL TC - K-TSB12 | | 12.00 | 5.67 | 50 | 48 | 3300 |
| 51-070203 | 12" TREASURE BOWL OL - K-TSB12 | | 12.00 | 5.67 | 50 | 48 | 3300 |
| 51-070204 | 12" TREASURE BOWL TN - K-TSB12 | | 12.00 | 5.67 | 50 | 48 | 3300 |
| 51-070205 | 12" TREASURE BOWL CB - K-TSB12 | | 12.00 | 5.67 | 50 | 48 | 3300 |
| 51-070211 | 14" TREASURE BOWL TC - K-TSB14 | | 14.00 | 5.75 | 50 | 36 | 2475 |
| 51-070212 | 14" TREASURE BOWL TN - K-TSB14 | | 14.00 | 5.75 | 50 | 36 | 2475 |
| 51-070213 | 14" TREASURE BOWL CH - K-TSB14 | | 14.00 | 5.75 | 50 | 36 | 2475 |
| 51-070147 | 14" TREASURE BOWL OL - K-TSB14 | | 14.00 | 5.75 | 50 | 36 | 2475 |
| 51-070301 | 12" T SERENE POT TC - K-SDC12 | | 11.50 | 10.00 | 50 | 36 | 2820 |
| 55-612001 | 12" SERENE HB WH - K-SDB12 | | 12.00 | 7.50 | 50 | 36 | 3240 |
| 55-612003 | 12" SERENE HB GN - K-SDB12 | | 12.00 | 7.50 | 50 | 36 | 3240 |
| 57-632312 | 12" FLUTED OVAL TC - K-OVL12 | | 12.00 | 4.00 | 100 | 32 | 3900 |
| 57-632313 | 12" FLUTED OVAL TN - K-OVL12 TAN | | 12.00 | 4.00 | 100 | 32 | 3900 |
| 57-632314 | 12" FLUTED OVAL CH - K-OVL12 | | 12.00 | 4.00 | 100 | 32 | 3900 |
| 57-634310 | 14" FLUTED PLNTR BK - K-FPN14 | | 14.00 | 9.50 | 30 | 16 | 2115 |
| 57-632316 | 14" FLUTED PLNTR OL -K-FPN14 | | 12.00 | 4.00 | 100 | 32 | 3900 |
| 57-634314 | 14" FLUTED PLNTR TC - K-FPN14 | | 14.00 | 9.50 | 30 | 16 | 2115 |
| 57-634316 | 14" FLUTED PLNTR CH - K-FPN14 | | 14.00 | 9.50 | 30 | 16 | 2115 |
| 57-634318 | 14" FLUTED PLNTR TN - K-FPN14 | | 14.00 | 9.50 | 30 | 16 | 2115 |







| BOTANIA S | BOTANIA SERIES CONT. | | | | | | | | | | | | |
|-----------|------------------------------|--------|-----------|-------|------|------|------|--|--|--|--|--|--|
| Product | Bassiskis | Cel | Dimension | ons | Case | CS/ | Bulk | | | | | | |
| Code | Description ode | Length | Width | Depth | QTY | Skid | QTY | | | | | | |
| 57-636310 | 16" FLUTED OVAL TC - K-OVL16 | | 16.00 | 6.00 | 50 | 36 | 2682 | | | | | | |
| 57-636312 | 16" FLUTED OVAL TN - K-OVL16 | | 16.00 | 6.00 | 50 | 36 | 2682 | | | | | | |
| 57-636314 | 16" FLUTED OVAL CH - K-OVL16 | | 16.00 | 6.00 | 50 | 36 | 2682 | | | | | | |
| 57-636316 | 16" FLUTED OVAL OL - K-OVL16 | | 16.00 | 6.00 | 50 | 36 | 2682 | | | | | | |

MG = MaxiGrow

| POTS & BC | WLS | | | | | | |
|-----------|--------------------------------|--------|------------|-------|------|------|-------|
| Product | Bassiskins | Cel | l Dimensio | ons | Case | CS/ | Bulk |
| Code | Description | Length | Width | Depth | QTY | Skid | QTY |
| 57-617010 | 6" AZA TRAD POT BK - I-A600 | | 6.00 | 4.50 | 200 | 48 | 12600 |
| 57-617012 | 6" AZA TRAD POT GN - I-A600 | | 6.00 | 4.50 | 200 | 48 | 12600 |
| 57-630010 | 10" AZA TRAD POT BK - I-A10 | | 9.75 | 7.25 | 50 | 40 | 3800 |
| 57-630014 | 10" AZA TRAD POT GN - I-A10 | | 9.75 | 2.75 | 50 | 40 | 3800 |
| 57-609402 | 4" AZA MG POT GN - I-A400MG | | 3.88 | 2.88 | 248 | 25 | 27135 |
| 57-623010 | 7.5" AZA MG POT BK - I-A750MG | | 7.50 | 5.50 | 248 | 24 | 5952 |
| 57-623012 | 7.5" AZA MG POT GN - I-A750MG | | 7.50 | 5.50 | 248 | 24 | 5952 |
| 57-125010 | 8" AZA MG POT BK - I-A800MG | | 7.75 | 5.75 | 282 | 25 | 8460 |
| 57-616010 | 6" AZA MG PLUS BK - I-A600MP | | 6.00 | 4.75 | 252 | 48 | 16140 |
| 57-616012 | 6" AZA MG PLUS GN - I-A600MP | | 6.00 | 4.75 | 252 | 48 | 16140 |
| 57-618036 | 6" AZA MG PLUS TC - I-A600MP | | 6.00 | 4.75 | 252 | 48 | 16140 |
| 57-618030 | 6.5" AZA MG PLUS BK - I-A650MP | | 6.50 | 5.13 | 260 | 48 | 13818 |
| 57-618034 | 6.5" AZA MG PLUS GN - I-A650MP | | 6.50 | 5.13 | 260 | 48 | 13818 |
| 57-618036 | 6.5" AZA MG PLUS TC - I-A650MP | | 6.50 | 5.13 | 260 | 48 | 13818 |
| 57-610210 | 4.5" GER MG POT BK - I-G450MG | | 4.50 | 4.00 | 900 | 36 | 40500 |
| 57-610212 | 4.5" GER MG POT GN - I-G450MG | | 4.50 | 4.00 | 900 | 36 | 40500 |
| 57-608490 | 4" STD RD MG POT BK - I-R400MG | | 4.00 | 3.50 | 832 | 30 | 38100 |
| 57-608492 | 4" STD RD MG POT GN - I-R400MG | | 4.00 | 3.50 | 832 | 30 | 38100 |
| 57-616490 | 6" STD RD MG POT BK - I-R600MG | | 6.00 | 5.50 | 204 | 48 | 13200 |
| 57-616491 | 6" STD RD MG POT GN - I-R600MG | | 6.00 | 5.50 | 204 | 48 | 13200 |
| 57-616492 | 6" STD RD MG POT TC - I-R600MG | | 6.00 | 5.50 | 204 | 48 | 13200 |
| 57-608390 | 4" SQ TRUE MG BK - I-S400MG | | 3.50 | 3.00 | 900 | 32 | 28800 |
| 57-608392 | 4" SQ TRUE MG GN - I-S400MG | | 3.50 | 3.00 | 900 | 32 | 28800 |
| 57-610350 | 4.5" SQ TRUE MG GN - I-S450MG | | 4.50 | 3.63 | 870 | 32 | 31320 |
| 57-610352 | 4.5" SQ MG POT GN - I-S450MGGN | | 4.50 | 3.63 | 870 | 32 | 31320 |

LANDMARK PLASTIC



I-HPS600GR & I-HPS600WH I-HPS600GR & I-HPS600WH








I-IHB10

| Product | Description | Cel | l Dimensi | ons | Case | CS/ | Dulk OTY |
|-----------|------------------------------------|--------|-----------|-------|------|------|----------|
| Code | Description | Length | Width | Depth | QTY | Skid | Bulk QTY |
| 55-606230 | 6" SMOOTH HB W/S WH - I-HPS600WH | | 6.88 | 4.50 | 312 | N/A | 8085 |
| 55-608232 | 6" SMOOTH HB W/S GN - I-HPS600GN | | 6.88 | 4.50 | 312 | N/A | 8085 |
| 55-608230 | 8" SMOOTH HB W/S WH - I-HPS800 | | 8.44 | 5.00 | 90 | N/A | 3960 |
| 55-608232 | 8" SMOOTH HB W/S GN - I-HPS800 | | 8.44 | 5.00 | 90 | N.A | 3960 |
| 55-608330 | 8" FLUTED SL HB WH - I-FHB8 | | 8.25 | 5.25 | 50 | 75 | 7350 |
| 55-608332 | 8" FLUTED SL HB GN - I-FHB8GN | | 8.25 | 5.25 | 50 | 75 | 7350 |
| 55-610230 | 10" IMPERIAL HB BK - I-IHB10 | | 10.00 | 6.85 | 50 | 50 | 4500 |
| 55-610231 | 10" IMPERIAL HB WH - I-IHB10 | | 10.00 | 6.85 | 50 | 50 | 4500 |
| 55-610232 | 10" IMPERIAL HB GN - I-IHB10 | | 10.00 | 6.85 | 50 | 50 | 4500 |
| 55-610233 | 10" IMPERIAL HB MC - I-IHB10 | | 10.00 | 6.85 | 50 | 50 | 4500 |
| 55-610234 | 10" IMPERIAL HB OL - I-IHB10 | | 10.00 | 6.85 | 50 | 50 | 4500 |
| 55-610235 | 10" IMPERIAL HB CB - I-IHB10 | | 10.00 | 6.85 | 50 | 50 | 4500 |
| 55-610020 | 10" CONTMP SWIRL SL HB WH - I-CT10 | | 10.50 | 5.44 | 50 | 50 | 4500 |
| 55-610022 | 10" CONTMP SWIRL SL HB GN - I-CT10 | | 10.50 | 5.44 | 50 | 50 | 4500 |
| 55-610024 | 10" CONTMP SWIRL SL HB TC - I-CT10 | | 10.50 | 5.44 | 50 | 50 | 4500 |
| 55-611020 | 10" SWIRL HB W/S WH - I-CTS10 | | 10.50 | 5.44 | 50 | 30 | 4500 |
| 55-611022 | 10" SWIRL HB W/S GN - I-CTS10 | | 10.50 | 5.44 | 50 | 30 | 4500 |
| 55-000200 | 12" SWIRL HB SL WH - I-DS12WH | | 11.81 | 7.22 | 25 | 48 | 950 |
| 55-000201 | 12" SWIRL HB SL OL - I-DS12OL | | 11.81 | 7.22 | 25 | 48 | 950 |
| 55-000202 | 12" SWIRL HB SL GN - I-DS12GN | | 11.81 | 7.22 | 25 | 48 | 950 |
| 55-000203 | 12" SWIRL HB SL TN - I-DS12TN | | 11.81 | 7.22 | 25 | 48 | 950 |
| 55-000204 | 12" SWIRL HB SL CB - I-DS12CB | | 11.81 | 7.22 | 25 | 48 | 950 |
| 55-000205 | 12" SWIRL HB SL TC - I-DS12TC | | 11.81 | 7.22 | 25 | 48 | 950 |
| 55-611031 | 12" SWIRL HB W/S WH - 1-DSS12 | | 11.81 | 7.22 | 25 | 48 | 950 |
| 55-611032 | 12" SWIRL HB W/S GN - I-DSS12 | | 11.81 | 7.22 | 25 | 48 | 950 |
| 55-600801 | 16" 3STR HANGER WH - I-16ACL | | 16.00 | | 50 | 450 | N/A |
| 55-600802 | 16" 3STR HANGER GN - I-16ACL | | 16.00 | | 50 | 450 | N/A |
| 55-600841 | 19" 3STR HANGER WH - I-19SPCL | | 19.00 | | 50 | 450 | N/A |
| 55-600842 | 19" 3 STR HANGER OL - I-19SPCL | | 19.00 | | 50 | 450 | N/A |
| 55-600843 | 19" 3STR HANGER GN - I-19SPCL | | 19.00 | | 50 | 450 | N/A |

11/3/2015 CONTENT REVISED



| HANGING BASKETS CONT. | | | | | | | | | | | |
|-----------------------|-------------------------------|--------|-----------|-------|------|------|------|--|--|--|--|
| 5 | | | Dimension | ons | Case | CS/ | Bulk | | | | |
| Product Code | Description | Length | Width | Depth | QTY | Skid | QTY | | | | |
| 55-600844 | 19" 3STR HANGER TC - I-19SPCL | | 19.00 | | 50 | 450 | N/A | | | | |
| 55-001871 | 22" 4 STR HANGER WH - K-22ACL | | 22.00 | | 25 | 80 | N/A | | | | |
| 55-001872 | 22" 4 STR HANGER GN - K-22ACL | | 22.00 | | 25 | 80 | N/A | | | | |
| 55-001873 | 22" 4 STR HANGER TC - K-22ACL | | 22.00 | | 25 | 80 | N/A | | | | |
| 55-001874 | 22" 4 STR HANGER TN - K-22ACL | | 22.00 | | 25 | 80 | N/A | | | | |
| 55-001875 | 22" 4 STR HANGER OL - K-22ACL | | 22.00 | | 25 | 80 | N/A | | | | |
| 55-001876 | 22" 4 STR HANGER ST - K-22ACL | | 22.00 | | 25 | 80 | N/A | | | | |



| ROUND TRA | ROUND TRAYS (5" - 6.5") | | | | | | | | | | | |
|-----------------|-----------------------------------|--------------------|-------------|-------------|-------------|--|--|--|--|--|--|--|
| Product Code | Description | Compatibility Pots | Case QTY | CS/ Skid | Bulk QTY | | | | | | | |
| 56-636000 | 5" AZ TRANS TRAY(8) - X-T5TPPB | x-5amgt | 100 | 36 | 3600 | | | | | | | |
| 56-605300 | 5" RD(8) STD TRAY - X-T13TPPPB | x-5rmgt | 100 | 24 | 2700 | | | | | | | |
| 56-645850 | TRADE 6" TRANS TRAY(8) - X-T6TPPB | i-t600mp, x-t600 | 100 | 28 | 1400 | | | | | | | |
| 56-645800 | 6" STD TRANS TRAY(6) - X-6TPRGPPB | i-r600mg | 100 | 30 | 3000 | | | | | | | |
| 56-645975 | 6" AZA TRANS TRAY(6) - X-6TPPPB | i-a600, x-6amgt | 100 | 30 | 3000 | | | | | | | |
| 56-646000 | 6.5" TRANS TRAY(6) - X-65TPPPB | i-a650mp, x-65amgt | 100 | 28 | 2800 | | | | | | | |
| 56-647170 | TRUE QT TRANS TRAY(8) - X-QTPP8 | i-nc1qt, x-tqtmgt | 75 | 36 | 2700 | | | | | | | |





STANDARD FLATS/INSERTS

STANDARD INSERTS

| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
|-----------|--|-------|--------|-----------|---------|---------------------------|--------------------------------------|
| 54-011620 | D606 Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | |
| 54-013620 | DJ606 Jumbo Standard Insert | Black | 100/cs | 36cs/skid | 3600/sk | 21x10-1/2 x 3-3/4 | |
| 54-011660 | D801 Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | |
| 54-011680 | D804 Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | |
| 54-011690 | D806 Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | |
| 54-012690 | D806R Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | |
| 54-011710 | D809 Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | most standard injection/vacuum flats |
| 54-011820 | D1201 Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | |
| 54-011830 | D1202 Standard Insert | Black | 100/cs | 64cs/skid | N/A | 21x10-1/2 x 2-1/4 | |
| 54-011840 | D1203 Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | |
| 54-011850 | D1204 Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | |
| 54-011870 | D1206 Standard Insert | Black | 100/cs | 64cs/skid | N/A | 21x10-1/2 x 2-1/4 | |
| 54-011890 | D1801 Standard Insert | Black | 100/cs | 64cs/skid | 7200/sk | 21x10-1/2 x 2-1/4 | |
| STANDARD | VACUUM FLATS | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
| 58-027450 | DVF1020 Flat | Black | 100/cs | 36cs/skid | 3600/sk | 21x10-1/2 x 2-3/8 | N/A |
| 58-027451 | DVF1020 Flat No Hole | Black | 100/cs | 36cs/skid | 3600/sk | 21x10-1/2 x 2-3/8 | N/A |
| 58-028450 | DVF1020R Flat | Black | 100/cs | 36cs/skid | 3600/sk | 21x10-1/2 x 2-3/8 | N/A |
| 58-028453 | DVF1020R6 Flat | Black | 100/cs | 36cs/skid | 3600/sk | 21x10-1/2 x 2-3/8 | 600 & 1200 std. series |
| 58-028454 | DVF1020R8 Flat | Black | 100/cs | 36cs/skid | 3600/sk | 21x10-1/2 x 2-3/8 | 800 std series |
| SHEET OF | POTS (DEEP INSERTS) | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
| 54-062950 | AS4510 annual sheet of 10 4.19" sq. pots | Black | 50/cs | 44cs/skid | | 21-5/8x8-1/4 x 4 | CTS4510 |
| 54-065950 | PS4510 T/L Tag Locator per sheet of 10 deep 4.25" sq. pots | Black | 50/cs | 44cs/skid | | 21-5/8x8-1/4 x 5 | CTS4510 |
| 54-068890 | TPS1801 Cut | Black | 100/cs | 36cs/skid | | 20x10 x 3-1/2 | |
| 54-071890 | DPS1801 Cut std per sheet of 18 dp 3.56" sq. pots | Black | 100/cs | 36cs/skid | | 21x10-1/2 x 3-1/2 | CTS418PF |
| 54-073890 | DPS1801 Uncut | Black | 100/cs | 36cs/skid | | 21x10-1/2 x 3-1/3 | |
| 54-065880 | PS1501 Deep perl sheet of 14 deep 4.19" sq. pots | Black | 50/cs | 28cs/skid | | 20-3/4x12-1/2 x 4-3/4 | CTS4515 |
| 56-024240 | CTS418PF Sq Press Fit | Black | 50/cs | 48cs/skid | 3600/sk | 21-1/4x10-5/8 x 2-3/8 | DPS1801 |
| 56-030200 | CTS4510SR | Black | 50/cs | 44cs/skid | 2200/sk | 21x8-1/2 x 3 | AS4510/PS4510 |
| 58-055450 | TV1020P18 Flat | Black | 100/cs | 36cs/skid | 3600/sk | 20x10 x 2 | TPS1801 |
| 56-032200 | CTS4515 (4.5" Sq Pot x 15) | Black | 50/cs | 28cs/skid | 2100/sk | 21x 12-5/8 x2-3/8 | |

DVF=Standard Vacuum Full Depth, AS=Annual Sheet, PS=Perennial Sheet, TPS=True Perennial Sheet, DPS=Standard Perennial Sheet, TV=True Vacuum



T=True, BP=Basket Pack, HP=Half Pack, QP=Quarter Pack, H=Handle Hole, TV=True Vacuum, TVF=True Vacuum Flat

| TRUE INSERT | S | | | | | | |
|-------------|-------------------------|-------|--------|-----------|---------|------------------------|----------------------------|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
| 54-044680 | T804 True Insert | Black | 100/cs | 72cs/skid | 8000/sk | 20x10 x 2-1/2 | |
| 54-044690 | T806 True Insert | Black | 100/cs | 72cs/skid | 8000/sk | 20x10 x 2-1/2 | |
| 54-050690 | T806R True Insert | Black | 100/cs | 72cs/skid | 8000/sk | 20x10 x 2-1/2 | |
| 55-044820 | T1201 True Insert | Black | 100/cs | 36cs/skid | N/A | 20x10 x 2-1/2 | most true injection/vacuum |
| 54-044840 | T1203 True Insert | Black | 100/cs | 36cs/skid | 5000/sk | 20x10 x 2-1/2 | flats |
| 54-050840 | T1203R True Insert | Black | 100/cs | 72cs/skid | 8000/sk | 20x10 x 2-1/2 | |
| 54-044850 | T1204 True Insert | Black | 100/cs | 36cs/skid | 5000/sk | 20x10 x 2-1/2 | |
| 54-044870 | T1206 True Insert | Black | 100/cs | 72cs/skid | 8000/sk | 20x10 x 2-1/2 | |
| 54-047620 | TJ606 Jumbo True Insert | Black | 100/cs | 36cs/skid | 4000/sk | 20x10 x 3-1/4 | T1020R6I, TVF1020R6 |

| SPECIALTY ' | TRUE PACKS | | | | | | |
|-------------|---|-------|-------------|-----------|--------------|------------------------|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
| 54-053440 | T306BP (H) True Insert (true 6 cell single basket pack) | White | 300/cs | 36cs/skid | 12600/ sk | 10x6-3/4 x 3-1/2 | DPC Handle 2, Basket Pack Clip Handle, TV1020R3 |
| 56-099432 | Utility Handle 2 DPC | White | 1000/ cs | 32cs/skid | N/A | 16-1/4" length | T306BPH, T224HPH, HPT108H, SJ224HPH, HPSJ120H |
| 56-099482 | Basket Pack Clip Handle | White | 1000/ cs | 32cs/skid | N/A | 21-1/2" length | T306BP, HPSM109, SM306BP |

| TRUE VACUU | M FLATS | | | | | | |
|------------|------------------------------|-------|--------|-----------|---------|------------------------|---------------|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
| 58-049450 | TVF1020 Flat | Black | 100/cs | 36cs/skid | 3600/sk | 20x10 x 2-5/8 | |
| 58-050450 | TVF1020R Flat | Black | 100/cs | 36cs/skid | 3600/sk | 20x10 x 2-5/8 | |
| 58-050453 | TVF1020R6 Flat | Black | 100/cs | 36cs/skid | 3600/sk | 20x10 x 2-5/8 | N/A |
| 58-050454 | TVF1020R8 Flat | Black | 100/cs | 36cs/skid | 3600/sk | 20x10 x 2-5/8 | |
| 58-050456 | TVF1020R12 Flat (Full Depth) | Black | 100/cs | 36cs/skid | 3600/sk | 20x10 x 2-5/8 | |

| TRUE INJEC | TION MOLDED FLATS | | | | | | |
|------------|-------------------------|-------|-------|-----------|---------|------------------------|---|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
| 58-008450 | 1020 True Light Weight | Black | 50/cs | 60cs/skid | 3000/sk | 20x10 x 2-1/2 | true inserts, 5.5" sq. jumbo TL TW, M-6 sq. TW, |
| 58-009450 | 1020 True Medium Weight | Black | 50/cs | 60cs/skid | 3000/sk | 20x10 x 2-1/2 | TPS1801 |
| 58-012453 | T1020R6l True Flat | Black | 50/cs | 60cs/skid | 3000/sk | 20x10 x 2 | TJ606, T224HP, T412QP |







PLUG/PROPAGATION TRAYS

| STANDARD VA | ACUUM PLUG TRAYS | | | | | |
|-------------|---|-------|-------|---------------|---------|------------------------|
| Catalog # | Description | Color | Pk | Master | Bulk | Dia. x Height (inches) |
| 54-084120 | DVPT51HX (2-51 cell strips x 50 sheets = 100pcs/cs) | Black | 50/cs | 36cs/ skid | N/A | 22 x 1-3/4 x 1-11/16 |
| 54-084250 | DVPT105HX E Plug Tray VT | Black | 50/cs | 36cs/ skid | 2250/sk | 20-3/4x10-1/4 x 1-3/4 |
| 54-082280 | DVPT128SQ Plug Tray VT | Black | 50/cs | 36cs/ skid | 2250/sk | 20-3/8x10-1/4 x 1-9/16 |
| 54-083280 | DVPT128RD Plug Tray | Black | 50/cs | 36cs/ skid | 2250/sk | 10-3/8x10-1/4 x 1-1/4 |
| 54-080400 | DVPT288CE Plug Tray | Black | 50/cs | 36cs/ skid | 2250/sk | 20-1/2x10-1/4 x 1-1/16 |
| 54-080570 | DVPT512CE Plug Tray | Black | 50/cs | 36cs/ skid | 2250/sk | 20-1/2x10-1/4 x 7/8 |

| TRUE VACUU | TRUE VACUUM PLUG TRAYS | | | | | | | | | | | |
|------------|-------------------------------------|-------|-------|-----------|---------|------------------------|--|--|--|--|--|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | | | | | | |
| 54-086200 | TVPT84SQ Plug Tray (w/ Tag Ramp) VT | Black | 50/cs | 36cs/skid | 2250/sk | 20x10 x 1-3/4 | | | | | | |
| 54-088320 | TVPT144RD Plug Tray VT | Black | 50/cs | 36cs/skid | 2250/sk | 20x10 x 1-5/8 | | | | | | |
| 54-086320 | TVPT144SQ Plug Tray VT | Black | 50/cs | 36cs/skid | 2250/sk | 20x10 x 1-5/8 | | | | | | |
| 54-086400 | TVPT288SQ Plug Tray | Black | 50/cs | 36cs/skid | 2250/sk | 20x10 x 1-1/8 | | | | | | |

| VACUUM PR | VACUUM PROPAGATION SHEETS | | | | | | | | | | | |
|-----------|---------------------------|-------|--------|-----------|--------|------------------------|--|--|--|--|--|--|
| Catalog # | Description | Color | Pack | Master | Master | Dia. x Height (inches) | | | | | | |
| 54-077020 | DPS24 (round cell) | Black | 100/cs | 36cs/skid | N/A | 20-3/4x10-5/16 x 2-3/8 | | | | | | |
| 54-077060 | DPS38 (round cell) | Black | 100/cs | 36cs/skid | N/A | 20-3/4x10-5/16 x 2-3/8 | | | | | | |
| 54-071070 | DPS40 (square cell) | Black | 100/cs | 36cs/skid | N/A | 20-3/4x10-5/16 x 2-3/4 | | | | | | |

| VACUUM PROPA | AGATION SHEETS | | | | |
|--------------|-------------------------------|-------|--------|-----------|-------------------------|
| Catalog # | Description | Color | Pack | Master | Dia. x Height (inches) |
| 54-071100 | DPS50 (round cell) | Black | 100/cs | 36cs/skid | 20-3/4x10-5/16 x 2-3/8 |
| 54-074130 | DPS60 (square cell) | Black | 100/cs | 36cs/skid | 20-3/4x10-5/16 x 2-3/4 |
| 54-077170 | DPS72 (round cell) | Black | 100/cs | 36cs/skid | 20-3/4x10-5/16 x 2-3/8 |
| 54-071220 | DPS98 (round cell) | Black | 100/cs | 36cs/skid | 20-3/4x10-5/16 x 1-9/16 |
| 54-074130 | DPS60P strip (6x10) sq cell | Black | 75/cs | 36cs/skid | 20 x 10 x 3 |
| 54-074170 | DPS72P strip (6x12) sq cell | Black | 75/cs | 36cs/skid | 20 x 10 x 2 1/8 |
| 54-074180 | DPS75P strip (3 x 25) sq cell | Black | 50/cs | 36cs/skid | 20 x 9 3/8 x 1 3/4 |

DVPT=Standard Vacuum Plug Tray, HX=Hexagon, SQ=Square, VT=Ventilated, RD=Round, CE=Common Element, DI=Standard Injection, E=Endless, TVPT=True Vacuum Plug Tray, TI=True Injection, DPS=Standard Propagation Sheet





ROUND POTS/CARRIERS

| 8-10" ROUND F | ротѕ | | | | | | | |
|---------------|---------------------------|-------|--------|------------|----------|-------------------|---|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | Compatibility | |
| 57-025010 | Oll A I TIM | Black | 100/ | 00 (-1:1-1 | 0000/-1- | 0 5 0/40 | OTA 0.4 | |
| 57-025011 | 8" Azalea TW | Green | 138/cs | 60cs/skid | 8960/sk | 8 x 5-9/16 | CTA84 | |
| 57-025490 | Oll Ober devel Oberels TW | Black | 100/ | 00(-1:1-1 | 0000/01/ | 0.7/40 - 7.4/0 | Llander F 10/F 101 Oll Deigh Cone 1 0 0 | |
| 57-025491 | 8" Standard Stock TW | Green | 100/cs | 30cs/skid | 6300/SK | 8-7/16 x 7-1/8 | Hanger E-10/E-10L, 8" Point Cage 1 & 2 | |
| 57-027020 | 0.514 1 774 / 1 1 | Black | 100/ | 00 / 111 | 0000/ 1 | 0.5405.4040 | | |
| 57-027021 | 8.5" Azalea TW w/ slot | Green | 130/cs | 60cs/skid | 9000/sk | 8-5/16 x 5-13/16 | Hanger E-10 or E-10L | |
| 57-030010 | 40ll Al TM | Black | 00/ | 40 (-1:1-1 | 4450/-1- | 40 :: 7 4/0 | N/A | |
| 57-030011 | 10" Azalea TW | Green | 90/cs | 40cs/skid | 4450/sk | 10 x 7-1/2 | N/A | |

| ROUND POT C | ARRIERS FOR 3-4.5" | | | | | | |
|-------------|-----------------------|-------|--------|-----------|---------|------------------------|---|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
| 56-015160 | CTR3512 | Black | 50/cs | 36cs/skid | 2600/sk | 21-1/4x7-1/8 x 3-1/2 | 3.5" std TW TL x 12 |
| 56-016162 | CTR46 w/ DPC handle 2 | White | 100/cs | 44cs/skid | 6000/sk | 12x8 x 3-3/4 | 4" std pot x 6 |
| 56-018160 | CTR410 | Black | 50/cs | 44cs/skid | 2750/sk | 20x8 x 3-5/8 | 4" std pot x 10 |
| 56-020160 | CTR415 | Black | 50/cs | 28cs/skid | 2400/sk | 20-3/8x12-1/4 x 3-1/2 | 4" std pot x 15 |
| 56-026082 | CTG4258 (spaced) | Black | 50/cs | 36cs/skid | 1800/sk | 20x10 x 4-1/4 | 4.25" geranium pot x 8 |
| 56-026080 | CTG42510 | Black | 50/cs | 40cs/skid | 2200/sk | 21-1/2x8-3/4 x 4-1/4 | 4.25" geranium pot x 10 |
| 56-029080 | CTG458 | Black | 50/cs | 36cs/skid | 2250/sk | 19-5/8x10 x 4 | 4.5" geranium pot x 8 |
| 56-031080 | CTG4512 | Black | 50/cs | 24cs/skid | 2400/sk | 18-1/4x14 x 3-3/4 | 4.5" geranium pot x 12 |
| 56-032080 | CTG4515 | Black | 50/cs | 24cs/skid | 2100/sk | 22-3/4x13-3/4 x 4 | 4.5" geranium pot x 15 |
| 56-061400 | 4.5" Carryall Tray | Black | 25/cs | 57cs/skid | 1425/sk | 17-1/4x13 x 3 | 4.5" sq.TW, 4.5" sq.trad.TW, 4.5" sq. TL TW |

| PRO EX POTS | | | | | | |
|-------------|-------------------------|-------|---------|-----------|----------|-------------------|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) |
| 57-008521 | 4" Standard COEX Pot | Black | 1260/cs | 28cs/skid | 36750/sk | 4" x 4" |
| 57-008522 | 4" Standard COEX Pot | Clay | 1260/cs | 28cs/skid | 36750/sk | 4" x 4" |
| 57-008523 | 4" Standard COEX Pot | Green | 1260/cs | 28cs/skid | 36750/sk | 4" x 4" |
| 57-009242 | 4.25" Geranium COEX Pot | Clay | 520/cs | 60cs/skid | 30000/sk | 4.25" x 4-3/8" |
| 57-010240 | 4.5" Geranium COEX Pot" | Black | 720/cs | 40cs/skid | 31000/sk | 4.5" x 3.75" |
| 57-010242 | 4.5" Geranium COEX Pot" | Clay | 720/cs | 40cs/skid | 31000/sk | 4.5" x 3.75" |
| 57-010244 | 4.5" Geranium COEX Pot" | Green | 720/cs | 40cs/skid | 31000/sk | 4.5" x 3.75" |
| 57-010246 | 4.5" Geranium COEX Pot" | White | 720/cs | 40cs/skid | 31000/sk | 4.5" x 3.75" |

TL=Tag locator, TW=Thinwall, Per=Perennial, CoEx=CoExtruded, Vac=Vacuum

DILLEN-ITML The HC Companies







Azalea Pot





ROUND POT

| 3-4.5" ROUNI | POTS | | | | | | | |
|--------------|--------------------------------|-------|-------|--------|--------|-------------------|------------------------------------|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | Compatibility | |
| 57-006510 | O. F.II. Channel and T.I. T.M. | Black | 1225/ | 36cs/ | 46750/ | 0.1/00.1/4 | CTD0510 | |
| 57-006511 | 3.5" Standard TL TW | Green | cs | skid | sk | 3-1/2 x 3-1/4 | CTR3512 | |
| 57-008010 | 411 A-alaa TM | Black | 1980/ | 32cs/ | 42000/ | 4 0 7/0 | CTA415, 4/10/4 IST, 4/12/8 IST, | |
| 57-008011 | 4" Azalea TW | Green | cs | skid | sk | 4 x 2-7/8 | 4/15/4 IST | |
| 57-008490 | 4" Standard TW | Black | 1550/ | 28cs/ | 42000/ | 4 x 3-1/2 | CTR410, CTR415, 4/12/8 IST, 4/15/4 | |
| 57-008491 | 4 Standard TW | Green | cs | skid | sk | 4 X 3-1/2 | IST, 4/10/4 IST | |
| 57-009211 | 4 OF II Course in the TM | Green | 680/ | 40cs/ | 31500/ | 4-1/4 x 3-13/16 | FDC 40545 OTO 4050 OTO 40540 | |
| 57-009213 | 4.25" Geranium TL TW | White | cs | skid | sk | 4-1/4 X 3-13/16 | FPG42515, CTG4258, CTG42510 | |
| 57-010220 | 4.5" O TM | Black | 850/ | 38cs/ | 34410/ | 4.4/0 - 0.40/40 | CTG4515, KG2, 4.5/12/8 IST, | |
| 57-010221 | 4.5" Geranium TW | Green | cs | skid | sk | 4-1/2 x 3-13/16 | CTG4512, CTG458 | |
| 57-010210 | | Black | 850/ | 40cs/ | 34410/ | | CTG4515, KG2, 4.5/12/8 IST, | |
| 57-010211 | 4.5" Geranium TL TW | Green | cs | skid | sk | 4-1/2 x 3-13/16 | CTG4512, CTG458 | |
| 57-010230 | | Black | 830/ | 40cs/ | 34410/ | | CTG458, CTG4512, CTG4515, | |
| 57-010231 | 4.5" Geranium Trad. TW | Green | cs | skid | sk | 4-1/2 x 3-3/4 | 4.5/12/8 IST, KG2 | |

| Catalog # | Description | Color | Pk | Master | Bulk | Dia x Ht | Compatibility |
|-----------|------------------------------------|-------|--------|---------------|--------------|-----------|------------------------------|
| 57-012010 | Description | Black | r K | | | Dia X I I | Compatibility |
| 57-012010 | 5" Azalea TL TW | | 792/cs | 36cs/ skid | 32400/ sk | 5 x 3-5/8 | CTA58, 5/8/5 IST |
| 57-012011 | | Green | | 36cs/ | 21600/ | | |
| 57-012000 | 5" Azalea Tall CoEx | Black | 600/cs | skid | 21000/ sk | 5 x 5 3/4 | |
| 57-014030 | 5 5 1 A . L . T . L TAV | Black | 544/ | 32cs/ | 20000/ | 5-13/32 | CTA556, CTA558, 5.5/8/5.5 |
| 57-014031 | 5.5" Azalea Trad. TW | Green | 544/cs | skid | sk | x 4-9/16 | IST, 5.5/6/5.5L IST |
| 57-014042 | 55" A | CL/BK | 100/ | 32cs/ | 16555/ | 5-3/10 x | CTA558,CTA556L, 5.5/6/5.5L |
| 57-014041 | 5.5" Azalea Trad. CoEx | GN/BK | 496/cs | skid | sk | 4-1/2 | CXIST, 5.5/8/5.5 IST |
| 57-016010 | | Black | / | 32cs/ | 20000/ | | CTA66, CTA66L, 6/6/10 IST, |
| 57-016011 | 6" Azalea TW | Green | 560/cs | skid | sk | 6 x 4-1/4 | 6/6/8 IST |
| 57-016050 | | Black | / | 32cs/ | 18200/ | 6-1/16 x | CTAJ66, CTAJ66L, 6/6/8 IST, |
| 57-016051 | 6" Azalea Jumbo TW | Green | 528/cs | skid | sk | 4-15/16 | 6/6/10 IST, 6J/6/10L IST |
| 57-016490 | Oll Ober devel TM | Black | 440/ | 32cs/ | 14625/ | 0 5 0/4 | OTD00 0/0/0 IOT 0/0/40 IOT |
| 57-016491 | 6" Standard TW | Green | 440/cs | skid | sk | 6 x 5-3/4 | CTR66, 6/6/8 IST, 6/6/10 IST |
| 57-016002 | Oll Applica Op Fig. | CL/BK | 004/ | 32cs/ | 30000/ | 5-9/10 x | OTI OV -/O//- IOT / |
| 57-016001 | 6" Azalea CoEx | GN/BK | 864/cs | skid | sk | 4-1/4 | CTA66 CX, 6/6/10 IST 1&2 |
| 57-018010 | O. S.II. A ala - T.A./ | Black | 000/ | 48cs/ | 15105/ | 6-1/2 x | CTA656, FPGA16, 6.5" |
| 57-018011 | 6.5" Azalea TW | Green | 328/cs | skid | sk | 4-5/8 | Carryall, 1G/6/10 IST) |
| 57-018030 | 0.5% 4 | Black | 0.407 | 48cs/ | 13250/ | 6-1/2 x | OTA 1050 0 511 0 11 |
| 57-018031 | 6.5" Azalea Trad. TW | Green | 240/cs | skid | sk | 4-15/16 | CTAJ656, 6.5" Carryall |
| 57-018001 | | Green | 2121 | 32cs/ | 13520/ | (.) (. | |
| 57-018002 | 6.5" Azalea Euro CoEx Short (17cm) | CL/BK | 318/cs | skid | sk | 6 5/8 X 5 | |
| 57-071170 | 6.5" Azalea Euro CoEx Tall (17cm) | Black | 294/cs | 32cs/ skid | 13520/ sk | 6 5/8 X 6 | |



ROUND CARRIERS





| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
|-----------|--------------------------|-------|-------|-----------|---------|---------------------------|--------------------------------|
| 56-036000 | CTA58 | Black | 50/cs | 36cs/skid | 2500/sk | 19-7/8x9-7/8 x 3-3/4 | 5" Azalea pot x 8 |
| 56-038030 | CTA556L CX (staggered) | Black | 50/cs | 36cs/skid | 1800/sk | 20x10 x 4-1/2 | 5.5" Az Trad. CoEx TW x 6 |
| 56-040000 | CTA558 | Black | 50/cs | 32cs/skid | 1800/sk | 22x11 x 4-5/8 | 5.5" Az trad. pot x 8 |
| 56-040010 | CTA558 CX | Black | 50/cs | 32cs/skid | 1800/sk | 22x11 x 4-5/8 | 5.5" Az Trad. CoEx pot x 8 |
| 56-042000 | CTA66 | Black | 50/cs | 28cs/skid | 1600/sk | 18-1/2x12-3/8 x 4-3/8 | 6" Azalea pot x 6 |
| 56-042020 | CTA66L (staggered) | Black | 50/cs | 28cs/skid | 1600/sk | 20x11-1/4 x 4-1/4 | 6" Azalea pot x 6 |
| 56-042010 | CTA66 CX (staggered) | Black | 50/cs | 28cs/skid | 2400/sk | 20x11-1/4 x 4-1/4 | 6" Azalea CoEx pot x 6 |
| 56-042040 | CTAJ66 | Black | 50/cs | 28cs/skid | 1600/sk | 18-1/2x12-3/8 x 4-3/4 | 6" Azalea jumbo pot x 6 |
| 56-042060 | CTAJ66L (staggered) | Black | 50/cs | 28cs/skid | 1600/sk | 20x11-1/4 x 4-7/8 | 6" Azalea jumbo pot x 6 |
| 56-042160 | CTR66 | Black | 50/cs | 28cs/skid | 1600/sk | 18-1/2x12-3/8 x 5 | 6" standard pot x 6 |
| 56-042290 | DWT66 Self Watering Tray | Black | 50/cs | 28cs/skid | N/A | 20-1/4x13-1/4 x 2-3/4 | 6" az TW/jumbo TW x 6 |
| 56-099600 | Sunnyside Flat | White | 25/cs | 42cs/skid | N/A | 19-3/8x12 x 2-7/8 | 6" std, 6" color, 6" az pots |
| 56-046040 | CTAJ656 | Black | 50/cs | 28cs/skid | 1750/sk | 19-3/16x13-1/4 x 5 | 6.5" Azalea trad. Pot x 6 |
| 56-052300 | FPGA16 | Black | 50/cs | 28cs/skid | 1400/sk | 20x13 x 2-1/2 | T1 TW pot x 6 |
| seasonal | 6.5" Carryall Tray | Black | 25/cs | 56cs/skid | 1540/sk | 19-1/8x12-5/8 x 3 | 6.5" az. TW, 6.5" az. trad. TW |
| 57-018030 | C.F." A-slaa Trad. TM | Black | 240/ | 40 (-1:-1 | 13250/ | 0.1/0 4.15/10 | OTA ICEC C Ell Commell |
| 57-018031 | 6.5" Azalea Trad. TW | Green | cs | 48cs/skid | sk | 6-1/2 x 4-15/16 | CTAJ656, 6.5" Carryall |

Guide for Injection Shuttle Trays: (#/#/#) pot size/pots per tray/pot spacing center to center



SQUARE POTS



| 3-3.5" SQUA | IRE POTS | | | | | | | |
|-------------|---|-----------|-------------|---------------|------|---------------------------|----------|----------------------------|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Bulk/M | Compatibility |
| 57-004610 | 3" Sq. Deep Vac. Pot Press Fit (DSQVP3PF/D) | Black | 800/ cs | 54cs/ skid | N/A | 2-5/8 x 3-1/2 | N/A | CTS325PF, CTS332PF |
| 57-005570 | 3.25" Sq. Vac. Pot (DSQVP325/D) | Black | 1200/ cs | 28cs/ skid | N/A | 3-1/4 X 3-5/8 | N/A | CTS32518PF, CTS32512 |
| 57-005610 | 3.25" Sq. Vac. Pot Press Fit (DSQVP325PF/D) | Black | 450/ cs | 54cs/ skid | N/A | 3-1/4 X 3-5/8 | N/A | CTS32518PF, CTS32512 |
| 57-006391 | 3.5" Square Traditional TW | GN/ BK | 800/ cs | 45cs/ skid | N/A | 3-1/2 x 3-1/16 | \$112.91 | Ltwt/ Mdwt/ Hvywt flats |

| 4-4.5" SQU | ARE POTS | | | | | | |
|------------|--|-------|------------|---------------|----------|------------------|---|
| Catalog # | Description | Color | Pk | Master | Bulk | Dia. x Height | Compatibility |
| 57-006610 | 4" Sq. Deep Vac. Pot Press Fit (DSQVP4PF/D) | Black | 450/ cs | 54cs/ skid | N/A | 3-1/2 x 3-1/2 | CTS418PF |
| 57-008350 | | Black | 846/ | 32cs/ | | | CTS415,CTS1540, 4" Carryall, Jr Market |
| 57-008351 | 4" Square TL TW | Green | CS | skid | 30800/sk | 3-31/32 x 3-5/8 | Basket |
| 57-008390 | 4" Square Traditional TW | Black | 900/ | 40cs/ | N/A | 3-7/8 x 3-3/8 | CTS415, CTS1540, 4" Carryall |
| 57-008391 | 4 Square fractitional TW | Green | cs | skid | IN/A | 3-7/6 X 3-3/6 | 013413, 0131340, 4 Carryan |
| 57-010590 | 4.5" Sq. Vac. Pot Press Fit (DSQVP45PF) | Black | 375/ cs | 28cs/ skid | N/A | 4-1/8 x 3-5/8 | CTS4510PF, CTS4512PF, CTS4515PF |
| 57-010600 | 4.5" Sq. Vac. Pot Press Fit (DSQVP45PF) | Black | 250/ cs | 36cs/ skid | N/A | 4-1/8 x 3-5/8 | CTS4510PF, CTS4512PF, CTS4515PF |
| 57-010610 | 4.5" Sq. Deep Vac. Pot Press Fit (DSQVP45PF/D) | Black | 375/ cs | 28cs/ skid | N/A | 4-1/8 x 5 | CTS4512PF, CTS4515PF |
| 57-010350 | 4.5 O | Black | 405/ | 48cs/ | 16250/sk | 4-3/16 x 3-13/16 | OTO 44 OPE OTO 45 45 4 5 11 O 2 2 2 2 1 |
| 57-010351 | 4.5" Square TW | Green | cs | skid | 1625U/SK | 4-3/16 X 3-13/16 | CTS410PF, CTS1545, 4.5" Carryall |
| 57-010390 | 4.5" Square Traditional TW | Black | 510/ | 48cs/ | 26000/sk | 4-1/8 x 3-1/2 | CTS4515, CTS1545, |
| 57-010391 | 4.5 Square fractitional TW | Green | cs | skid | 20000/SK | 4-1/0 % 3-1/2 | 4.5" Carryall |
| 57-010450 | 4.5" Square Deep Per TL TW | Black | 441/ cs | 48cs/ skid | 16250/sk | 4-7/32 x 4-15/16 | CTS4510SR, CTS1545, 4.5" Carryall |

| 5.5-6" SQUA | ARE POTS | | | | | | |
|-------------|----------------------------|-------|------------|---------------|--------------|-----------------|------------------------------|
| Catalog # | Description | Color | Pk | Master | Bulk | Dia. x Height | Compatibility |
| 57-014450 | 5.5" Square Deep Per TL TW | Black | 256/ cs | 32cs/ skid | 12000/ sk | 5-1/4 x 5-15/16 | CTS558, 5.5" sq. R6 Carryall |
| 57-014410 | 5.5" Square Jumbo TL TW | Black | 288/ cs | 36cs/ skid | 10000/ sk | 5-1/32 x 5-5/8 | ltwt/ mdt flats |
| 57-020351 | M6 Square TW | Black | 468/ cs | 36cs/ skid | 16000/ sk | 5 x 4-3/4 | ltwt/ mdt flats |
| 57-020482 | M6 Square CoEx | CL/BK | 468/ | 36cs/ | 16000/ | 5 x 5-3/8 | ltwt/ mdt flats |
| 57-020480 | | BK/BK | cs | skid | sk | | |
| 57-020490 | M6 Square Short CoEx | Black | 585/ cs | 36cs/ skid | 20000/ sk | 5 x 4 1/2 | CTS68 |

TL=Tag locator, TW=Thinwall, Per=Perennial, CoEx=CoExtruded, Vac=Vacuum



SQUARE CARRIERS



| Catalog # | Description | Color | Pk | Master | Bulk | Dia. x Height (inches) | Compatibility |
|-----------|---|-------|--------|-----------|---------|------------------------|---|
| 56-012200 | CTS32512 Sq Pot | Black | 100/cs | 28cs/skid | 3000/sk | 19-1/2x6-5/8 x 1-7/8 | "DSQVP325PFD x 12, |
| 56-006240 | CTS325PF Sq Press Fit (056- 006-240) | Black | 50/cs | 36cs/skid | 2100/sk | 13-1/2x13-1/2 x 2-5/8 | 3.5"" sq deep TW TL x 12" |
| 56-010240 | CTS332PF Sq Press Fit | Black | 50/cs | 32cs/skid | 2250/sk | 21-1/8x10-5/8 x 1-7/8 | DSQVP3PFD x 25 |
| 56-014240 | CTS32518PF Sq Press Fit | Black | 50/cs | 36cs/skid | 3000/sk | 19-7/8x9-7/8 x 1-7/8 | DSQVP3PFD x 32 |
| 56-017200 | CTS3518 | Black | 50/cs | 36cs/skid | 3000/sk | N/A | DSQVP325PF/D x 18 |
| SQUARE I | POT CARRIERS FOR 4-4.5" | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
| 56-020200 | CTS415 | Black | 50/cs | 28cs/skid | 2000/sk | 19-1/2×11-3/4 x 3-3/8 | 4" sq pot x 15 |
| 56-022200 | CTS1540 | Black | 50/cs | 28cs/skid | 1750/sk | 20-1/4x12-1/4 x 2 | 4" sq pot x 15 |
| 56-024240 | CTS418PF Sq Press Fit | Black | 50/cs | 48cs/skid | 3600/sk | 21-1/4x10-5/8 x 2-3/8 | DSQVP4PFD x 18 |
| 56-060400 | 4" Carryall Tray (056-060-400) | Black | 25/cs | 84cs/skid | 2100/sk | 16-15/16x12-3/8 x 3 | 4" sq. TL TW, 4" sq. trad. TW, 4" az. TW, 4" std. TW |
| 56-030200 | CTS4510SR | Black | 50/cs | 44cs/skid | 2200/sk | 21x8-1/2 x 3 | 4.5" sq pot x 10 |
| 56-030240 | CTS4510PF Sq Press Fit | Black | 50/cs | 44cs/skid | 2200/sk | 21-1/4x8-5/8 x 2 | DSQVP45PF x 10 |
| 56-034200 | CTS1545 | Black | 50/cs | 28cs/skid | 1750/sk | 21-1/4x13 x 2 | 4.5" sq pot x 15 |
| 56-032200 | CTS4515 | Black | 50/cs | 28cs/skid | 2100/sk | 20-5/8x12-1/2 x 3-1/2 | 4.5" sq pot x 15 |
| 56-031240 | CTS4512PF Sq Press Fit | Black | 50/cs | 42cs/skid | 2100/sk | 16-3/4x12-1/2 x 2-3/8 | DSQVP45PFD x 12 |
| 56-032240 | CTS4515PF Sq Press Fit | Black | 50/cs | 28cs/skid | 2100/sk | 21x12-5/8 x 2-3/8 | DSQVP45PFD x 15 |
| 56-079560 | 4.5" SQ/12/8 IST | Black | 25/cs | 36cs/skid | 900/sk | 21 5/8 x 16 x 2 | 4" Sq TL TW, 4" sq TRAD TW, 4.5" sq deep TL, 4.5" sq TW, 4.5" sq TRAD TW |
| 56-061400 | 4.5" Carryall Tray | Black | 25/cs | 57cs/skid | 1425/sk | 17-1/4x13 x 3 | 4.5" sq.TW, 4.5" sq.trad.TW, 4.5" sq. TL TW |
| SQUARE I | POT CARRIERS FOR 5.5-6" | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility |
| 56-040200 | CTS558 | Black | 50/cs | 36cs/skid | 2250/sk | 21-1/4x10-5/8 x 3-7/8 | 5.5" square deep pot x 8 |
| 56-044200 | CTS68 | Black | 50/cs | 36cs/skid | 2000/sk | 19-3/4x9-7/8 x 3-3/4 | M-6/M-6 coex, 5.5" imbo sq TL pot x8 |

ROUND POTS

| 7" ROUND P | 7" ROUND POTS | | | | | | | | | | |
|-----------------|---------------------------------------|----------|--------|-----------|----------|----------------|--|--|--|--|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht | | | | | |
| 57-021010 | 7ll A-alaa TM | Black | 450/ | 66cs/skid | 12650/sk | 7 x 5-1/16 | | | | | |
| 57-021011 | 7" Azalea TW | Green | 150/cs | | | | | | | | |
| 57-023010 | 7.511 AI TM | Black | 004/ | 36cs/skid | N/A | 7.4/0 5.7/40 | | | | | |
| 57-023011 | 7.5" Azalea TW | Green | 264/cs | | | 7-1/2 x 5-7/16 | | | | | |
| 57-023707 | 7.5" EURO Pot CoEx Short (Jr. Mum) | Black | 220/cs | 36cs/skid | 11004/sk | 7 1/2 X 5 3/4 | | | | | |
| 57-023750 | 7.5" EURO Pot CoEx Tall (19cm) | Black | 172/cs | 36cs/skid | 9450/sk | 7 1/2 X 7 3/8 | | | | | |
| TL=Tag locator, | TW=Thinwall, Trad=Traditional, CoEx=C | oExtrude | d | | | | | | | | |





Color Products

| The ric companies | | | | | | | | | |
|-------------------|--|-------|-------|-------------|----------|--------------------|--|--|--|
| COLOR BOWLS | 3 | | | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | | | |
| 57-030092 | 10" Color Bowl (use E-10/E-10L hanger) | Clay | 82/cs | 34cs/skid | 3000/sk | 9-15/16 x 4-3/4 | | | |
| 57-032093 | 10 Color Bowl (use E-10/E-10E hanger) | Mocha | 02/03 | 0403/3RIU | 3000/3K | 3 10/10 X 4 0/4 | | | |
| 57-032092 | 12" Color Bowl (use E-12 hanger) | Clay | 42/cs | 48cs/skid | 1680/sk | 12-11/16 x 5-3/16 | | | |
| 57-032093 | 12 Color Bowl (use E-12 hanger) | Mocha | 42/05 | 40CS/SKIU | 100U/SK | 12-11/16 x 5-3/16 | | | |
| 57-034092 | 14" Color Bowl | Clay | 45/cs | 36cs/skid | 1600/sk | 14-3/4 x 5-5/8 | | | |
| 57-034093 | 14 Coloi Bowl | Mocha | 45/05 | 30CS/SKIU | 1000/58 | 14-3/4 X 3-3/6 | | | |
| 57-036092 | 16" Color Roud | Clay | 0E/00 | 20 oo /okid | 000/614 | 16 7/9 v 6 1/4 | | | |
| 57-036093 | 16" Color Bowl | Mocha | 25/cs | 30cs/skid | 900/sk | 16-7/8 x 6-1/4 | | | |
| COLOR POTS | | | | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | | | |
| 57-008112 | | Clay | 648/ | | | 4-1/2 x 3-11/16 | | | |
| 57-008113 | 4" Color Pot | Mocha | cs | 40cs/skid | N/A | | | | |
| | | Clay | 648/ | | | /2 / / - | | | |
| 57-008111 | 4" Color Pot - No Hole | Mocha | cs | 40cs/skid | 14000/sk | 4-1/2 x 3-11/17 | | | |
| 57-008172 | | Clay | 648/ | | | | | | |
| 57-008173 | 4" Color Pot Saucer (attachable) | Mocha | cs | 48cs/skid | N/A | 3-29/32 x 5/8 | | | |
| 57-016112 | | Clay | | | | 0.10/10 5.1/0 | | | |
| 57-016113 | 6" Color Pot | Mocha | 98/cs | 66cs/skid | 7500/sk | 6-13/16 x 5-1/2 | | | |
| 57-025112 | | Clay | | | | | | | |
| 57-025113 | 8" Color Pot | Mocha | 58/cs | 60cs/skid | 4400/sk | 8-15/16 x 6-1/16 | | | |
| 57-025172 | | Clay | | | | | | | |
| 57-025173 | 8" Color Pot Saucer (attachable) | Mocha | 58/cs | 60cs/skid | N/A | 8-5/16 x 1-11/16 | | | |
| 57-030112 | | Clay | | | | | | | |
| 57-030113 | 10" Color Pot #1(use E-12 hanger) | Mocha | 58/cs | 32cs/skid | 2400/sk | 10-7/8 x 7-3/4 | | | |
| 57-030152 | | Clay | | | | | | | |
| 57-030153 | 10" Color Pot # 3 TL | Mocha | 50/cs | 40cs/skid | 2400/sk | 9-7/8 x 7-7/8 | | | |
| 57-032112 | | Clay | | | | | | | |
| 57-032113 | 12" Color Pot #1 | Mocha | 28/cs | 48cs/skid | 1500/sk | 13-3/8 x 9-1/2 | | | |
| 57-032132 | | Clay | | | | | | | |
| 57-032133 | 12" Color Pot #2 TL | Mocha | 40/cs | 32cs/skid | 1500/sk | 11-13/16 x 9-1/2 | | | |
| 57-034112 | | Clay | | | | | | | |
| 57-034113 | 14" Color Pot | Mocha | 20/cs | 36cs/skid | 900/sk | 15-17/32 x 11-5/16 | | | |
| | 1 | I. | | | | 1 | | | |





Clay Color Pot



Mocha **Color Pot**



WINDOW BOXES

| WINDOW BOXE | WINDOW BOXES | | | | | | | | | |
|-------------|--------------------------|------|--------|--------|--|--|--|--|--|--|
| Catalog # | Description | Pack | Bulk | Size | | | | | | |
| DPR15500 | Rec Designer PL TR | 24 | - | 15.50" | | | | | | |
| SHW21000 | Window Box | 46 | - | 21" | | | | | | |
| DPR235000 | Rec Designer PL TR | 24 | - | 23.50" | | | | | | |
| SPX24DB0 | Deck Box | 5 | 400/sk | 24.00" | | | | | | |
| CBP27000 | Rectang Centabella PLNTR | 12 | - | 27" | | | | | | |



Color Products

| COLOR CORDOVA POTS | | | | | | | | | | |
|--------------------|---------------------------------|-------|-------|----------------|---------------|-------------------|--|--|--|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | | | | |
| 57-030192 | | Clay | | / | | | | | | |
| 57-030193 | 10" Cordova Pot | Mocha | 58/cs | 32cs/skid | 2160/sk | 10-5/8 x 7-9/16 | | | | |
| 57-032192 | 40ll Condon Bot | Clay | 05/ | 40 /-1-1-1 | 4500/-1- | 10 0 1/0 | | | | |
| 57-032193 | 12" Cordova Pot | Mocha | 25/cs | 48cs/skid | 1500/sk | 13 x 8-1/2 | | | | |
| 57-034192 | 14" Cordova Pot | Clay | 22/cs | 36cs/skid | 000/-1- | 15 x 10 | | | | |
| 57-034193 | 14 Cordova Fot | Mocha | 22/05 | 30CS/SKIU | 900/sk | 15 X 10 | | | | |
| COLOR OVAL | PLANTERS | | | | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | | | | |
| 57-032312 | 12" Oval Color Planter | Clay | 00/ | 40 (111 | 4000/ | 10.01/00.5 | | | | |
| 57-032313 | (use E-12 hanger) | Mocha | 88/cs | 48cs/skid | 4800/sk | 12-31/32 x 5 | | | | |
| 57-032332 | 12" Oval Color Planter | Clay | 201 | 40 (111 | 21/2 | 10.1/10. 5.7/0 | | | | |
| 57-032333 | Saucer (attachable) | Mocha | 88/cs | 48cs/skid | N/A | 12-1/16 x 5-7/8 | | | | |
| 57-035312 | 45 Ovel Oalen Blanken | Clay | 50/ | 00 /-1-1-1 | 4000/-1- | 45 5 45/40 | | | | |
| 57-035313 | 15" Oval Color Planter | Mocha | 56/cs | 36cs/skid | 1680/sk | 15 x 5-15/16 | | | | |
| 57-036312 | 16" Oval Color Planter Clay | | 40/ | 20 a a /a ki d | | 16 15/16 v 5 7/0 | | | | |
| 57-036313 | (use E-12 hanger) | Mocha | 43/cs | 30cs/skid | 1680/sk | 16-15/16 x 5-7/8 | | | | |
| 57-036332 | 16" Oval Color Planter | Clay | 12/00 | 45cs/skid | N/A | 15 9/4 v 1 9/16 | | | | |
| 57-036333 | Saucer (attachable) | Mocha | 43/cs | 4505/5KIU | IN/A | 15-3/4 x 1-3/16 | | | | |
| 57-040312 | OO!! Ovel Cales Blantes | Clay | 28/cs | 50cs/skid | 1300/sk | 20-7/8 x 6 | | | | |
| 57-040313 | 20" Oval Color Planter | Mocha | 28/CS | 50CS/SKIQ | 1300/SK | 20-1/8 X 6 | | | | |
| COLOR SQUA | ARE PLANTERS | | | | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | | | | |
| 57-025472 | 9" Square Color Blanter | Clay | E6/00 | 60ee/ekid | 0000/-1- | 8 x 7-1/16 | | | | |
| 57-025473 | 8" Square Color Planter | Mocha | 56/cs | 60cs/skid | 3600/sk | | | | | |
| 57-035472 | 15" Square Color | Clay | 10/cs | 33cs/skid | 540/sk | 14-3/8 x 12-5/8 | | | | |
| 57-035473 | Planter | Mocha | 10/05 | 33CS/SKIU | 540/SK | 14-3/6 X 12-3/6 | | | | |
| COLOR ROM | AN URNS | | | | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | | | | |
| 57-028862 | 9" Roman Urn | Clay | 44/22 | CO = = /= +i+ | 4000/als | 9 x 7-1/8 | | | | |
| 57-028863 | 9 Hornan Om | Mocha | 44/cs | 60cs/skid | 4200/sk | 9 X 7-1/6 | | | | |
| 57-030862 | 10" Roman Urn | Clay | 38/cs | 50cs/skid | 2520/sk | 10 x 8-1/8 | | | | |
| 57-030863 | 10 Homan om | Mocha | 30/03 | 5003/3Rid | 2020/3R | 10 x 0-1/0 | | | | |
| 57-033862 | 12.5" Roman Urn | Clay | 20/cs | 48cs/skid | 1425/sk | 12-1/2 x 9-7/8 | | | | |
| 57-033863 | 12.5 Homan om | Mocha | 20/03 | -1003/3RIU | 1425/sk | 12-1/2 x 3-1/0 | | | | |
| DECK RAIL P | LANTERS | | | | | | | | | |
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | | | | |
| 57-044872 | | Clay | | | s/skid 400/sk | N/A | | | | |
| 57-044873 | 24" Univesal Railing Planter | Mocha | 5/cs | 40cs/skid | | | | | | |
| 57-044871 | | Green | | | | | | | | |



Clay Cordova Pot



Clay Mocha Pot



Clay Oval Color Planter



Clay Square Color Planter



Roman Urn



Clay Deck Rail Planter



HANGING BASKETS

| ANGING | BASKETS - SAUCERLESS (in | cludes internal | aisn) | | П | B=Hanging Basket, SL=Saucerless |
|------------|-----------------------------------|-----------------|--------|-------------|-----------|---------------------------------|
| talog # | Description | Color | Pk | Master | Bulk | Dia x Ht |
| -008261 | 8" ESL HB | White | 50/cs | 75cs/skid | 4900/sk | 8 x 5-9/16 |
| 008262 | | Green | 00/00 | 7000701110 | 4000/5/ | 0 X 0 0/10 |
| 010261 | 10" ESL 1 HB | White | 50/cs | 50cs/skid | 3200/sk | 10 x 5-5/8 |
| 010262 | TO ESE THIS | Green | 30/03 | 5003/3Rid | 0200/3K | 10 X 3 3/0 |
| -010371 | 10" ESL 2 HB (hanger in rim) | White | 50/cs | 50cs/skid | 3200/sk | 10 x 6-1/8 |
| -010372 | 10 LSL 211B (Hanger III1III) | Green | 30/03 | JUCS/SKIU | 3200/SK | 10 X 0-1/0 |
| -010001 | 10" Tuscan SL HB | White | 100/cs | 40cs/skid | 4800/sk | 10 x 5-3/4 |
| 010002 | 10 Tuscari SE FIB | Green | 100/05 | 40C5/5KIU | 4600/SK | 10 X 3-3/4 |
| 006181 | 6" Euro SL HB | White | 100/cs | 60cs/skid | 7420/sk | 6-1/2 x 4-1/4 |
| 006182 | 6 Euro SL RB | Green | 100/08 | 60CS/SKIQ | 742U/SK | 0-1/2 X 4-1/4 |
| -008181 | Oli Cura CL O LID | White | F0/22 | 75cs/skid | 4000/als | 0 v E 0/10 |
| 5-008182 | 8" Euro SL 2 HB | Green | 50/cs | 7 JUS/ SKIU | 4900/sk | 8 x 5-9/16 |
| -010181 | 10" Euro CL 2 UP (honour in visa) | White | 50/22 | EOoc/olsis | 2200/51/ | 10 v 6 1/9 |
| -010182 | 10" Euro SL 2 HB (hanger in rim) | Green | 50/cs | 50cs/skid | 3200/sk | 10 x 6-1/8 |
| -010021 | 10 0 | White | 100/cs | 40cs/skid | 4000/-1- | 10 0 1/0 |
| -010022 | 10" Cascade SL HB | Green | 100/03 | 40CS/SKIQ | 4800/sk | 10 x 6-1/8 |
| -012181 | 12" Euro SL HB | White | 50/cs | 32cs/skid | 2080/sk | 11-3/4 x 7-1/4 |
| -012182 | 12 EUIO SL FIB | Green | 50/05 | 32CS/SKIU | 2000/SK | 11-3/4 X 7-1/4 |
| -010111 | 10" Traditional SL T HB | White | 50/cs | 50cs/skid | 3200/sk | 10 x 5-13/16 |
| 010112 | | Green | 00/05 | 50CS/SKIU | 3200/SK | 10 X 3-13/10 |
| NEW! | 10" Traditional SL Matte HB | White | F0/22 | 50cs/skid | 3200/sk | 10 x 5-13/16 |
| INE VV: | TO Traditional SE Matte HB | Green | 50/cs | 50CS/SKIU | 3200/SK | 10 x 5-15/10 |
| 010101 | 10" Traditional SL HB | White | 50/cs | 36cs/skid | 0.400/-1- | 10 2/4 v 6 15/16 |
| 010102 | 10 Traditional SL HB | Green | 50/08 | 30CS/SKIU | 2400/sk | 10-3/4 x 6-15/16 |
| -012101 | 12" Traditional SL HB | White | 50/cs | 28cs/skid | 1800/sk | 12 x 7-1/8 |
| -012102 | 12 ITAUIIIOIIAI SE FIB | Green | 50/05 | 2005/SKIU | 1600/SK | 12 X 7-1/0 |
| -012701 | 12" Traditional SL HB - ITML | White | 50/cs | 24cs/skid | 1800/sk | 12 x 7-1/2 |
| -012702 | (HTS12000) | Green | 50/CS | Z4US/SKIŪ | 1000/SK | 12 X 1-1/2 |
| -010313 | 10" Color SL HB | Clay | 50/cs | 50cs/skid | 3200/sk | 10 x 6-1/8 |
| -010315 | TO COIOI SE NB | Mocha | 50/05 | 50CS/SKIU | 3200/SK | 10 X 0-1/6 |
| -012303 | 12" Color SL HB | Clay | 25/00 | 19aa/akid | 1800/sk | 10 2/16 v 7 1/4 |
| 5-012305 | 12 COIOT SL HB | Mocha | 25/cs | 48cs/skid | 1600/SK | 12-3/16 x 7-1/4 |
| -012073 | 10" Cordova SI LID | Clay | 0E/22 | 1900/01/15 | 1500/ala | 12 × 0 1/0 |
| 5-012075 | 12" Cordova SL HB | Mocha | 25/cs | 48cs/skid | 1500/sk | 13 x 8-1/2 |
| NEW! | 12" DecoStone Hanging Basket | Sandstone | 50/cs | 27cs/skid | 2500/sk | |
| NEW! | 14" Mojave Hanging Basket | | 12/cs | 12cs/skid | 510/sk | |
| :Hanging E | Basket, SL=Saucerless | | | | | |











Traditional Hanging Basket

Euro

Hanging Basket

| HANGING BA | HANGING BASKETS - SAUCERLESS (includes internal dish) | | | | | | | | | | |
|------------|---|-------|-------|-----------|---------|---------------|--|--|--|--|--|
| Catalog # | Description | Color | Pk | Master | Bulk | Dia x Ht | | | | | |
| 55-010463 | toll D. Ci. LID | Clay | 50/ | 50 / 111 | 3200/sk | 10 x 6-1/8 | | | | | |
| 55-010465 | 10" Roman SL HB | Mocha | 50/cs | 50cs/skid | | | | | | | |
| seasonal | 40ll Diver Dat CL LID C Hale | White | 50/ | 50cs/skid | 21/2 | 0.0/4 5.5/0 | | | | | |
| seasonal | 10" Plug Pot SL HB 6 Hole | Green | 50/cs | | N/A | 9-3/4 x 5-5/8 | | | | | |
| seasonal | 10" Dive Det CL LID 10 Hele | White | F0/00 | 44cs/skid | N/A | 0.0/4 5.5/0 | | | | | |
| seasonal | 10" Plug Pot SL HB 12 Hole | Green | 50/cs | | | 9-3/4 x 5-5/8 | | | | | |

| HANGING BASKETS WITH EXTERNAL SAUCER | | | | | | | | | | |
|--------------------------------------|-------------------------|-------|-------|-----------|---------|-------------------|--|--|--|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | | | | |
| 55-008141 | Oll Traditional MO LID | White | 50/cs | 00/-1-1-1 | N/A | 8-3/4 x 5-1/16 | | | | |
| 55-008142 | 8" Traditional WS HB | Green | | 60cs/skid | | | | | | |
| 55-010141 | 10 T. | White | 50/cs | 36cs/skid | 2400/sk | 10-3/4 x 6-15/16 | | | | |
| 55-010142 | 10" Traditional 2 WS HB | Green | | | | | | | | |
| 55-000501 | | White | | / | | | | | | |
| 55-000502 | Super Traditional WS HB | Green | 50/cs | 32cs/skid | N/A | 11-5/8 x 6-1/2 | | | | |
| S=With Saucer, HB=Hanging Basket | | | | | | | | | | |

| BASKETS HANGERS | | | | | | | | | |
|-----------------|---|--------|-------|---------|--|--|--|--|--|
| Catalog # | Description | Color | Pack | Length | | | | | |
| 55-000841 | 5 40 0 Obered Block's Ukanan | White | 50/22 | 16" | | | | | |
| 55-000842 | E-10 3-Strand Plastic Hanger | Green | 50/cs | 16" | | | | | |
| 55-000851 | 5 101 2 Chand Bleatic Hanna | White | 50/cs | 10.1/0# | | | | | |
| 55-000852 | E-10L 3-Strand Plastic Hanger | Green | 50/CS | 19-1/2" | | | | | |
| 55-000871 | 5 10 4 Strand Plantic Hanney | White | 25/cs | 22" | | | | | |
| 55-000872 | E-12 4 Strand Plastic Hanger | Green | 25/CS | | | | | | |
| 55-012759 | 12" Metal Hoop/Hanger (for 12" Cordova SL HB) | Silver | 25/cs | 19-3/4" | | | | | |
| 55-014759 | 14" Metal Hoop/Hanger (for 14" Cordova SL HB) | Silver | 22/cs | 25-1/2" | | | | | |
| 55-017909 | 17" 3-Strand Metal Hanger | Silver | 50/cs | 17" | | | | | |
| 55-021909 | 21" 3-Strand Metal Hanger | Silver | 50/cs | 21" | | | | | |
| 55-024939 | 24* 4-Strand Metal Hanger | Silver | 50/cs | 21" | | | | | |
| 55-021769 | 21" 3-Strand Fishook Metal Hanger | Silver | 50/cs | 21-1/4" | | | | | |



Bulbs Pans/ Special Items



| BULB PANS | | | | | | | |
|-----------|---------------------------|-------|--------|-----------|------|-------------------|---------------|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | Compatibility |
| 57-012071 | 5" Bulb Pan TW (seasonal) | Green | 936/cs | 36cs/skid | N/A | 5 x 2-5/16 | N/A |
| 57-016081 | 6" Bulb Pan (seasonal) | Green | 400/cs | 48cs/skid | N/A | 6-3/16 x 3-5/8 | N/A |
| 57-021071 | 7" Bulb Pan (seasonal) | Green | 78/cs | 66cs/skid | N/A | 7 x 4 | N/A |
| 57-025071 | 8" Bulb Pan 2 TW | Green | 96/cs | 60cs/skid | N/A | 8-1/8 x 4 | N/A |
| 57-030071 | 10" Bulb Pan 2 TW | Green | 96/cs | 40cs/skid | N/A | 10-1/16 x 5-1/16 | N/A |
| 57-032071 | 12" Bulb Pan | Green | 58/cs | 32cs/skid | N/A | 11-15/16 x 6-3/16 | N/A |

TL=Tag locator, TW=Thinwall, Trad=Traditional, CoEx=CoExtruded

| SPECIALTY | SPECIALTY ITEMS - MARKET BASKETS, CAGES, SUPPORT RINGS, TRELLISES | | | | | | | | | | |
|-----------|---|-------|--------|------------|---------|-----------------------|---------------------------------------|--|--|--|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | Compatibility | | | | |
| 57-006253 | O. F.II. In Manufact Deplication / Hillita boundle #4 | White | 50/cs | 50cs/skid | 3600/sk | 15x8 x 4 | O. F.II. o grupose TAV poeto v. O. | | | | |
| 57-006251 | 3.5" Jr Market Basket w/utility handle #1 | Green | 50/CS | 50CS/SKIQ | 3600/SK | 15x8 x 4 | 3.5" square TW pots x 8 | | | | |
| 57-090910 | 1G Trellis | Black | 128/cs | 36cs/skid | N/A | 5-1/8 x 17 | T1G, T1G squat, IM pots | | | | |
| 57-090900 | 1G Trellis CX | Black | 140/cs | 32cs/skid | N/A | 5-1/8 x 17 | T1G Squat TL CoEx pots | | | | |
| 56-099452 | DPI Utility Handle #1 | White | 900/cs | 60cs/skid | N/A | 22" Long | jr./4" market basket, 9x13" half flat | | | | |
| 54-062950 | AS4510 annual sheet of 10 4.19" sq. pots | Black | 50/cs | 44cs/skid | N/A | 21-5/8x8-1/4 x 4 | CTS4510 | | | | |
| 54-065950 | PS4510 T/L Tag Locator per sheet of 10 deep 4.25" sq. pots | Black | 50/cs | 44cs/skid | N/A | 21-5/8x8-1/4 x 5 | CTS4510 | | | | |
| 54-068890 | TPS1801 Cut | Black | 100/cs | 36cs/skid | N/A | 20x10 x 3-1/2 | TV1020P18 | | | | |
| | TPS1801 Uncut | Black | 100/cs | 36/cs/skid | 3600/sk | 20 x 10 x 3-1/2 | TV1020P18 | | | | |
| 54-071890 | DPS1801 Cut | Black | 100/cs | 36cs/skid | N/A | 21x10-1/2 x 3-1/2 | CTS418PF | | | | |
| 54-073890 | DPS1801 Uncut | Black | 100/cs | 36cs/skid | N/A | 21 x 10-1/2 x 3-1/2 | CTS418PF | | | | |
| 56-024240 | CTS418PF Sq Press Fit | Black | 50/cs | 48cs/skid | 3600/sk | 21-1/4x10-5/8 x 2-3/8 | DSQVP4PFD x 18 | | | | |
| 56-030200 | CTS4510SR | Black | 50/cs | 44cs/skid | 2200/sk | 21x8-1/2 x 3 | AS4510/PS4510 | | | | |
| 58-055450 | TV1020P18 Flat | Black | 100/cs | 36cs/skid | 3600/sk | 20x10 x 2 | TPS1801 | | | | |
| 56-032200 | CTS4515 | Black | 50/cs | 28cs/skid | 2100/sk | 20-5/8x12-1/2 x 3-1/2 | 4.5" sq pot x 15 | | | | |





NURSERY

| NURSERY I | POTS & MUM PANS | | | | | | | |
|-----------|---------------------------------|-------|--------|------------|-----------|------------------|---|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height | Compatibility | |
| 57-055731 | 1 Q Per Pot TL TW | Green | 475/cs | 33cs/skid | 20000/sk | 4-3/8 x 4-3/4 | CTQ12, CTQ8, CTQ8LL, CTQ8L, 1Q/8/5 IST, CTQ8R | |
| 57-055632 | 1Q Per Pot TL CoEx | CL/BK | 400/ | 00 /-1-:-1 | 16800/sk | N1/A | N/A | |
| 57-055630 | | GN/BK | 432/cs | 33cs/skid | 16800/SK | N/A | N/A | |
| 57-090650 | T1G 2 WDTL | Black | 128/cs | 48cs/skid | 8000/sk | 6/1/2 X 7 | FPGA16,FPGA13,1G/6/10 1ST,DWT1GA3, CTGA16 | |
| 57-090680 | T1G Squat TL TW (side drainage) | Black | 140/cs | 48cs/skid | 8800/sk | 6-17/32 x 6-5/32 | N/A | |
| 57-090940 | | BK/BK | | | | | | |
| 57-090942 | T1G Squat PLS CoEx | CL/BK | 140/cs | 48cs/skid | 7965/sk | 6-1/2 x 6-1/2 | N/A | |
| 57-090941 | | GN/BK | | | | | | |
| 57-091660 | T-2G TW (seasonal) | Black | 60/cs | 60cs/skid | 4500/sk | 8-1/16 x 7 | N/A | |
| 57-091650 | T-2G TL TW | Black | 50/cs | 60cs/skid | 3450/sk | 8-9/16 x 8-9/16 | N/A | |
| 57-093650 | T-3G TL TW | Black | 30/cs | 32cs/skid | 1400/sk | 10-29/32 x 9-1/2 | N/A | |
| 57-095970 | 5G Squat w/ handle | Black | 13/cs | 36cs/skid | 585/sk | 15 x 9-1/2 | N/A | |
| 57-097960 | 7G w/ handle | Black | 10/cs | 36cs/skid | 540/sk | 15 x 13-1/2 | N/A | |
| NEW! | JR Mum TW | Green | 292/cs | 36cs/skid | 11500/sk | N/A | 7.5/2/10, 19cm/2/10 | |
| 57-050290 | 8" x 5" Mum Pan TW | Black | 150/cs | 50cs/skid | 9000/sk | 8 x 5-1/16 | CTM84 | |
| 57-050282 | 8" x 5" Mum Pan CoEx | CL/BK | 470/ | 50 /-1-!-! | 40500/-1- | 0 5 | CTM84 | |
| 57-050281 | | GN/BK | 170/cs | 50cs/skid | 10500/sk | 8 x 5 | CIM84 | |
| 57-051290 | 9" x 6.5" Mum Pan TW | Black | 54/cs | 60cs/skid | 5300/sk | 9 x 6-9/16 | N/A | |
| 57-052280 | 9" x 6.25" Mum Pan CoEx | вк | 90/cs | 60/cs/skid | 5300/sk | 9 x 6-9/16 | N/A | |
| 57-052282 | 9" x 6.25" Mum Pan CoEx | CL | 90/cs | 60/cs/skid | 5300/sk | 10 x 6-9/16 | N/A | |
| 57-052281 | 9" x 6.25" Mum Pan CoEx | GN | 90/cs | 60/cs/skid | 5300/sk | 11 x 6-9/16 | N/A | |

Nursery Flats

| NURSERY FLA | NURSERY FLATS | | | | | | | | | | | |
|-------------|--------------------------|-------|------------|-----------|---------|-------------------------|--|--|--|--|--|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia. x Height (inches) | Compatibility | | | | | |
| 56-090520 | 12" x 16" Nursery Flat | Black | 50/cs | 46cs/skid | 2300/sk | 16-5/16x12-3/8 x 3 | N/A | | | | | |
| 56-092530 | 13" x 17" Nursery M Flat | Black | 25/cs | 76cs/skid | N/A | 17-1/8x12-15/16 x 3 | N/A | | | | | |
| 56-092520 | 13" x 17" Nursery Flat | Black | 25/cs | 68cs/skid | N/A | 17-1/4x13-1/16 x 3-5/16 | N/A | | | | | |
| 56-099452 | DPI Utility Handle #1 | White | 900/ cs | 60cs/skid | N/A | 22" Long | jr./4" market basket, 9x13" half flat | | | | | |



STANDARD WEB FLATS

| STANDARD INJECTION MOLDED FLATS | | | | | | | | | | |
|---------------------------------|----------------------------|-------|-------|-----------|---------|-----------------------|---|--|--|--|
| Catalog # | Description | Color | Pack | Master | Bulk | Dia x Ht (inches) | Compatibility | | | |
| 58-000450 | 1020 Standard Lightweight | Black | 50/cs | 54cs/skid | 2700/sk | 21-1/8x10-1/2 x 2-1/2 | | | | |
| 58-001450 | 1020 Standard Mediumweight | Black | 50/cs | 54cs/skid | 2700/sk | 21-1/8x10-1/2 x 2-1/2 | standard inserts, 3.5" sq. trad., DPS1801 | | | |
| 58-002450 | 1020 Standard Heavyweight | Black | 50/cs | 54cs/skid | 2700/sk | 21-1/8x10-1/2 x 2-1/2 | | | | |





Easily stacked

Stacked using the pot edge - for trouble-free stacking.



Reduced labor costs

Perfect hanger fixing for fast and secure installation.



| PRODUCT | | | CASE | CS/ | | | |
|---------|------------------------------------|-----------------------------------|---------|--------|-----|------|--|
| CODE | DESCRIPTION | VOL. | DIA. | HGT. | QTY | SKID | |
| MAN20 | MAN20 Hanging Bskt | 3 qt | 8" | 5.25" | 132 | 20 | |
| MAJ25 | MAJ25 Hanging Bskt | AJ25 Hanging Bskt 1.31 gal 10" 6" | | 116 | 20 | | |
| MAJ25 | MAJ25 Hanging Bskt 1.31 gal 10" 6" | | n/a | 2784 | | | |
| MAN25 | MAN25 Hanging Bskt 1.31 gal 10" | | 10" | 6" | 116 | 20 | |
| MAN25 | MAN25 Hanging Bskt | 1.31 gal | 10" | 10" 6" | | 2784 | |
| MAL27Z | MAL27Z Hanging Bskt | 1.55 gal | 10.625" | 6.5" | 50 | 30 | |
| MAL27Z | MAL27Z Hanging Bskt | 1.55 gal | 10.625" | 6.5" | n/a | 2208 | |
| MAK27Z | MAK27Z Hanging Bskt | 1.55 gal | 10.625" | 6.5" | 46 | 30 | |
| MAK27Z | MAK27Z Hanging Bskt | 1.55 gal | 10.625" | 6.5 | n/a | 2208 | |
| MHJ33 | MHJ 33 Hanger | n/a | 1.58 mm | 15.25" | 44 | n/a | |
| MHJ40 | MHJ40 Hanger | n/a | 1.58 mm | 18" | 58 | n/a | |
| A60 | A60 Hanger | n/a | 1.5 mm | 23.23" | 38 | na/ | |

PÖPPELMANN



| Product | | | Size | | Case | Bulk QTY | |
|-----------------|------------------------|----------|--------|-----------------|----------|--------------|--|
| Code | Description | VOL. | DIA. | HGT. | QTY | | |
| vcc9us | vcc9us Grower Pot | 328 ML | 3.5" | 3.125" | 3420 | 54000 | |
| vcc9fus | VCC9FUS Grower Pot | 368 ML | 3.5" | 3.5" | 3312 | 54000 | |
| VCC10US | VCC10US Grower Pot | 450 ML | 4" | 3.375" | 2668 | 43560 | |
| VCC10Fus | VCC10FUS Grower Pot | 1 PT | 4" | 3.625" | 2668 | 43560 | |
| vcc10.5us | VCC10.5US Grower Pot | 1.10 PT | 4.125" | 3.5" | 2125 | 36630 | |
| VCC11US | VCC11US Grower Pot | 1.31 pT | 4.33" | 3.75" | 1896 | 32130 | |
| VCC12US | VCC12US Grower Pot | 1.70 PT | 4.75" | 4.125" | 1420 | 25542 | |
| VCC12FUS | VCC12FUS Grower Pot | 1 QT | 4.75" | 4.75" | 1440 | 25542 | |
| VCC13US | VCC13US Grower Pot | 1.07 QT | 5" | 4.5" | 1024 | 18270 | |
| VRA14 | VRA14 Grower Pot | 1.25 QT | 5.5" | 4.625" | 800 | 13312 | |
| VCC15US | VCC15US Grower Pot | 1.57 QT | 6" | 5" | 744 | 14000 | |
| VCC15FUS | VCC15FUS Grower Pot | 1.76 QT. | 6" | 5.75" | 708 | 13800 | |
| VCC16.5 | VCC16.5 Grower Pot | 2.5 QT | 6.5" | 6.125" | 450 | 8624 | |
| VCA17 | VCA17 Grower Pot | 2.38 QT | 6.66" | 5.875" | 450 | 8960 | |
| GROWER PO | OTS - THERMOFORMED AZA | | | | | | |
| Product | | | Size | | | Bulk QTY | |
| Code | Description | VOL. | DIA. | HGT. | QTY | | |
| VCD13US | VCD13US Grower Pot | 1.90 QT | 5" | 3.66" | 1088 | 18480 | |
| VTD13US | VTD13US Grower Pot | 1.74 QT | 5" | 4.5" | 1088 | 18480 | |
| VTD15US | VTD15US Grower Pot | 1.34 QT | 6" | 4.25" | 780 | 14200 | |
| VTD16.5 | VTD16.5 Grower Pot | 2.04 QT | 6.5" | 5" | 530 | 10032 | |
| VCB17 | VCB17 Grower Pot | 2.09 QT | 6.66" | 5.125" | 477 | 9120 | |
| VCD19 | VCD19 Grower Pot | 3.05 QT | 7.5" | 5.875" | 392 | 5200 | |
| VCD21 | VCD21 Grower Pot | 3.90 QT | 8.25" | 7.25" | 276 | 3920 | |
| VCD21D | VCD21D Grower Pot | 3 QT | 8.25" | 5" | 288 | 4000 | |
| | VCD22 Grower Pot | 1.2 gal | 8.66" | 7" | 234 | 3312 | |
| vcd22 | VCD22 Glower Fot | 112 94. | | | | | |
| vcd22 STG15D | Plant Support | n/a | 3.5" | 6.75" | 60 | 4680 | |
| | | | | 6.75" 7.875" | 60 54 | 4680 3240 | |

STG17d

stg19d

Plant Support

Plant Support

Please call for bulk pricing on any of the items listed above.

n/a

n/a

7.875"

8.75"

3.75"

4.375"

3240

2592

54

54



| TRAYS | | | | | | |
|--------|-------------|-------------|-------------------|---|---|----------|
| Item # | Description | Size | Length x Width | Fits These Pots | Case QTY | Bulk QTY |
| UT9 | UT9 TRAY | 3.5"/15 STD | 20.5" x 12.375" | VCC9US | 66 | 1288 |
| UT10 | UT10 TRAY | 4"/10 STD | 21" x 8.125" | VCC10US, VCH10 | 50 | 2200 |
| UT10 | UT10 TRAY | 4"/10 FUS | 21" x 8.125" | VCC10FUS, VCF10 | 48 | 2112 |
| UT10 | UT10 TRAY | 4"/10 aza | 21" x 8.125" | vtd10us, vcd10us | 50 | 2200 |
| UT10 | UT10 TRAY | 4"/15 STD | 20.5" x 12.375" | VCC10us, vch10 | 50 | 1400 |
| UT10 | UT10 TRAY | 4"/15 FUS | 20.5" x 12.375" | vcc10fus, vcf10 | 50 | 1400 |
| UT10 | UT10 TRAY | 4"/15 aza | 20.5" x 12.375" | vtd10us, vcd10us | 50 | 1400 |
| UT11 | UT11 TRAY | 4.5"/10 std | 21.875" x 8.875" | vcc11us, vch11, vtc11us | 50 | 2000 |
| UT11 | UT11 TRAY | 4.5"/10 aza | 21.875" x 8.875" | VCD11us, to11d, vtd11us | 50 | 2000 |
| UT11 | UT11 TRAY | 4.5"/15 std | 21.875" x 13.25" | vcc11us, vch11, vtc11us | 63 | 1512 |
| UT11 | UT11 TRAY | 4.5"/15 aza | 21.875" x 13.25" | vcd11us, to11d, vtd11us | 63 | 1512 |
| UT12 | UT12 TRAY | 4.75"/8 fus | 19.25" x 9.625" | vcc12fus | 58 | 2088 |
| UT13 | UT13 TRAY | 5"/8 std | 20.875" x 10.375" | vcc13us, vch13, to138d, vce14 | 55 | 1760 |
| UT13 | UT13 TRAY | 5"/8 aza | 20.875" x 10.375" | vcd13us, vtd13us, to13d, mxc13, mxa13 | 55 | 1760 |
| UT14 | UT14 TRAY | 5.5"/8 m | 21.5" x 10.625" | vra14us | 40 | 1980 |
| UT15 | UT15 TRAY | 6"/6 std | 18.125" x 12" | vcc15, mco15 | 60 | 1680 |
| UT15 | UT15 TRAY | 6"/6 fus | 18.125" x 12" | vcc15fus | 58 | 1624 |
| UT15 | UT15 TRAY | 6"/6 aza | 18.125" x 12" | vcd15, vtd15, to15d, mxc15, mci15, mch15, vce 15, vce16 | vcd15, vtd15, to15d, mxc15, mci15, mch15, | |
| UT16.5 | UT16.5 TRAY | 6.5"/6 std | 18.875" x 12.625" | vcc16.5 | 50 | 1400 |
| UT16.5 | UT16.5 TRAY | 6.5"/6 aza | 18.875" x 12.625" | vcd16.5 | 50 | 1400 |
| UT17 | UT17 TRAY | 6.75"/6 std | 19.625" x 13.125" | vca17, vch17, vcf17, mxa17, mcl17, mch17 | 50 | 1400 |













MQC

| ROUND DECOR | ROUND DECORATIVE POTS | | | | | | | | | |
|-------------|-----------------------|----------|-----------|---------|-----|------|--|--|--|--|
| Product | | | Case | Bulk | | | | | | |
| Code | Description | VOL. | DIA. HGT. | | QTY | QTY | | | | |
| PDB14 | PDB14 Decorative Pot | 1.22 qt | 5.5" | 4.66" | 240 | 6750 | | | | |
| PDB16 | PDB16 Decorative Pot | 1.8 qt | 6.25" | 5.375" | 160 | 3960 | | | | |
| PDB18 | PDB18 Decorative Pot | 2.41 qt | 7" | 6" | 180 | 3600 | | | | |
| PDB20 | PDB20 Decorative Pot | 3.57 qt | 8" | 6.66" | 160 | 2000 | | | | |
| PDB22 | PDB22 Decorative Pot | 1.18 gal | 8.66" | 7.375" | 15 | 1620 | | | | |
| PDB24 | PDB24 Decorative Pot | 1.53 gal | 9.5" | 8" | 15 | 1350 | | | | |
| PDB26 | PDB26 Decorative Pot | 1.94 gal | 10.25" | 8.66" | 15 | 1170 | | | | |
| PDB28 | PDB28 Decorative Pot | 2.43 gal | 11" | 9.375" | 15 | 990 | | | | |
| PDB32 | PDB32 Decorative Pot | 3.64 gal | 12.625" | 10.75" | 12 | 576 | | | | |
| PDB36 | PDB36 Decorative Pot | 5.23 gal | 14.125" | 12" | 11 | 396 | | | | |
| PDB40 | PDB40 Decorative Pot | 7.13 gal | 15.75" | 13.375" | 10 | 360 | | | | |

| ROUND INJECTION MOLDED POTS | | | | | | | | | |
|-----------------------------|------------------|---------|-------|-------|------|-------|--|--|--|
| Product | | | Size | | Case | Bulk | | | |
| Code | Description | VOL. | DIA. | HGT. | QTY | QTY | | | |
| MXC15Z | MXC15Z Round Pot | 1.41 qt | 6" | 4.25" | 405 | 15984 | | | |
| MCI18 | MCI18 Round Pot | 2.61 qt | 7" | 5.5" | 216 | 7200 | | | |
| TO15D | TO15D Round Pot | 1.36 qt | 6" | 4.5" | 572 | 20520 | | | |
| TO21CH | TO21CH Round Pot | 3.74 qt | 8.25" | 6.25" | 85 | 8500 | | | |
| TO10BD | TO10BD Round Pot | 3/4 PT | 4" | 3.5" | 1260 | 52272 | | | |
| MCP12Z | MCP12Z Round Pot | 1.52 PT | 4.5" | 4.25" | 760 | 17600 | | | |

| SQUARE INJECTION MOLDED POTS | | | | | | | | | | |
|------------------------------|---|---------|-------|-------|----------|-------|--|--|--|--|
| Product | | | Size | Case | Bulk QTY | | | | | |
| Code | Description | VOL. | WIDTH | HGT. | QTY | | | | | |
| VQF8.5x8.5x9.5 | VQF Square Pot | 1.00 pt | 3.33" | 3.75" | 2352 | 34272 | | | | |
| MQC 11x11x12 | MQC Square Pot | 1.05 QT | 4.33" | 4.75" | 375 | 17820 | | | | |
| MQA 13x13x13 | MQA square Pot | 1.66 qt | 5" | 5" | 432 | 12672 | | | | |
| MQD13x13x13 | MQD Square Pot | 1.51 qt | 5" | 5" | 396 | n/a | | | | |
| Please call for Bulk | Please call for Bulk Pricing on any of the items listed above | | | | | | | | | |

Belden Plastics

Belden Plastics offers an array of quality injected molded grower pots and specialty planters for professional growers. Choose from hanging baskets, square and round grower pots & trays, deco & bulb pans and more. Popular items listed below, please contact us for a complete Belden Plastics product listing.



| Hanging Baskets | | | | | | | | | |
|-----------------|--|-------------|------|--|--|--|--|--|--|
| Catalog # | Description | Color | Pack | | | | | | |
| 55-110122 | 4011 Olasais LID vyfysius hannau | green | 50 | | | | | | |
| 55-110121 | 10" Classic HB w/ wire hanger | white | 50 | | | | | | |
| 55-110021 | 1011 Contamentary LID/iina hannay | green | 50 | | | | | | |
| 55-110022 | 10" Contemporary HB w/ wire hanger | white | 50 | | | | | | |
| 55-112154 | | white | | | | | | | |
| 55-112155 | 12" Classic HB Saucerless w/ flex hanger | black | 25 | | | | | | |
| 55-112157 | | green | | | | | | | |
| 55-114152 | | green | | | | | | | |
| 55-114151 | 14" HB saucerless w/ flex hanger | white | 25 | | | | | | |
| 55-114153 | | terra cotta | | | | | | | |



| Hanging Gardens | | | | | | | | | |
|-----------------|-----------------------------------|-------|------|--|--|--|--|--|--|
| Catalog # | Description | Color | Pack | | | | | | |
| 55-110232 | | green | | | | | | | |
| 55-110231 | 10" Hanging Garden w/ wire hanger | white | 25 | | | | | | |

| Azalea Pots | | | | | | | | |
|-------------|-------------------|------|--|--|--|--|--|--|
| Catalog # | Description | Pack | | | | | | |
| 57-128021 | 8.5" Azalea Black | 100 | | | | | | |
| 57-128022 | 8.5" Azalea Green | 100 | | | | | | |





| Jumbo Pot | | | | | | | |
|-----------|--------------------------|------|--|--|--|--|--|
| Catalog # | Description | Pack | | | | | |
| 57-199320 | Jumbo Junior TL Black | 375 | | | | | |



AX^2/AX









Rolled Lip, Fluted Bottom, Extra Drain Holes, Bottom Drain **Holes, Strong Container Lip**

- · Rolled Lip Easier to carry and less damage to the plant during transportation.
- · Fluted Bottom Flutes make a stronger bottom for stacking
- · Extra Drain Holes More attractive look and reduces weed growth vs. side holes.
- Strong Container Lip Easier to work with filling container in production, better for stacking plants for shipment. Allows for the use of potting dispensers at potting and for the use of automated equipment in moving plants around the nursery.

REGULAR STOCK ITEMS

| Nursery Co | Nursery Containers | | | | | | | | | |
|------------|--------------------|--------------------------------|---------|----------|----------------|-----------------|------------------|--|--|--|
| Catalog # | Item # | Description | Liter | Gallon | Dimensions | Bundle Count | Comparison | | | |
| 61-020325 | HP075 | HP-075 Nursery Container | 2.41 | .54 gal | 6.5" x 6.6" | 135 | Elite 300 | | | |
| 61-020425 | HP100 | HP-100 Nursery Container | 3.78 | 1 gal | 8" x 6.872" | 150 | Elite 400 | | | |
| 61-020650 | HP175 | HP-175 Nursery Container | 6.06 L | 1.58 gal | 9" x 8.5" | 135 | Elite 600 | | | |
| 61-021225 | HP200 | HP-200 Nursery Container | 7.57 L | 2 gal | 9.75" x 9.125" | 120 | Elite 1000, 1001 | | | |
| 61-021250 | HP300 | HP-300 Nursery Container | 11.35 L | 3 gal | 11" x 9.688" | 90 | Elite 1200 | | | |
| 61-022500 | HP500 | HP-500 Nursery Squat Container | 18.98 L | 5 gal | 14" x 10" | 70 | Elite 1600, 2000 | | | |
| 61-022700 | HP700 | HP-700 Nursery Squat Container | 29.6 L | 7.82 gal | 16" x 11" | 60 | Whiteridge 2800 | | | |

NON-STOCK, SPECIAL ORDER, PALLET QUANTITIES ONLY!

| HPP Blow Molded Containers | | | | | | | |
|----------------------------------|----------|-------------------|---------|-----------|----------------|------------|------------|
| Catalog # | Item # | Description | Liter | Gallon | Dimensions | Pallet QTY | Bundle QTY |
| NON-STOCK | HPP1000 | 1000 SERIES | 40.39L | 10.67 gal | 16.5" x 14.75" | 560 | 10 |
| NON-STOCK | HPP1500 | 1500 SERIES | 51.71L | 13.66 gal | 18.2" x 16" | 640 | 10 |
| NON-STOCK | HPP2000 | 2000 SERIES | 75.86L | 20.04 gal | 20" x 17" | 390 | 10 |
| NON-STOCK | HPP2500 | 2500 SERIES | 104.1L | 27.5 gal | 24" x 18" | 300 | 10 |
| HPP Blow Molded Squat Containers | | | | | | | |
| NON-STOCK | HPP1000S | 1000 SQUAT SERIES | 39.71 L | 10.49 gal | 17.8" x 12" | 640 | 10 |
| NON-STOCK | HPP1500S | 1500 SQUAT SERIES | 54.24 L | 14.33 gal | 20" x 13" | 450 | 10 |
| NON-STOCK | HPP2000S | 2000 SQUAT SERIES | 77.03 L | 20.35 gal | 24" x 13.25" | 320 | 10 |



| Plug Trays (11" x 21.5") -No End Trim | | | | | |
|---------------------------------------|---------|--|-----|-----------|--|
| Catalog# | Item# | Description | Pk | Master | |
| 54-330120 | 720463C | PL-050-Plug Tray - NET (w/ vent holes) | 100 | 24cs/skid | |
| 54-330170 | 720469C | PL-072-Plug Tray - NET (w/ vent holes) | 100 | 24cs/skid | |
| 54-330280 | 720487C | PL-128-Plug Tray - NET (w/ vent holes) | 100 | 32cs/skid | |
| 54-330300 | 720497C | PL-162-Plug Tray - NET | 100 | 24cs/skid | |
| 54-330361 | 720528C | PL-288-1.25-Plug Tray - NET | 50 | 48cs/skid | |
| 54-331360 | 720532C | PL-288-1.5-Plug Tray - NET | 50 | 40cs/skid | |

| Propagation Trays (10.5" x 21.0") | | | | | |
|-----------------------------------|---------|-------------|-----|-----------|--|
| Catalog# | Item# | Description | Pk | Master | |
| 54-360080 | 725601C | PROP-38 | 100 | 48cs/skid | |

| Sheet Pots (10.5" x 21.0") | | | | | | |
|----------------------------|---------|------------------------|-----|-----------|--|--|
| Catalog# | Item# | Description | Pk | Master | | |
| 54-371060 | 730654C | SOP-32-deep-sheet pots | 100 | 40cs/skid | | |

| Star, Square & Hex Plug Trays (11" x 21.5") | | | | | |
|---|---------|---|-----|-----------|--|
| Catalog# | Item# | Description | Pk | Master | |
| 54-336060 | 720556C | PL-032 Star Deep Plug Tray | 50 | 24cs/skid | |
| 54-336100 | 720567C | PL-050 Star Plug Tray | 50 | 48cs/skid | |
| 54-333490 | 7205440 | PL-512 CE SQ Plug Tray | 50 | 40cs/skid | |
| 54-336250 | 720585C | PL-105-Star-Plug Tray-NET (w/ vent holes) | 100 | 32cs/skid | |

| Pressfit Pots & Carry Trays | | | | | |
|-----------------------------|---------|--------------------------|----|-----------|--|
| Catalog# | Item# | Description | Pk | Master | |
| 56-415200 | 705125C | SPT-325-20 PF Carry Tray | 45 | 45cs/skid | |
| 56-450450 | 705150C | SPT-450-10 PF Carry Tray | 75 | 44cs/skid | |
| 56-450550 | 705165C | SPT-450-15 PF Carry Tray | 50 | 28cs/skid | |

| Grower Pots | | | | |
|--------------------|---------|------------------------|-----|-----------|
| Catalog# | Item# | Description | Pk | Master |
| 57-532210 | 700022 | SVD 325 SQ VAC Deep BK | 900 | 28cs/skid |
| 57-545110 | 700051C | SVD 450 SQ VAC Deep BK | 375 | 28cs/skid |
| 57-545410 | 700087C | SVT 450 SQ VAC TRAD BK | 375 | 28cs/skid |



| ROUND PLANT POTS and C | CARRY TRAYS | | |
|------------------------|-------------|--------------|------|
| Item | Item# | Description | Case |
| 4" Round Pot | 750100C | RP-400-GV | 750 |
| 4" Matching Tray | 755805C | RPT-400-G-10 | 75 |
| 4" Matching Tray | 755810C | RPT-400-G-15 | 50 |
| 4 1/4" Round Pots | 750425C | RP-425-GV | 750 |
| 4 1/4" Matching Tray | 744815C | RPT-425-G-10 | 75 |
| 4 1/4" Matching Tray | 744818C | RPT-425-G-12 | 50 |
| 4 1/4" Matching Tray | 755823C | RPT-425-F-15 | 50 |
| 4 1/2" Round Pots | 750450C | RP-450-GV | 750 |
| 4 1/2" Matching Tray | 755830C | RPT-450-G-10 | 75 |
| 4 1/2" Matching Tray | 755835C | RPT-450-G-12 | 50 |
| 4 1/2" Matching Tray | 755838C | RPT-450-G-15 | 50 |
| 5" Round Pot | 750500C | RP-500-A V | 500 |
| 5" Matching Tray | 755842C | RPT-500-A-8 | 50 |
| 5 1/2" Round Pot | 750550C | RP-550-A V | 500 |
| 5 1/2 Matching Tray | 755845C | RPT-550-A-6 | 50 |
| 6" Round Pot | 750600C | RP-600-A V | 400 |
| 6" Matching Tray | 755850C | RPT-600-A-6 | 50 |
| 6 1/2" Round Pot | 750650C | RP-650-A V | 400 |
| 6 1/2" Matching Tray | 755855C | RPT-650-A-6 | 50 |
| PRNL | 750700C | RP-PRNL | 200 |
| PRNL Trays | 755859C | RPT-PRN L-6 | 50 |
| PRNL Trays | 755864C | RPT-PRN L-3 | 100 |



| WaxTough Fiber Grow Hanging Pots (with Grommets) | | | | | | |
|--|--------------|---|----------|----------------|----------|--|
| Catalog # | Item # | Description | Volume | Dimensions | Case QTY | |
| 62-492499 | FHB1000WAX | 10" WaxTough Round Hanging Pot | 1.59 gal | 11" x 7.25" | 24 | |
| 62-502499 | FHS1000WAX | 10" WaxTough Square Hanging Pot | 1.71 gal | 9.75" x 7" | 24 | |
| 62-492500 | FHB10XLWAX | 10" WaxTough XL Hanging Pot | 1.65 gal | 11" x 7.75" | 24 | |
| 62-513299 | FHF1200WAX | 12" WaxTough Floral Hanging Garden | 2.12 gal | 12.75" x 7" | 12 | |
| 62-493299 | FHB1200WAX | 12" WaxTough Round Hanging Pot | 2.12 gal | 12.5" x 7" | 12 | |
| 62-503299 | FHS1200WAX | 12" WaxTough Square Hanging Pot | 2.38 gal | 12" x 7" | 12 | |
| 62-493632 | FHB12XLWAX | 12" WaxTough XL Hanging Pot | 2.73 gal | 13" x 8.75" | 12 | |
| 62-403637 | FHO1300WAX | 13" WaxTough Octagonal Watersaver | 2.34 gal | 14" x 7" | 12 | |
| 62-604900 | FHR1600WAX | 16"WaxTough XL Hanging Pot | 6.62 gal | 16" x 10" | 6 | |
| 62-495399 | FHR1800WAX | 18" WaxTough Fiber Grow Hanging Pot | 7.30 gal | 19" x 9.75" | 6 | |
| Fiber Grow | Hangers | | | | | |
| Catalog # | Item # | Description | | Size | Case QTY | |
| 62-553299 | HZP4LFG | 4-Strand Plastic Hanger (for grommet baskets) | | 20" | 24 | |
| 62-563299 | FHZSL4W | 4-Strand Wire Hanger (for grommet baskets) | | 18" | 32 | |
| Fiber Grow | Large Hangir | ng Pots (NOT wax coated) & Assembly | | | | |
| Catalog # | Item # | Description | | Size | Case QTY | |
| 62-604099 | FHB1400 | 14" Round FG Hanging Pot | 4.61 gal | 15.5" x 9" | 6 | |
| 62-604899 | FHB1600 | 16" Round FG Hanging Pot | 6.62 gal | 17" x 10" | 6 | |
| 62-614099 | FHZSA14 | 14" Wire Cage & Clip-On Swivel Hang Assembly | | 14" | 36 | |
| 62-614899 | FHZSA16 | 16" Wire Cage & Clip-On Swivel Hang Assembly | | 16" | 36 | |
| Fiber Grow | Nursery Con | tainers | | | | |
| Catalog # | Item # | Description | | Size | Case QTY | |
| 62-400710 | FNP0606(TW) | 5.75" Fiber Grow Nursery Pot | 2.23 qt | 5.75" x 6.25" | 70 | |
| 62-401412 | FNP0707 | 7.5" Fiber Grow Nursery Pot | 1.04 gal | 7.4" x 7" | 70 | |
| 62-402626 | FNP1011 | 10.5" Nursery Pot | 2.90 gal | 10.5" x 10.5" | 25 | |
| 62-403030 | FNP1112 | 11.5" Fiber Grow Nursery Pot | 3.79 gal | 11.5" x 11.5" | 20 | |
| 62-402532 | FNP1310 | 13.25" Fiber Grow Nursery Pot | 4.82 gal | 13.25" x 9.75" | 20 | |
| 62-403629 | FNP1312 | 13" Fiber Grow Nursery Pot | 5.51 gal | 13" x 11.25" | 20 | |
| 62-404631 | FNP1512 | 15.5" Fiber Grow Nursery Pot | 6.85 gal | 15" x 11.75" | 15 | |
| 62-404437 | FNP1514 | 15" Fiber Grow Nursery Pot | 7.69 gal | 15" x 13.25" | 15 | |
| 62-405440 | FNP1815 | 18.5" Fiber Grow Nursery Pot | 12.2 gal | 18.5" x 14" | 10 | |
| 62-451805 | FRP08050 | 8.5" Fiber Round Mum Pan | 1.05 gal | 9" x 5.25" | 50 | |

PROFORMANCE PLANTS™

What a deal at only \$.08 each!!

The "Proformance Plants" label was designed to allow each independent the option to create their own special brand. Based on your experience and knowledge, you choose the premium plants that will go into the "Proformance Plants" pot. Your customers will be able to easily identify "ONLY THE BEST" plants to purchase. Great "Proformance" equals Return Customers.



Four color options for pricing and/ or plant culture distinction. One case minimum per color. Fits beautifully into a 10 count tray. (UT11-0450/10STD)

| Description | Volume | Pieces per Case |
|-----------------|------------------|-----------------|
| Purple Pot | 1.31 pt | 1,896 |
| Green Pot | 1.31 pt | 1,896 |
| Orange Pot | 1.31 pt | 1,896 |
| Yellow Pot | 1.31 pt | 1,896 |
| UT11-0450/10STD | 21 7/8" x 8 7/8" | 50 |

GARDEN@HOME

What a deal at only \$.08 each!!

The Garden@Home label offers 4 ways to show your customer the best plant options for your region. Choose from Annual, Tomato, Vegetable, or Herb.



Four color options for pricing and/ or plant culture distinction. One case minimum per color. Fits beautifully into a 10 count tray. (UT11-0450/10STD)

| Description | Volume | Pieces per Case |
|------------------------|------------------|-----------------|
| Garden@Home Annuals | 1.31 pt | 1,896 |
| Garden@Home Tomato | 1.31 pt | 1,896 |
| Garden@Home Vegetables | 1.31 pt | 1,896 |
| Garden@Home Herb | 1.31 pt | 1,896 |
| UT11-0450/10STD | 21 7/8" x 8 7/8" | 50 |












| ffy Pots - | Round & Sq | uare | | |
|---------------|---------------|---------------------|---|---------------|
| Catalog # | Old Item # | Item # | Description | Pack |
| 59-011900 | 119 | 70000357 | 2" Round x 2" Deep pot with slits | 3564 |
| 59-011220 | 122 | 70000494 | 2" Round x 21/4" Deep | 2816 |
| 59-012700 | 127 | 70000502 | 2%" Round x 3½" Deep | 1372 |
| 59-013000 | 130 | 70000503 | 3" Round x 3" Deep | 1404 |
| 59-013200 | 132 | | 3" Round x 4½" Deep | 1080 |
| 59-014400 | 144 | | 4" Round x 3%" Deep | 1100 |
| 59-015000 | 150 | | 5" Round x 4" Deep | 600 |
| 59-021700 | 217 | 70000504 | 2" Square x 2" Deep | 3500 |
| 59-022200 | 222 | 70000505 | 21/4" Square x 21/4" Deep | 2560 |
| 59-023000 | 230 | 70000362 | 3" Square x 3" Deep | 1260 |
| 59-024000 | 240 | 70000461 | 3½" Square x 4" Deep pot with slits | 800 |
| 59-034000 | 340 | 70000508 | 4½" Round x 4" Deep | 1056 |
| Jiffy Poly-Pa | aks & Jiffy-S | trips | | |
| Catalog # | Old Item # | Item # | Description | Pack |
| 59-051200 | 512 | 70000428 | 1¼" x 2" deep (12 pots/strip) | 7488 |
| 59-051600 | 516 | 70000509 | 1%" x 2" deep (10 pots/strip) | 5100 |
| 59-051700 | 517 | 70000510 | 1%" x 2" deep (12 pots/strip) | 4680 |
| 59-051900 | 519 | 70000511 | 1½" x 3" deep (12 pots/strip) | 5040 |
| 59-052200 | 522 | 70000513 | 2¼" x 2¼" deep (12 pots/strip) | 2520 |
| 59-052300 | 523 | 70000514 | 2½" x 6" deep (8 pots/strip) | 1600 |
| 59-052500 | 525 | 70000552 | 2½" x 2¼" deep (8 pots/strip) | 2304 |
| 59-052700 | 527 | 70000481 | 2½" x 3" deep (8 pots/strip) | 2560 |
| 59-053000 | 530 | 70000365 | 3" x 3" deep (6 pots/strip) | 1260 |
| 59-021800 | 218 | 70000486 | 2" x 2 deep (#217 Jiffy Pots) preloaded into a 10" x 20" handling sheet | 2300 50/sheet |
| 59-022000 | 220 | 70000468 | 2" x 3" deep preloaded into a 10" x 20" handling sheet | 2000 50/sheet |
| 59-052900 | 529 | 70000488 | 2½" x 3" deep (#527 Jiffy Strip) preloaded into a 10" x 20" handling sheet | 1344 32/sheet |
| Jiffy-7 Peat | Pellets in Bu | ulk (42mm) | | |
| Catalog # | Old Item # | Item # | Description | Pack |
| 59-070000 | 700 | 70000113 | Jiffy-7 with no hole (1-11/16" x 1-11/16") | 1000 |
| 59-070300 | 703 | 70000116 | Jiffy-7 with pre-dibbled hole (1-11/16" x 1-11/16") | 1000 |
| 59-072700 | 727 | 70000120 | Jiffy-7 Deep with pre-dibbled hole (1-11/16" x 2-9/16") | 500 |
| 59-073400 | 734 | 70000133 | Jiffy-7 1" Pellets (25mm) 34 pellets preloaded in a 20" long double cavity strip (84 strips, 30/cs) | 2856 |
| 59-047307 | 730-75 | 70000274 | Jiffy-7 Pellets (30mm) 75 pellets preloaded in a 1020 size non-strippable cavity insert | 2250 |
| 59-075300 | 753 | 70000140 | Jiffy 703 Pellets (42mm) 50 pellets preloaded in a 1020 size strippable cavity insert | 1750 |
| Propagation | Domes | | | |
| Catalog # | Old Item # | Item # | Description | Pack |
| 59-022100 | 221 | 221 mini | Rugged vinyl Propagation Dome 11" x 22" MINI PACK | 5 |
| 59-022100 | 221 | 78000599 | Rugged vinyl Propagation Dome 11" x 22" | 50 |
| Propagation | n Trays Jiffy | -7 Pellet Packs/Str | ips | |
| Catalog # | Old Item # | Item # | Description | |
| | | | | |
| 59-062500 | 625 | 78000830 | Jiffy Tray - use with Jiffy-Pots (#522, 622 & 222) | |



MOOLAH BASKETS come with a shaped coco moss liner and a hanger. Powder coated to prevent rust. Designed to sit flat on a grower's bench and in trucks for faster, more convenient planting and transporting. Perfect for combination baskets that equate to a premium retail price.



HEART THROB HANGING BASKET

Heart Throb basket are designed for years of outdoor use. Think gauge metal is coated to prevent rust and ships complete with think coco liner and sturdy chain hanger. Beautifully accented, economically priced. Moolah baskets offer plenty of soil volume



| Catalog # | Product Description | Color | Pk/case |
|-----------|--------------------------------|-------|---------|
| 52-710145 | 14" Heart Throb Hanging Basket | Black | 24 |
| 52-710165 | 16" Heart Throb Hanging Basket | Black | 24 |



Visit our website, stop in or call for an order!

LAZY DAISY WALL BASKETS

This simple yet functional design allows accent to any fence or wall surface. A flat bottom allows for easy greenhouse growing on the floor.

Available in White and Brown Coated Finishes

| Catalog # | Product De- scription | Color | Pk/case |
|-----------|-------------------------------|-------|---------|
| 52-721144 | 14" Lazy Daisy Wall Basket | Brown | 6 |
| 51-721184 | 18" Lazy Daisy Wall Basket | Brown | 6 |



GOTHIC SQUARE WALL/FLOOR PLANTER

| | Catalog # | Product Description | Pk/case |
|---|-----------|---|---------|
| 1 | 52-721150 | 14" Gothic Square Wall/Floor Basket | 12 |
| 2 | 52-796075 | 10" Rd Lazy Daizy Chair Frame (pot sold seperately) | 6 |
| 3 | 52-796000 | 14" Sq Gothic Planter footed w/cocoliner | 12 |
| 4 | 52-796025 | 13" Sq Gothic HB w/hanger & cocoliner | 12 |
| 5 | 52-796050 | 14" Rd Gothic HB w/hanger & cocoliner | 12 |





Providing quality and uniquely distinctive products for home & garden



Moolah Moss Cone Hanging Baskets

Great look for hanging or as a patio planter set in our Euro Classic Plant Stand.

| Catalog # | Description | Pack |
|-----------|--|------|
| 52-503140 | 14" Cone Moss Basket w/hanger (17" Deep) | 14 |
| 52-503160 | 16" Cone Moss Basket w/hanger (19" Deep) | 10 |
| 52-503180 | 18" Cone Moss Basket w/hanger (21" Deep) | 8 |





Economically priced in sizes 14"-26". Complete with water moisture reservoir and sturdy wire hanger.

| Catalog # | Description | Pack |
|-----------|---|------|
| 52-500140 | 14" x 7" Standard Moss Basket w/wire hanger | 22 |
| 52-500160 | 16" x 7.5" Standard Moss Basket w/wire hanger | 16 |
| 52-500180 | 18" x 9" Standard Moss Basket w/wire hanger | 12 |
| 52-500240 | 24" x 9" Standard Moss Basket w/wire hanger | 7 |
| 52-500260 | 26" x 9" Standard Moss Basket w/wire hanger | 4 |

olah Metaliic

Our new Moolah Metallic Plastic Containers bring you the ULTIMATE VALUE in decorative pots. We offer most of our beautifully designed pots in three precious metal finishes - copper, silver, and gold.



| Catalog # | Description | # |
|-----------|---|------|
| 52 711110 | #10 Apollo Copper Hanging Basket | 24 |
| 52-711111 | #10 Apollo Copper Hanging Basket (BULK) | 3072 |
| 52-711109 | #10 Apollo Gold Hanging Basket | 24 |
| 52-711112 | #10 Apollo Gold Hanging Basket (BULK) | 3072 |
| 52-711113 | #10 Apollo Silver Hanging Basket (BULK) | 3072 |
| 52-711085 | #12 Dulani Gold Planter 9 1/8" High | 24 |
| 52-711086 | #12 Dulani Gold Planter 9 1/8" High (BULK) | 1680 |
| 52-711081 | #12 Dulani Copper Planter 9 1/8" High | 24 |
| 52-711082 | #12 Dulani Copper Planter 9 1/8" High (BULK) | 1680 |
| 52-711138 | #12 Bashira Silver Planter 10" High | 24 |
| 52-711139 | #12 Bashira Silver Planter 10" High (BULK) | 1650 |
| 52-711131 | #12 Bashira Copper Planter 10" High | 24 |
| 52-711032 | #12 Bashira Copper Planter 10" High (BULK) | 1650 |
| 52-711133 | #12 Bashira Terra Cotta Planter 10" High | 24 |
| 52-711034 | #12 Bashira Terra Cotta Planter 10" High (BULK) | 1650 |
| 52-711035 | #12 Bashira Redwash Planter 10" High | 24 |
| 52-711036 | #12 Bashira Readwash Planter 10" High (BULK) | 1650 |
| 52-711115 | #15 Square Planter 12 7/8" High | 18 |
| 52-711116 | #15 Square Planter 12 7/8" High (BULK) | 630 |
| 52-711075 | #15 Johari Gold Planter 12" High | 24 |
| 52-711076 | #15 Johari Gold Planter 12" High (BULK) | 690 |
| 52-711071 | #15 Johari Copper Planter 12" High | 24 |
| 52-711072 | #15 Johari Copper Planter 12" High (BULK) | 690 |

Moolah Metaliic



| Catalog # | Description | # |
|-----------|---|------|
| 52-711066 | #16 Matuko Copper Planter 12 1/2" High | 12 |
| 52-711067 | #16 Matuko Copper Planter 12 1/2" High (BULK) | 600 |
| | | |
| 52-711068 | #16 Matuko Silver Planter 12 1/2" High | 12 |
| 52-711069 | #16 Matuko Silver Planter 12 1/2" High (BULK) | 600 |
| 52-711118 | #18 Grape Terra Cotta Planter 13 7/8" High | 12 |
| 52-711119 | #18 Grape Terra Cotta Planter 13 7/8" High (BULK) | 375 |
| 52-711117 | #18 Grape Gold Planter 13 7/8" High | 12 |
| 52-711120 | #18 Grape Gold Planter 13 7/8" High (BULK) | 375 |
| 52-711123 | #18 Grape Copper Planter 13 7/8" High | 12 |
| 52-711124 | #18 Grape Copper Planter 13 7/8" High (BULK) | 375 |
| 52-711121 | #21 Grape Copper Planter 16" High | 12 |
| 52-711122 | #21 Grape Copper Planter 16" High (BULK) | 284 |
| 52-710020 | #10 Etana Gold Planter | 24 |
| 52-710022 | #10 Etana Copper Planter | 24 |
| 52-710101 | #10 Takata Gold Planter | 48 |
| 52-710102 | #10 Takata Gold Planter (BULK) | 3200 |
| 52-710103 | #10 Takata Copper Planter | 48 |
| 52-710104 | #10 Takata Copper Planter (BULK) | 3200 |
| 52-710009 | #10 Zuhri Gold Planter | 24 |
| 52-710010 | #10 Zuhri Gold Planter (BULK) | 1680 |
| 52-710008 | #10 Zuhri Copper Planter | 24 |
| 52-710007 | #10 Zuhri Copper Planter (BULK) | 1680 |
| 52-711091 | #14 Kandoro Copper Planter 14.5" High | 24 |
| 52-711092 | #14 Kandoro Copper Planter 14.5" High (BULK) | 960 |
| 52-711093 | #14 Kandoro Silver Planter 14.5" High | 24 |
| 52-711094 | #14 Kandoro Silver Planter 14.5" High (BULK) | 960 |



BLACK RATTAN

Cone HB

a heavy-duty wire hanger.







Wall Basket

Floor Planter

| Catalog # | Description | Pack |
|-----------|--|------|
| 51-401121 | 12" Black Rattan Round HB w/flat bottoms | 24 |
| 51-401141 | 14" Black Rattan Round HB w/flat bottoms | 24 |
| 51-401161 | 16" Black Rattan Round HB w/flat bottoms | 24 |
| 51-408141 | 14" Black Rattan Round Cone HB w/ring & metal stand | 20 |
| 51-406141 | 14" Black Rattan Square Cone HB w/ring & metal stand | 20 |
| 51-425181 | 18" Black Rattan Wall Basket | 18 |
| 51-440161 | Sq. Black Rattan Floor Planter (16" L x 16" W x 9" height) | 15 |
| 51-441161 | Rd. Black Rattan Floor Planter (16" dia. x 10" height) | 15 |

GOLDEN RATTAN

| Catalog # | Description | Pk |
|-----------|-------------------------------|----|
| 51-42518 | 18" Golden Rattan Wall Basket | 18 |





ULTIMATE II HANGING BASKET


Our NEW Ultimate II hanging basket features a water hyacinth and twig square structure with a wire hanger and stand and a ring on the bottom to add decorations or wind chimes!



| Catalog # | Description | Pk |
|-----------|---|----|
| 51-417097 | 9" Water Hyacinth and twig square cone w/wire hanger and stand | 25 |
| 51-417099 | 16" Water Hyacinth and twig square cone w/wire hanger and stand | 12 |

EURO CLASSIC PLANT STAND

Probably the most versatile and economical stand available. Fits most 12" to 14" Color Pots, Color Bowls, Cones, Baskets, etc.



| Catalog # | Description | Color | Pk | Price |
|-----------|------------------------------|-------|----|---------|
| 52-770212 | 21" Euro Classic Plant Stand | Black | 6 | \$73.30 |

All hanging baskets include a heavy-duty wire hanger.

GREEN MOSS

| Catalog # | Description | Pk |
|------------|--|----|
| 51-408-123 | 12" Green Moss Round Cone Basket w/ring & metal stand | 20 |
| 51-405-143 | 14" Green Moss Square Cone Basket w/ring & metal stand | 20 |
| 51-412-163 | 16" Green Moss Hex Cone Basket w/ring & metal stand | 15 |
| | | |



THE ULTIMATE GARDEN BASKET



The Ultimate Garden Basket is conveniently designed to offer a grand garden on a small scale. This unique square shaped natural rattan planter measures 20" across on each side and is a full 15" deep allowing for lots of soil volume (holds 3 cu. ft.) to accommodate larger plantings like tomatoes and peppers or rose trees and topiaries. Each side has 3 large planting holes for your favorite vining vegetables, herbs and flowers.

- 12 Large side planting holes
- Holds 3 cu. ft. soil volume
- Sturdy reinforced frame with Natural Rattan Shell and handles.
- Poly lined and includes a Magnimoist soil hydration mat.

| Catalog # | Description | Pk |
|---------------|--|----|
| 51- 446201 | 20" x 20" Black Rattan Garden Basket - Lg | 6 |
| 51- 446202 | 20" x 20" Banana Leaf Garden Basket - Lg | 6 |












- Full depth soil volume for optimum plant production.
- Choice of growing as an upright planter or suspended for popular inverted growing.
- Designed for combination planting
- · Reinforced frame & poly lined for years of use
- · Beautiful natural rattan outer shell
- 18" Top Diameter 12 1/2" Depth

| Catalog # | Description | Pack |
|-----------|---|------|
| 51-447182 | Ultimate Golden Panter - Sm 18" Dia x 12 1/2" Deep | 10 |







We have 12 products that require a Double Take. These powerful eye catching products command attention from their striking design and realistic color presentation.

Made of fiber clay & plastic for superior durability with style.



Providing quality and uniquely distinctive products for home & garden

Visit our website, stop in or call for an order!

Professional Growing Mixes



Standard and Custom Formulations

All Pro-Line blends are pH adjusted, include a starter charge and a mirco-nutrients package. Our mixes are ready for your nutrition program or can be custom blended with controlled release fertilizers.



Pro-Line C/20

Our light weight mix of Canadian sphagnum peat and perlite is great general purpose mix recommended for a wide variety of potted plants and hanging baskets.

C/20 is an appropriate soil mix for: Flowering and foliage plants, hanging baskets, seeds and cuttings.

Average density 10-12 lbs/cubic foot



Pro-Line C/B

A mix of Canadian sphagnum peat, processed pine bark fines, coarse perlite and medium vermiculite, C/B is geared toward growing flowering plants. The medium texture of the mix holds moisture well. A true, all-purpose mix.

C/B is an appropriate soil mix for: Flowering and foliage plants, hanging baskets and bedding plants.

Average density 14-16 lbs/cubic foot



Pro-Line C/25

This mix of processed pine bark fines, Canadian sphagnum peat, coarse perlite and medium vermiculite is geared toward growing perennials. C/25 is a coarse texture mix that allows for good air space and helps promote proper drainage.

C/25 is an appropriate mix for: Flowering and foliage plants, hanging basket, roses and garden mums, nursery containers and interior planters.

Average density 16-20 lbs/cubic foot



CALL WALDO & ASSOCIATE, INC. REGIONAL SALES REPRESENTATIVES FOR SPECIAL PRICING FIND OUT MORE ABOUT CUSTOM FORMULATION AND PRODUCT INFORMATION.

Catalog # indicates stock item - others are special order



PRO-MIX® BX offers a solution for growers seeking the benefits of vermiculite for improved nutrients availability and a perlite content providing limited but proper drainage capacities. Combine with high quality fibrous peat moss, this formulation is ideal for growers looking for a general purpose medium which creates well balance growing environment.

Ingredients:

- Canadian Sphagnum peat moss (75-85%)
- · Perlite horticultural grade
- · Vermiculite horticultural grade
- · Dolomitic and Calcitic limestone (pH adjuster)
- · Wetting Agent

| PREMIER PRO-MIX BX | | | | |
|--------------------|-----------------------------|--------|---------|--|
| Catalog # | Description | Size | Pallet | |
| 49-020934 | Pro-Mix BX w/Mycorise | 3.8 cf | 30/skid | |
| 49-020933 | Pro-Mix BX w/Mycorise | 2.8 cf | 57/skid | |
| 49-020930 | Pro-Mix BX w/Myco & Bio | 3.8 cf | 30/skid | |
| 49-020238 | Pro-Mix BX w/Biofungicide * | 3.8 cf | 30/skid | |

SELECTION OF BIO-ADDITIVES:

Biofungicide™ + Mycorrhizae™

- · Protects & enhances growth of plants
- · Most advanced technologies in bio-additives
- Saves time & money

Mycorrhizae™

- · Improves fertilizer uptake; reduces fertilizer costs
- Increases plant's resistance to stresses reduces maintenance costs
- · Optimizes results without changing growing practices

Biofungicide™

- · Prevents efficiently plants from root diseases (Fusarium, Pythium and Rhizoctonia)
- · Simplifies operations, no need to re-apply unlike other biofungicides
 - * Special order by the pallet lead times vary.



Formulated with an aged pine bark, PRO-MIX® BRK is nitrogen stabilized and therefore well suited for growers who require more frequent dry down periods and have to compose with a changing growing environment. PRO-MIX® BRK is a carefully design low water retention growing medium which will provide quality and consistency for great results.

Ingredients:

- · Canadian Sphagnum peat moss (45-55%)
- · Processed Pine bark
- · Perlite horticultural grade
- Dolomitic and Calcitic limestone (pH adjuster)
- · Wetting Agent

SELECTION OF BIO-ADDITIVES:

Biofungicide™ + Mycorrhizae™

- · Protects & enhances growth of plants
- · Most advanced technologies in bio-additives
- · Saves time & money

Biofungicide™

- · Prevents efficiently plants from root diseases (Fusarium, Pythium and Rhizoctonia)
- · Simplifies operations, no need to re-apply unlike other biofungicides

| PREMIER PRO-MIX BX | | | |
|--------------------|---------------------------|--------|---------|
| Catalog # | Description | Size | Pallet |
| 49-021943 | Pro-Mix BRK w/Mycor & Bio | 2.8 cf | 48/skid |
| | Pro-Mix BRK w/Bio | 2.8 cf | 48/skid |



PRO-MIX® HP, with its high perlite content, provides a growing environment which benefits growers looking for significant drainage capacity, increased air porosity and lower water retention. The added benefit of a fibrous peat moss and coarse perlite makes this formulation ideal for growers demanding a superior quality product adapted to their needs for watering flexibility and crop seasonality.

Ingredients:

- Canadian Sphagnum peat moss (65-75%)
- · Perlite horticultural grade
- · Vermiculite horticultural grade
- · Dolomitic and Calcitic limestone (pH adjuster)
- · Wetting Agent

| PREMIER PRO-MIX BX | | | |
|--------------------|---------------------------|--------|---------|
| Catalog # | Description | Size | Pallet |
| 49-021438 | Pro-Mix BX w/Mycorise | 3.8 cf | 30/skid |
| | Pro-Mix BX w/Mycorise | 2.8 cf | 57/skid |
| | Pro-Mix BX w/Myco & Bio | 3.8 cf | 30/skid |
| | Pro-Mix BX w/Biofungicide | 3.8 cf | 30/skid |

SELECTION OF BIO-ADDITIVES:

Biofungicide™ + Mycorrhizae™

- · Protects & enhances growth of plants
- Most advanced technologies in bio-additives
- Saves time & money

Mycorrhizae™

- Improves fertilizer uptake; reduces fertilizer costs
- · Increases plant's resistance to stresses reduces maintenance costs
- · Optimizes results without changing growing practices

Biofungicide™

- Prevents efficiently plants from root diseases (Fusarium, Pythium and Rhizoctonia)
- · Simplifies operations, no need to re-apply unlike other biofungicides



Balance and precision are essential in horticulture even more so at the beginning of a crop. PRO-MIX® PGX is formulated with vermiculite to provide added nutrients at the early development stages. This carefully developed formulation will optimize growth and create a growing environment that is adapted for plugs and germination purposes.

Ingredients:

- · Canadian Sphagnum peat moss (75-85%)
- · Vermiculite horticultural grade
- Dolomitic and Calcitic limestone (pH adjuster)
- · Wetting Agent

SELECTION OF BIO-ADDITIVES:

Biofungicide™

- Prevents efficiently plants from root diseases (Fusarium, Pythium and Rhizoctonia)
- · Simplifies operations, no need to re-apply unlike other biofungicides

| PREMIER PRO-MIX BX | | | |
|--------------------|-------------|--------|---------|
| Catalog # | Description | Size | Pallet |
| 49-020133 | Pro-Mix PGX | 2.8 cf | 57/skid |





METRO-MIX 360

The most popular Metro-Mix formulation. Similar to Metro-Mix 350, but with additional aggregate for drainage. A great choice for a wide range of crop types and container style.

Ingredients:

- Canadian Sphagnum Peat Moss
- · Vermiculite
- · Bark** and Bark Ash
- · Starter Nutrient Change (with Gypsum) and Slow Release Nitrogen
- · Dolomitic Limestone
- · Long-lasting Wetting Agent

METRO-MIX 820

Formerly SB 200 and Metro-Mix 280

Metro-Mix 820 is a medium textured, well-drained growing mix for hanging baskets and potted crops.

Ingredients:

- · Canadian Sphagnum Peat Moss
- Bark**
- · Coarse Perlite
- Starter Nutrient Change (with Gypsum) and Slow Release Nitrogen
- · Dolomitic Limestone and our Long-lasting Wetting Agent

Metro-Mix®

Professional Mixes

Our Metro-Mix lineup offers a broad range of applications ranging from small cell-packs to large containers.

Select Metro-Mix formulas include processed bark ash or SUN-CORI (coconut coir), distinctive ingredients that offer unique characteristics to a blend. All formulas are pH adjusted, contain a starter nutrient charge and our long-lasting wetting agent.

METRO-MIX 510

Excellent for a wide variety of crops grown in mid to large containers. Especially suited for stock plants and container plants.

Ingredients:

- Bark**
- Canadian Sphagnum Peat Moss
- Vermiculite
- · Bark Ash
- Starter Nutrient Charge (with Gypsum) and Slow Release Nitrogen
- Dolomitic Limestone and a Wetting Agent

METRO-MIX 830

A highly versatile mid weight bark mix for use in growing a wide range of greenhouse crops such as poinsettias, bedding plants, hanging baskets, geraniums and pot mums.

Ingredients:

- · Canadian Sphagnum Peat Moss
- Bark**
- Coarse Perlite and Vermiculite
- Starter Nutrient Change (with Gypsum) and Slow Release Nitrogen
- Dolomitic Limestone and our Long-lasting Wetting Agent

Catalog # indicates stock item - others are special order

METRO-MIX 840

Medium texture, well-drained, enhanced air capacity general purpose mix. It is well suited for growing crops in containers ranging from cell packs to hanging baskets.

Ingredients:

- Canadian Sphagnum Peat Moss
- Bark**
- · Coarse Perlite
- Starter Nutrient Change (with Gypsum) and Slow Release Nitrogen
- Dolomitic Limestone and our Long-lasting Wetting Agent

METRO-MIX 900

Formerly Metro-Mix 700 and SB300

Suitable for stock plants, container plants, potted plants 4" and larger. This is the choice of outdoor landscape installations and large indoor specimen plants.

Ingredients:

- Bark**
- Canadian Sphagnum Peat Moss
- · Perlite and Vermiculite
- Starter Nutrient Change (with Gypsum) and Slow Release Nitrogen
- Dolomitic Limestone and our Long-lasting Wetting Agent

METRO-MIX 852

Consolidated w/Metro-Mix Bedding Plant I

A heavyweight bark mix for the perennial grower, Metro-Mix 852 contains 50-60% composed pine bark for superior drainage and container stability.

Ingredients:

- Bark**
- · Canadian Sphagnum Peat Moss
- Perlite
- Starter Nutrient Change (with Gypsum) and Slow Release Nitrogen
- Dolomitic Limestone and our Long-lasting Wetting Agent

Metro-Mix 960

This medium-textured, all-purpose mix is well suited for growing crops in containers from cell packs to hanging baskets.

Ingredients:

- · Canadian Sphagnum Peat Moss
- Vermiculite
- Bark**
- Starter Nutrient Change (with Gypsum) and Slow Release Nitrogen
- Dolomitic Limestone and our Long-lasting Wetting Agent

| SUNGRO SOILS | SUNGRO SOILS | | | | |
|--------------|---------------|--------|--------|--|--|
| Catalog # | Description | Size | Pallet | | |
| 49-043602 | Metro Mix 360 | 2.8 cf | 40 | | |
| 49-045101 | Metro Mix 510 | 2.8 cf | 40 | | |
| 49-045102 | Metro Mix 820 | 2.8 cf | 48 | | |
| 49-048302 | Metro Mix 830 | 2.8 cf | 48 | | |
| 49-040843 | Metro Mix 840 | 2.8 cf | 40-45 | | |
| 49-048522 | Metro Mix 852 | 2.8 cf | 42 | | |
| 49-045103 | Metro Mix 900 | 2.8 cf | 40 | | |
| 49-049600 | Metro Mix 960 | 2.8 cf | 40 | | |

ALL SUNGRO
MIXES NOW
CONTAIN
RESILIENCE
RESILIENCE

Canadian Sphagnum Peat Moss

Our select line of Sunshine Canadian Sphagnum peat moss is 100% organic and OMRI listed. The high water holding capacity and excellent aeration makes Sunshine peat moss the choice of growers who mix their own or other professional uses.





GROWER GRADE WHITE

The most popular of our professional peat moss line, Grower Grade White has a fibrous consistency that improves aeration and increases drainage to promote plant root development. Used throughout the greenhouse trade for vegetable and flowering plant production, mushroom production. It is widely used from flat production to larger pot and hanging basket production.

Ingredients:

· Canadian Sphagnum Peat Moss

| SOIL AMENDMENTS | | | |
|-----------------|---------------------------------|--------|---------|
| Catalog # | Description | Size | Pallet |
| 49-043264 | Sunshine Grower White Peat Moss | 3.8 cf | 30/pal |
| 49-091491 | Long Fiber Sphagnum Moss | 3.5 cf | 54/skid |

Perlite & Vermiculite

Sunshine Perlite and Vermiculite have a wide range of applications that will always be in demand. Clean and lightweight, these materials can be used from propagation to finished production. Sun gro's Sunshine brand Perlite and Vermiculite have long been known for quality and consistency and are packed in 4 cu ft bags or 60 cu ft Minibulk bags.



PERLITE

Used to improve the drainage and aeration of growing media. Sunshine Perlite is a porous, lightweight, expanded volcanic rock. Its high porosity makes it a good aggregate in potting and germination water-holding capacity, It's high CEC helps retain mixes.

HORTICULTRAL VERMICULITE

A naturally occurring mineral, vermiculite is highly absorbent, lightweight and an essential part of many soilless growing mixes. In addition to increasing mix nutrients.

| SOIL AMENDMENTS | | | | |
|-----------------|--------------------|--------|---------|--|
| Catalog # | Description | Size | Pallet | |
| 49-060014 | Perlite | 4.0 cf | 33/skid | |
| 49-070014 | Vermiculite Coarse | 4.0 cf | 33/skid | |
| 49-070034 | Vermiculite Medium | 4.0 cf | 33/skid | |



ALL SUNGRO MIXES NOW CONTAIN RESILIENCE



INSHI

Professional Mixes

Sunshine products are produced under the industry's highest quality standards and designed to meet the unique needs of your crops while fitting into the flow of your operations. Sunshine products are offered in either compressed or loosefill packaging in a variety of sizes, from the easy-tohandle 3.8 cubic foot bale to the economysized Big Shots or Sun Tower.

SUNSHINE MIX #1/LC1

Mix #1 is, by far, our most versatile formulation expert growers choose for the production of a wide variety of crops

Ingredients:

- · Canadian Sphagnum Peat Moss
- Bark**
- Coarse Perlite
- Starter Nutrient Change (with Gypsum)
- **Dolomitic Limestone**
- · Long-lasting Wetting Agent

SUNSHINE MIX #3

Mix#3 is designed for germinating seeds and other propagation applications. It has a specially screened shorter fiber peat and a low fertilizer charge to provide initial feeding for seeding and plugs.

Ingredients:

- Fine Canadian Sphagnum Peat Moss
- · Vermiculite
- Low Nutrient Charge (with Gypsum)
- · Dolomitic Limestone
- · Long-lasting Wetting Agent

SUNSHINE MIX #4

Mix #4 is recommended where high air capacity and fast drainage are needed: during winder months, with water and salt sensitive crops, or where frequent leaching is required.

Ingredients:

- Canadian Sphagnum Peat Moss
- Coarse Perlite
- Starter Nutrient Charge (with Gypsum)
- · Dolomitic Limestone
- · Long-lasting Wetting Agent

SUNSHINE MIX #5

Mix #5 is designed to enhance root development in propagation of ornamental and vegetable transplants.

Ingredients:

- · Fine Canadian Sphagnum Peat Moss
- · Fine Perlite
- · Low Starter Nutrient Charge (with Gypsum)
- · Dolomitic Limestone
- · Long-lasting Wetting Agent

| SUNGRO SOILS | SUNGRO SOILS | | | | |
|--------------|-----------------------|--------|---------|--|--|
| Catalog # | Description | Size | Pallet | | |
| 49-040233 | Sunshine LC1 | 2.8 cf | 54/skid | | |
| 49-044834 | Sunshine #1 | 3.8 cf | 30/skid | | |
| 49-042234 | Sunshine #3 ¤ | 3.8 cf | 30/skid | | |
| 49-042434 | Sunshine #4 ¤ | 3.8 cf | 30/skid | | |
| 49-042233 | Sunshine LP5 Plug Mix | 2.8 cf | 54/skid | | |

Soil Additives & Conditioners:

SOILMOIST

Benefits

- · Reduces plant watering by 50%**
- · Saves time and labor with less watering
- Maintains vigorous plants
- · Minimizes transplant shock due to moisture loss
- · Reduces soil compaction
- · Cost effective lasts 3 5 years.**
- · (Soil Moist Plus): Water retention polymer and timed release fertilizer







| Catalog # | Item # | SoilMoist™ |
|------------|------------|---------------------------------|
| 50-420003 | JCD-030SM | SoilMoist Granular Coarse 3 lb |
| 50-420008 | JCD-08BKSM | SoilMoist Granular Coarse 8 lb |
| 50-420050 | JCD50BKSM | SoilMoist Granular Coarse 50 lb |
| 50-320008 | JCD-08BKSM | SoilMoist Fine 8 lb *nonstock* |
| 50-320t050 | JCD-40BKSM | SoilMoist Fine 40 lb *nonstock* |

Monty's Liquid Carbon

THE KEY TO MAXIMIZING YOUR SOIL.

A soil conditioner designed to reduce soil compaction and improve overall soil health, it can be easily applied all year round, especially during pre-chemical application or burn down. Liquid Carbon enhances micronutrient uptake and breakdown of plant residue. Improve the health and vitality of your soil and maximize your yields with Monty's Liquid Carbon (MLC).

- · Reduces soil compaction
- · Improves overall soil health
- · Easy application during burn down
- · Enhances micronutrient uptake
- · Enhances breakdown of plant residue
- · Tank-mix flexibility for year-round use



| Catalog # | Size | Pk | Each |
|-----------|---------|----|---------|
| 46-015025 | 2.5 gal | 2 | \$64.00 |

SOAX

| Picture | Catalog # | Item # | SOAX® |
|---------|-----------|--------|--------------------------|
| Soax | 50-710128 | 5900 | Liquid, 1-Gallon. Jug |
| | 50-710005 | 5905 | Liquid, 5-Gallon Pail |
| | 50-710050 | 5930 | Liquid, 55-Gallon Drum |
| | 50-720120 | 5936 | Granular, 120-Pound Drum |

ALGAECIDES

PHYSAN 20TM





PHYSAN 20™ is a broad range disinfectant, fungicide, virucide, and algaecide which effectively controls a wide variety of pathogens on hard surfaces and plants. Its applications include greenhouses, hard surfaces, lawn and turfgrass, seedlings and cut flowers, decorative fountains, pools and birdbaths, and plants.

| Catalog # | Description | Size | Pack |
|-----------|-------------|--------|------|
| 44-202028 | Physan 20 | 1 gal | 4/cs |
| 44-202030 | Physan 20 | 30 gal | 1/cs |

GREEN-SHIELD

Prescription Treatment® brand Green-Shield® Disinfectant & Algicide a biodegradable liquid concentrate for horticultural use that controls fungal, bacterial and viral plant pathogens and algae. It's the first step to a successful disease management program.

GREEN-SHIELD PROVIDES:

- · An efficient first step in the control of fungal and bacterial diseases
- · Control of algae on walkways, greenhouse coverings and evaporative cooling pads
- Broad-spectrum control of diseases and algae on floors, benches and
- Control of dormant fungal and bacterial structures that fungicides do not kill

| Catalog # | Description | Size | Pack |
|-----------|--------------|-------|------|
| 44-250128 | Green Shield | 1 gal | 4/cs |





DISINFECTANT

MICROBLOC® GREENHOUSE DISINFECTANT

MicroBLOC® Greenhouse Disinfectant is an EPA-registered effective antimicrobial disinfectant designed for use by wholesale and retail florists, shippers and greenhouses. When used as directed, this product will disinfect hard, nonporous surfaces such as flower buckets, tool, floors and walls of coolers, design and packing benches and counter tops. This product is specifically formulated to effectively eliminate offensive odors caused by mold and mildew.

- Disinfectant Fungicide Mildewstat Non-acid disinfectant Will not leave a grit or soap scum
- · Economical concentrate improves flower longevity as a result of a cleaner environment

| Catalog # | Description | Size | Pack |
|-----------|---------------------|-------|------|
| 44-202028 | Floralife MicroBLOC | 1 gal | 4/cs |



Eco-safe Alternatives

BIOSAFE WEED CONTROL

BioSafe Weed Control is an OMRI Listed herbicidal soap that is tough on weeds, but easy on the environment. Burn down a broad spectrum of plants to maintain weed-free patios, walkways, and driveways. Use BWC as a spot treatment in gardens and landscapes to eliminate back breaking hand weeding without harming the soil.

- · Visible Results Within Hours
- · Will Not Migrate Through Soil
- · Biodegrades Quickly
- · Leaves No Harmful Residue

Catalog # 39-101100

SANIDATE RTU FRUIT & VEGETABLE WASH

Stops food bourne illnesses, spoilage and decay in fruits and vegetables.

- · Kills E.coli and Salmonella on Contact
- Keeps Fruit and Vegetables Longer
- · Chlorine and Ammonia Free Formula
- · Leaves No Residue Behind
- · No Rinsing
- · No Harsh Chemicals



Catalog # 39-350100

OXIDATE RTS FOR FRUITS & VEGETABLES

Proven effective at stopping disease on contact while being eco-friendly. Leaves behind no chemical residue. Use on any kind of fruits and vegetables including tomatoes, cucumbers, peppers, and citrus trees. Suppresses plant diseases such as: Powdery Mildew, Downy Mildew, Wilts & Blights, Phytophthora.



Catalog # 39-350125

OXIDATE RTU FOR FRUIT & VEGETABLE GARDENS

Works immediately on contact. stopping disease as fast as you can spray. May be used as preventative and curative spray treatment on any type of fruit or vegetable.

- · Hooks Up to Hose
- Works Immediately
- Meets National Organic Program **Standards**
- Alternative to Copper-Based Products

Catalog # 39-350120

ZEROTOL READY TO SPRAY

Provides immediate disease control on lawns, flowerbeds. shrubs, and ornamental trees. Safe for rhododendron, azaleas, roses, annual, and perennial flower beds. Kills plant disease such as: Anthracnose, Black Spot, Powdery Mildew, Rusts, Botrytis/Grey Mold, Leaf Spot. Controls lawn and turf diseases such as: Dollar Spot , Anthracnose, Summer Patch, Brown Patch, Fairy Ring



Catalog # 39-350110

GREENCLEAN®FX Moss, Mold & MILDEW TREATMENT

Eliminates moss, mold, and mildew. Controls the growth of slime-forming bacteria. Will not harm plants, shrubs, or trees. Environmentally responsible alternative to bleach, heavy metal copper, and phosphate based products. Can be used on concrete, pavement, outdoor furniture, decks, roofs, siding, marine equipment and more.

Catalog # 39-350105

PEROXIDES

ZEROTOL 2.0

ZeroTol 2.0 is a broad-spectrum bactericide/fungicide that works on contact. ZeroTol 2.0 is formulated with our powerful and stable peroxycompound chemistry. Use ZeroTol 2.0 during propagation through finished crops to protect all greenhouse and nursery crops, including fruits and vegetables. ZeroTol 2.0 is a sustainable chemistry proven to reduce plant pathogens like botrytis, powdery mildew, xanthomonas etc.

· Works on contact · Foliar and root pathogen control · 0-hour REI

ZeroTol 2.0 is stocked and available in 2.5 and 30 gallon containers

| Catalog # | Description | Size | Pack |
|-----------|-------------------------------------|---------|------|
| 39-272500 | Zerotol GH/N/T (HAZMAT) | 2.5 gal | 1/cs |
| 39-273000 | Zerotol GH/N/T (HAZMAT) | 30 gal | 5 sk |
| 39-350110 | Zerotol RTS Plant Disease Treatment | 32 oz | 6/cs |

GREEN CLEAN PRO

GreenCleanPRO is a professional-strength granular algaecide formulated to eliminate growths and build up on walkways, benches, soil and other hard surfaces in the greenhouse. GreenCleanPRO starts working immediately and is effective on a wide variety of algae, slime molds, moss and other organisms. GreenCleanPRO is safe to use while plants are in production or to clean an empty greenhouse.

GreenCleanPRO can also be used to control algae, bacteria and fungi in irrigation ponds.

Reducing pathogenic organisms and protecting horticulture water sources, GreenCleanPRO is proven to be safe for all crops and improves water quality.

- No restrictions
- · Prevents slip-and-fall conditions
- Biodegrades completely Inhibits re-growth of microorganisms

GreenCleanPRO is stocked and available in 50-lb. bags

| Catalog # | Description | Size | Pack | |
|-----------|--------------------------|--|-------------|----------------------------|
| 44-203050 | Green Clean Pro (HAZMAT) | 50# | 1/case | |
| | | | | |
| | | | | |
| | | | | |
| ASAAMI. | | | | a many to probability as a |
| | | - Abinish | Mark Market | |
| | | | | |
| | | | | |
| | | | | |
| | | ACT STREET, ST | | |

ROOTING COMPOUNDS

Dip & Grow

Develops new root growth on all types of cuttings from soft woods (bedding plants) to hardwoods (junipers).



Read label for specific mixing instructions. Active Ingredient: IBA & NAA

Essential Plus

A natural rooting hormone that stimulates plant growth, rooting and makes plants strong and healthy. Humic acid is also included for improving and enhancing soil quality. Safe for all varieties of annuals, perennials, herbs and vegetables.

Hormodin

Hormodin1: 0.1% IBA. Used for soft wood cuttings such as geranium, ivy, mums, poinsettias, pothos, pachysandra and hydrangea.



Hormodin2: 0.2% IBA. Used for semi-hard and hard wood cuttings such as azalea, junipers, hemlock, rose, wisteria and yews.

| Catalog # | Description | Size | Pack |
|-----------|----------------|---------|-------|
| 44-110016 | Dip & Grow | 16 oz | 12/cs |
| 44-110128 | Dip & Grow | 1 gal | 4/cs |
| 44-020110 | Essential Plus | 1 qt | 12/cs |
| 44-020101 | Essential Plus | 1 gal | 4/cs |
| 44-020125 | Essential Plus | 2.5 gal | 2/cs |
| 44-120120 | Hormodin 1 | 1 lb | 12/cs |
| 44-120125 | Hormodin 2 | 1 lb | 12/cs |

SPRAY AIDS

CapSil

CapSil is advanced spray adjuvant technology that safely ensures outstanding leaf wetting and penetration. It also helps reduce stress from transport and sticking.

Foam Fighter

Add to spray water before adding chemical. Prevents foam from building up in the sprayer tank. Apply 1-3 squirts/tank.

Nu-Film 17

A sticking-extending agent that improves deposition of chemicals on plant surfaces. Guards against UV degradation of pesticides and its removal by rain or abrasion. Needs 1 hour to dry. Apply 6-8 oz/100 gal.

Spray Aide

This agent is designed to improve spray tank compatibility of pesticides, to lower the pH of spray tank water of liquid fertilizer solutions and as a spreader for use with pesticides.

Vapor Guard

An emulsible organic concentrate which after drying on leaf surfaces forms a flexible film which significantly reduces moisture loss through the plants foliage.

| Catalog # | Description | Size | Pack |
|-----------|--------------|-------|-------|
| 38-130100 | Capsil | 1 gal | 4/cs |
| 38-700032 | Foam Fighter | 1 qt | 12/cs |
| 38-161728 | Nu-Film 17 | 1 gal | 4/cs |
| 38-160028 | Spray Aide | 1 gal | 4/cs |
| 38-160528 | Vapor Guard | 1 gal | 4/cs |

FUNGICIDE CHART

ALWAYS REFER TO

| THE PRO | DU | СТ | LA | BE | L | | | | | | Js, T.Mer | | | | | le Maxy | 3 | | | | | | | | |
|--------------------|----------------|-----------|------------|-------|-------|-----------|-------|-----------------|------------------|------------|-----------|------|--------|----------------|-----------|---------|-------|---------|-----------|----------|-------|-----------|--------------|-------|---------|
| PLANT DISEASE | Acting PRODUCT | Acting Sp | Adore Iron | Banra | Capta | CEASE 50W | Ching | Chlor 26019 M/P | Thiopi or Thiopi | Decree (C) | Herita | Mage | Medali | Metanion 50 Wp | MilSt Sub | Orves | Panes | Protoci | Roote, DF | Securior | Statu | Strice SC | Suffer SOWDG | Tribe | Zerotol |
| Alternaria | 0 | | | | 0 | 0 | 0 | | | | 0 | | 0 | | 0 | | 0 | | | | | | | | |
| Anthracnose | | | | | | 0 | | 0 | 0 | | 0 | | | | 0 | | 0 | | | | | | | | 0 |
| Bacterial Diseases | | | | | | 0 | | | | | | | | | | | | | | | | | | | 0 |
| Black Spot | | | | | 0 | 0 | | | 0 | | 0 | | | | 0 | | | 0 | | | | | 0 | | Ш |
| Blights | | | | | | 0 | 0 | 0 | 0 | | 0 | | | | 0 | | 0 | | | | | 0 | | 0 | 0 |
| Botrytis | 0 | | | | 0 | 0 | 0 | | 0 | 0 | 0 | | 0 | | 0 | | 0 | | | | | | | | 0 |
| Cylindrocladium | | | | | | | 0 | | 0 | | | | 0 | | | | 0 | | 0 | | | | | | |
| Damping Off | | | 0 | | 0 | | | | | | | | | | | | | | | | | | | 0 | |
| Diplodia | | | | | | | | | 0 | | 0 | | | | | | | | | | | | | | |
| Downy Mildew | 0 | | 0 | | 0 | 0 | | | | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | | | 0 |
| Fire Blight | | | | | | | | | | | | 0 | | | | | | | | | | | | | |
| Fusarium | 0 | 0 | | 0 | | 0 | 0 | | 0 | | | | 0 | | | | 0 | 0 | 0 | | | | | | 0 |
| Leaf Spot | | | | | 0 | 0 | 0 | 0 | 0 | | 0 | | | | 0 | | 0 | 0 | | | | 0 | | | 0 |
| Phomopsis | | | | | | | | | 0 | | 0 | | | | 0 | | 0 | | | | | | | | |
| Phytopthora | 0 | 0 | 0 | 0 | | 0 | | | | | | 0 | | 0 | | 0 | 0 | | | 0 | 0 | | | 0 | 0 |
| Powdery Mildew | 0 | | | | | 0 | | | 0 | | 0 | | | | 0 | | 0 | | | | | 0 | 0 | | 0 |
| Pythium | 0 | 0 | 0 | 0 | | 0 | | | | | | 0 | | 0 | | | 0 | 0 | 0 | 0 | | | | 0 | 0 |
| Rhizoctonia | 0 | 0 | | 0 | | 0 | 0 | | | | 0 | | 0 | | | | 0 | | 0 | | | | | | 0 |
| Rust | | | | | 0 | 0 | | | 0 | | 0 | | | | 0 | | 0 | 0 | | | | 0 | 0 | | |
| Scab | | | | | 0 | 0 | | | 0 | | 0 | | | | 0 | | 0 | | | | | | | | |
| Sclerotinia | | | | | | | | 0 | 0 | | | | | | | | 0 | | | | | 0 | | | |
| Thielaviopsis | | | | 0 | | | | | 0 | | | | 0 | | | | | | 0 | | | | | | 0 |
| Xanthomonas | | | | | | 0 | | | | | | 0 | | | | | | | | | | | | | 0 |

Sanrot

FUNGICIDE

CHEMICAL KEY



HAZARDOUS: Must have special packaging and/or handling. Additional charges will apply.



ORGANIC MATERIALS REVIEW INSTITUTE: Products can be used for organic production or



processing. RESTRICTED USE PESTICIDE: Must have a current copy of your pesticide applicators licence on file in order to process an order. Shipping limited to

ALWAYS REFER TO THE PRODUCT LABEL FOR DIRECTIONS OF USE.

our truck in Ohio or Kentucky only.

Read all labels prior to use. Always follow safety precautions to avoid injury. Use all chemicals as recommended by the manufacturer.

ACTINOVATE AG/SP



Actinovate AG/SP is a biofungicide that effectively protects and controls many common foliar and soil-borne diseases found in outdoor crops. Actinovate AG/SP is based on the patented, beneficial bacteria. Streptomyces lydicus WYEC 108. This powerful microbe is 100% water-soluble and a great tool for disease resistance management. Actinovate AG/SP is also labeled as a soil drench application for root decay diseases such as Pythium, Phytophthora, Fusarium, Rhizoctonia, Powdery and Downy Mildew, Botrytis, Alternaria and others.






| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 45-100118 | 18 oz. | 12 |

ADORN

Defeat Downy Mildew, Phytophthora, Pythium and Resistance, too.

Ornamental growers have a powerful tool for fighting downy mildew, Phytophthora and Pythlum. With a novel mode of action, Adorn® Fungicide is an excellent addition to fungicide rotations and plays a key role in resistance management programs.



- Novel mode of action
- · Tank mix to use as a resistance management tool

| Catalog # | Size | Case Pack | | | |
|-----------|-------|-----------|--|--|--|
| 39-305075 | 1 qt. | 12 | | | |

BANROT 40WP

Banrot 40WP delivers dependable, long lasting control of damping-off and root and stem rot-soil pathogens on a variety of bedding, foliage and container plants. It has very low solubility which means Banrot stavs where it is applied. This allows for long term effectiveness while minimizing leaching from the container.

Product Advantages

- · Its wide range dismisses the need for separate fungicides
- · Is fungicidal, not fungi-static
- · Less soluble, reduces potential leaching problems
- · Ideal for growers mixing their own growing media
- · Systemic and contact activity on target pathogens, root, stem fungi
- Provides protection for up to 8 weeks

| Catalog # | Size | Case Pack | | | |
|-----------|---------|-----------|--|--|--|
| 39-250002 | 2 lbs. | 6 | | | |
| 39-250004 | 40 lbs. | 1 | | | |

CARMELOT*O

Features of Camelot O Fungicide/Bactericide are:

- · Broad-spectrum fungal and bacterial disease control
- Multiple modes of action for resistance management
- · Control of bacterial leaf spots and blights
- · Approved for Organic Production by the National Organic Program (NOP)
- · Use on greenshouse vegetable and herb crops

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 39-101075 | 1gal. | 4 |

Снірсо 26019

Active Ingredient: Iprodione

REI: 1 Hour

Broad spectrum fungicide applied safely to a wide range of ornamental flowering and foliage plants in greenhouses, nurseries and landscapes on a seven to fourteen day interval.

Controls: Alternaria, Blights, Fusarium, Leaf spot, Rhizoctonia Stem and Root Rot, Ink Spot, more. www.ohp.com



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 39-269002 | 2 lbs. | 12 |

EUCO

CHLOROTHALONIL DF

Active Ingredient: Chlorothalonil

REI: 12 Hours

It features a preventative disease protection with multi site activity which means absolutely no resistance with repeated use. This fungicide is used extensively to prevent and treat Brown Patch disease in tall rescue. It is an excellent tank mix partner with most other fungicides.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 39-004050 | 5 lbs. | 4 |

CLEARYS 3336

Active Ingredient: Trifloxystrobin

REI: 12 Hours

For the prevention and control of turf diseases and the diseases of annual and perennial flowers, bedding plants, foliage plants, ground covers, plus deciduous and evergreen trees and shrubs.



| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 39-305075 | 1 qt. | 12 |
| 39-143625 | 2.5 gal. | 2 |

COMPASS O

Active Ingredient: Trifloxystrobin

REI: 12 Hours

For control of certain foliar, stem and root diseases of ornamentals grown in interiorscapes, field nursery plantings, forest nurseries and greenhouses, lath/ shade-houses, container and other enclosed structures.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 39-115010 | 1 lbs. | 4 |

CUPROXAT

Active Ingredient: Tribasic copper sulfate

REI: 24 hours (greenhouse) 48 hours (nursery)

Apply: Spray

Premium copper fungicide with the smaller particle size that delivers better plant coverage for better protection against fungal diseases.

- Excellent crop safety and low use rates
- Broad label of greenhouse and nursery crops including vegetables and herbs
- Fast activity of copper hydroxide and the long-lasting activity of copper sulfate

| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 39-158000 | 2.5 gal | 2 |

DECREE

Active Ingredient: Fenhexamid

REI: 12 Hours

For Botrytis control in propagation and retail. Decree is safe and easy to apply. Can by applied to flowers in bloom including poinsettias with no Phytotoxicity.



CUPROXAT:

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 39-305025 | 2.5 lbs. | 4 |

EAGLE 20 EW

Active Ingredient: Myclobutanil

Provides excellent control of dollar spot and brown patch on turf, landscape ornamentals, and fruit trees and vines.



| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 39-105101 | 1 pt. | 8 |

EMBLEM

Active Ingredient: Fludioxonil

REI: 12 hours

Application: foliar spray and soil drench Versatile Fungicide for foliar, stem and root

- Low use rates and long-lasting protection against many foliar diseases and tem, grown and root rots
- Expended label includes brassica vegetables (such as broccoli, cauliflower, and kale), herbs (such as basil, chive, cilantro, parsley and rosemary), and leafy vegetable (such as arugula, lettuce and swiss chard)

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 39-131005 | 1 pt. | 8 |

MAGELLAN

Active Ingredient: Phosphorous Acids

REI: 4 Hours

A systemic fungicide used for the prevention and control of diseases found in turf, bedding plants and ornamentals. Controls: Pythium, Phytophthora root rot, Downy Mildew, Xanthomonas (suppression). 2.5 gal., 2/pk. www.nufarm.com




| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 39-090325 | 2.5 gal. | 2 |

MEDALLION 50W

Active Ingredient: Fludioxonil REI: 12 Hours

The most effective fungicide used to control Rhizoctonia on ornamentals. It is tough on Botrvtis and Alternaria. Medallion is an excellent tank mix partner with Subdue Maxx.





| Catalog # | Size | Case Pack |
|-----------|------|-----------|
| 39-195008 | 8 oz | 4 |

ORVEGO

Active Ingredient: Ametoctradin & Dimethomorph

REI: 12 Hours

Apply to field grown and containerized ornamental and nursery plants for the control of downy mildew and Phytophthora root, crown, and stem diseases. Controls: Downy Mildew, Phytophthora fungi. www.betterplants.basf.us. 28 oz., 6/pk.



| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 39-070005 | 28 oz | 6 |

PAGFANT

Active Ingredient: Boscalid & Pyraclostrobin

REI: 12 Hours

Pageant is a broad spectrum fungicide with two fast-acting active ingredients in one product for the control of many diseases in ornamentals. No Phytotoxicity observed in any trials.

Controls: Anthracnose, Blossom Blight, Crown and Basal Rot, Downy Mildew, more.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 39-070010 | 1 lbs. | 4 |

PHOSTROL

Active Ingredient: Mono & dibasic sodium,

potassium, ammonium phosphates

REI: 4 Hours

One of the very few phosphorous acids labeled as fungicide. Neutral pH requires no buffering allowing integration with other fungicides. Great tank compatibility. Controls: Downy Mildew, Fire Blight.

| Powdery Mildew. v | vww.nufarm.com | |
|-------------------|----------------|-----------|
| Catalog # | Size | Case Pack |
| 39-391080 | 2.5 gal. | 2 |

PROTECT DF

Active Ingredient: Mancozeb

REI: 24 Hours

Very economical contact acting choice for indoor and outdoor disease applications.

Controls: Brown Patch, Copper Spot, Dollar Spot, Read Thread, Pink Snow Mold, Fusarium, more.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 39-140003 | 6 lbs. | 6 |

SEGWAY

Active Ingredient: Cyazofamid

REI: 12 Hours

For use on turf areas on golf courses, sod farms, seed farms, and sports fields, residential and commercial lawns. It also controls Downy Mildew on ornamental plants in landscapes and those grown in commercial greenhouses and nurseries. Controls: Downy Mildew, Pythium, Phytophthora. www.betterplants. basf.us.



| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 39-305050 | 39.2 oz | 12 |

STATURE SC

Active Ingredient: Dimethomorph

REI: 12 Hours

Used for the preventative control of certain foliar, stem and root diseases of herbaceous and woody ornamental crops. Stature should be rotated in a disease management program to prevent downy mildew. Controls: Downy Mildew, Phytophthora fungi. www.betterplants.basf.us.



| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 39-220350 | 25 oz | 6 |

STRIKE 50 WDG

Active Ingredient: Triademfon

Control labeled diseases on flowers, foliage plants, shrubs and shade trees in commercial nurseries, garden centers and greenhouses.



Controls: Flower Blight, Ovulinia, Sclerotinia, Collectotrichum, Leaf Blight, Cephalosporium, Cercospora, Didymellina, Didymascella Thujina, Entomosporium, Exobasidium, Powdery Mildew, Erysiphe, Melampsora Farlowii, more.

| Catalog # | Size | Case Pack |
|-----------|------|-----------|
| 39-255015 | 8 oz | 12 |

T-METHYL 4.5F

Active Ingredient: Thiophanate

Methyl

REI: 24 Hours

For the prevention and control of diseases of annual and perennial flowers, bedding plants, foliage plants, ground covers, turf, deciduous and evergreen trees and shrubs.



| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 39-090125 | 2.5 gal. | 2 |

T-METHYL 50WSB

Active Ingredient: Thiophanate Methyl

REI: 12 Hours

For the prevention and control of diseases of annual and perennial flowers, bedding plants, foliage plants, ground covers, turf and deciduous, evergreen trees and shrubs.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 39-090108 | 2 lbs. | 6 |

TM 4.5 SELECT

Active Ingredient: Thiophanate Methyl

TM 4.5F Select can be used to prevent and control fungus on both cool and warm season grasses. With no know phytotoxicity issues, it is the perfect disease management tool to help keep your golf course in peak condition. TM 4.5F Select can also be used on a wide variety of edible



crops. For optimal effect in areas that utilize irrigation, add a sticker/spreader adjuvant such as Fungicide Activator Select to the tank mix.

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 39-143632 | 1 qt. | 12 |

TM & CTN 90WDG

Active Ingredient:

Chlorothalonil and Thiophanate

REI: 12 Hours

It provides both curative and protection action when applied to annual/perennial flowers, bedding plants, foliage plants, ground covers, turf, deciduous, evergreen trees, shrubs.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 39-091005 | 5 lbs. | 4 |

TRUBAN 30WP

Active Ingredient: Etridiazole

REI: 12 Hours

An advance formulated wettable powder that is intended for use in commercial greenhouses, nurseries and commercial turf as well. It effectively



controls and prevents damping-off, stem and root rot diseases caused by Phytophtora and Pythium. It targets Pythium root and crown rot, Cottony Blight and Pythium Blight.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 39-253002 | 2 lbs. | 6 |

TRUBAN 25EC

Active Ingredient: Etridiazole

REI: 12 Hours

Truban 25EC is labeled for use in commercial greenhouses and nurseries while Truban 30WP is labeled for use in commercial greenhouses, nurseries, as well as on commercial turf. Add Truban to your operation to form the foundation for an effective rotational soil-bourne fungicide program.



| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 39-253232 | 1 qt. | 4 |

ZEROTOL HAZ



Active Ingredient: Hydrogen Peroxide REI: 0 Hours

Kills disease pathogens on plants, in water and on hard surfaces found in greenhouses and nursery operations. ZeroTol can be used independently or may be tank mixed with other residual pesti-cides to help provide immediate knockdown control.



| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 39-272500 | 2.5 gal. | 1 |

ZYBAN WSB

Active Ingredient:

Mancozeb & Thiophanate Methyl

REI: 24 Hours

A broad spectrum systemic contact fungicide for use in ornamental, nursery and turf landscape crops with activity on scab, rust, leafspot, as well as downy, powdery mildew.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 39-250032 | 3 lbs. | 4 |

REGULATE SELECT

Active Ingredient: Metalaxyl REI: 24 Hours

Regulate Select is a systemic fungicide that provides control of certain diseases in turf. ornamentals & greenhouses. With a unique water-based formulation, Regulate Select is low odor and mixes thoroughly and easily into most commonly used fungicide and fertilizer tank mixes.



| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 39-002001 | 1 qt. | 4 |

SIMPLY SUSTAINABLE. ALWAYS EFFECTIVE.



BioSafe Systems' organic, sustainable and effective products are uniquely balanced alternatives to harsh and toxic chemicals. For over 15 years our growers have seen our products successfully enhance their plants' health, quality and overall appearance. From propagation to finished crops, our chemistry. Provides the horticulture industry with solutions that prevent outbreaks of plant pathogens that can cause losses in greenhouse crops.

AXXE BORAD SPECTRUM HERBICIDE

AXXE is an organic, non-selective herbicide that provides rapid burn down to a variety of grasses and weeds within hours of application. The Ammonium Nonanoate in AXXE melts the cell structure within the plant causing weeds to collapse and die. This powerful herbicide is formulated to biodegrade quickly, leaving no harmful residue behind.

AXXE is designed to be mixed easily with water and does not volatilize so it can be safely used for both indoor and outdoor applications.

- · Fast acting
- · Can be tank mixed
- Does not migrate through soil
- · Can replant immediately after use

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 39-101001 | 1 gal. | 1 |
| 39-101005 | 2.5 gal. | 1 |



OXIPHOS BACTERICIDE/FUNGICIDE

OxiPhos is a combination of phosphorous acid and activated peroxide that provides a one-two punch against diseases. The activated peroxide helps the phosphorous acid active ingredient to have a broader effect on targeted organisms. OxiPhos can be used throughout the growing season to prevent and control diseases caused by the oomycete group of pathogens.

- · Can be tank mixed
- Powerful dual mode of action
- · Controls and prevents pythium, phytophthora, and downy mildew

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 39-101050 | 2.5 gal. | 1 |



ZEROTOL 2.0 ALGAECIDE/BACTERICIDE/FUNGICIDE



ZeroTol 2.0 is a broad-spectrum bactericide/fungicide that works on contact. ZeroTol 2.0 is formulated with our powerful and stable peroxycompound chemistry. Use ZeroTol 2.0 during propagation through finished crops to protect all greenhouse and nursery crops, including fruits and vegetables. ZeroTol 2.0 is a sustainable chemistry proven to reduce plant pathogens like botrytis, powdery mildew, xanthomonas etc.

- Works on contact
- Foliar and root pathogen control 0-hour REI

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 39-272500 | 2.5 gal. | 1 |



GREENCLEAN PRO ALGAECIDE/FUNGICIDE



GreenCleanPRO is a professional-strength granular algaecide formulated to eliminate growths and build up on walkways, benches, soil and other hard surfaces in the greenhouse. GreenCleanPRO starts working immediately and is effective on a wide variety of algae, slime molds, moss and other organisms. GreenCleanPRO is safe to use while plants are in production or to clean an empty greenhouse.

GreenCleanPRO can also be used to control algae, bacteria and fungi in irrigation ponds. Reducing pathogenic organisms and protecting horticulture water sources. GreenCleanPRO is proven to be safe for all crops and improves water quality.

- No restrictions
- · Prevents slip-and-fall conditions
- Biodegrades completely
- · Inhibits re-growth of microorganisms

| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 44-203050 | 50 lbs. | 1 |

AZAGUARD INSECTICIDE/NEMATICIDE

AzaGuard is an organic insecticide with a stronger, more refined, 3% Azadirachtin formula. AzaGuard has multiple modes of action and prevents molting between larval, pupal and nymphal stages, reducing insect infestations. Controlling more than 300 different insect species, AzaGuard can safely be used inside and outside of the greenhouse or nursery.

- · Anti-feedant, insect growth regualtor, ovi-position deterrent
- Target all life stages by tank mixing · Immediately effective on insect larvae

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-048032 | 32 oz | 1 |





For more than 20 years, BioWorks has been a leader in providing environmentally responsible, safe, and effective solutions to the growing needs of the horticulture and specialty agriculture industries. BioWorks' pesticide How You Grow Matters™ products are EPA Registered (unless exempt), and most are OMRI Listed for organic growing.

ROOTSHIELD® PLUS+ GRANULES ROOT DISEASE CONTROL

Biological Fungicide - Granules

OMRI Listed \ omri

- · Next generation RootShield that now prevents soilborne Phytophthora, and improved control of hot season Pythium (P. aphanidermatum)
- · Also controls Fusarium, Pythium, Rhizoctonia, Thielaviopsis and Cylindrocladium
- · One application provides up to 12 weeks of protection
- · Costs less than 2¢ per 6-inch pot
- · Promotes a healthier root system, increasing root mass potential
- · For media incorporation nursery, greenhouse and vegetables
- · 0-hour REI / 0-day pre-harvest interval (PHI)

| Product | Size | Case Pack |
|-----------------|--------|-----------|
| RootShield Plus | 3 lbs. | 1 |
| | 1 lbs. | 1 |





ROOTSHIELD® WP ROOT DISEASE CONTROL

Biological Fungicide - Wettable Powder OMRI Listed omri

- · Drench for use on nursery, greenhouse and vegetables
- Easier mixing water soluble carrier
- Grows on roots "shielding" them against root damaging fungi
- Releases enzymes that dissolve the cell wall of many fungal pathogens
- · Promotes a healthier root system increasing root mass potential
- · One application provides up to 12 weeks of protection
- · 0-hour (re-entry interval) REI

| Product | Size | Case Pack |
|---------------|--------|-----------|
| D 10k ald WD | 3 lbs. | 1 |
| RootShield WP | 1 lbs. | 1 |

MILSTOP® FOLIAR DISEASE CONTROL

Water Soluble Broad Spectrum Foliar Fungicide OMRI Listed OMRI

- · Cures powdery mildews / Prevents other foliar diseases
- · For use on interiorscape, greenhouse, nursery, woody, herb and field crops
- · Potassium bicarbonate-based with added surfactants for performance
- · University tested and proven effective
- · Fully dissolves in water; no residues, dries quick and clean
- · No known resistance excellent disease management tool
- · 1-hour REI / approved by FDA as G.R.A.S. (Generally Regarded As Safe)

| Product | Size | Case Pack |
|---------|-------|-----------|
| MilStop | 1 qt. | 1 |





BOTANIGARD® ES INSECT CONTROL

Mycoinsecticide - Liquid Emulsifiable Suspension

- · Controls adult and larval stages of whitefly, thrips, aphids, and more
- · Use in greenhouse, nursery, vegetables, landscape and interiorscape
- · Highest spore concentration in a Beauveria-containing insecticide
- · Unique mode of action spores infect directly through the insect's cuticle
- Compatible with many beneficial insects
- · 4-hour REI / 0-day pre-harvest interval

| Product | Size | Case Pack |
|-------------|--------|-----------|
| Dalari Oard | 1 qt | 1 |
| BotaniGard | 1 gal. | 1 |

SUFFOIL-X® INSECT CONTROL

Spray Oil Emulsion Insecticide, Miticide, Fungicide **OMRI Listed**

- · Suffocates and kills eggs, larvae, nymphs and adult soft bodied insects and mites
- · Controls fungi including powdery mildew
- · Unique formulation stays in suspension better than other oils
- · Smaller oil particles provide uniform coverage with less chance of phytotoxicity
- · Use on vegetables, nursery, landscape, ornamental and greenhouse crops
- · 4-hour REI

| Product | Size | Case Pack |
|----------------------|----------|-----------|
| SuffOil-X(42-320025) | 2.5 gal. | 2 |





MOLT-X® INSECT CONTROL

Botanical Insecticide / Nematicide OMRI Listed

- · Use on ornamental greenhouse, shadehouse, interiorscape, nursery and outdoor food crops, shrubs, trees, ornamentals, and turfgrass
- · Protects against both foliar and soil-borne pests
- · Effective antifeedant insects will virtually stop feeding before they die
- · Leaves no residue on plant foliage and flowers
- · Compatible with most commonly used insecticides, fungicides and fertilizers
- · 4-hour REI; 0-day preharvest interval
- · No phytotoxicity issues on most plants
- · Generally safe on beneficial insects

| | Product | Size | Case Pack |
|--|--|----------------|---------------------------------|
| The same of the sa | Molt-X(42-300005) | 1 qt. | 6 |
| | | | |
| The second second | | | Bulletin Charles Co. |
| AND AND THE PARTY OF THE PARTY | The state of the s | No. 57 (c) 100 | FINANCIO SI CIBILI FIDRICE, GIB |
| · 大 · · · · · · · · · · · · · · · · · · | | | |
| | | NA ILANA | 1000 |
| | | | |

INSECTICIDE CHART

ALWAYS REFER TO THE PRODUCT LABEL FOR DIRECTIONS OF USE.

| PLANT DISEASE Ants Aphids | ICIDE PRODUCT | inectin | pnate | id. | Azac TR | Guard | XI' | aniGard 22M/2 | anigard Es | Opyrifos | Serve SC | dline MP | athlon 20Mr | 25W 75 | d Pro | s/s | ance IGR | a Guard | eavor | lar Ao | Ship 25WG | Ship G | amite SC | ni Hachi | let 2F T&O | et 75WSp | ira 1G | M-Pede |
|---------------------------|---------------|---------|-------|---|----------------|-------------|-----|---------------|--|----------|----------|----------|-------------|--|-------|-----|----------|---------|--------|----------|-----------|----------|----------|------------|------------|----------|--------|--------|
| PLANT DISEASE | Ap | ACA | Age | \ \ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | \ \ | 4 25 | Bot | BOT | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | /ප් | Q | | | \alpha \a | | | | | Д Д | <u> </u> | | <u> </u> | H G | / <u>`</u> | ≧ | | May | |
| Ants | 0 | 0 | | | | | | | 0 | | | | | | 0 | | 0 | | | | | | | | | | 0 | |
| Aphids | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| Armyworms | | 0 | 0 | 0 | 0 | 0 | | | | 0 | | 0 | 0 | 0 | 0 | | | | | | | | | | | | 0 | |
| Bagworms | | 0 | | 0 | | 0 | | | 0 | 0 | | 0 | 0 | 0 | 0 | | | | | | | | | | | | | |
| Beetles | | 0 | | | 0 | 0 | 0 | 0 | 0 | | | 0 | | | 0 | | 0 | | | 0 | 0 | | | 0 | 0 | 0 | 0 | |
| Borers | | | | | | | | | 0 | | | | | | | | | | | | | | | 0 | | | | |
| Cankerworms | | 0 | | | | 0 | | | | | | 0 | 0 | 0 | 0 | | | | | | | | | | | | | |
| Caterpillars | | 0 | | 0 | | 0 | | | | ٥ | | 0 | 0 | 0 | 0 | | 0 | | | | | | | | | | 0 | |
| Chafer | | | | | | 0 | | | | | | | | | | | 0 | | | | 0 | | | 0 | 0 | 0 | | |
| Fungus Gnats | | | ٥ | 0 | ٥ | ٥ | | | | | | 0 | | | 0 | ٥ | ٥ | | 0 | 0 | | | | | | ٥ | | |
| Grasshoppers | | 0 | | | | | | | | | | 0 | | | 0 | | | | | | | | | | | | | |
| Lacebug | | | | | | | | | | | | 0 | | | 0 | | | | | 0 | | | | 0 | 0 | 0 | | |
| Leafhoppers | | 0 | | | 0 | 0 | 0 | | | | | 0 | | | 0 | | 0 | | | 0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| Leafminers | 0 | | ٥ | | ٥ | ٥ | | | | ٥ | | | 0 | | 0 | ٥ | ٥ | | | | | | | ٥ | ٥ | ٥ | | |
| Leafrollers | | 0 | | 0 | 0 | 0 | | | 0 | 0 | | 0 | | 0 | | | | | | | | | | | | | | |
| Loopers | | | | | ٥ | | | | | ٥ | | | 0 | 0 | | | | | | | | | | | | | | |
| Mealybugs | | 0 | | 0 | | 0 | 0 | 0 | 0 | | | 0 | | | 0 | 0 | 0 | | 0 | 0 | 0 | | | 0 | 0 | 0 | 0 | 0 |
| Mites | 0 | | | ٥ | | | | | ٥ | ٥ | | 0 | | | 0 | | ٥ | | | | | ٥ | | | | | 0 | 0 |
| Plant Bug | | | | 0 | | | 0 | 0 | 0 | | | 0 | | | 0 | | 0 | | | 0 | | | | | | | | 0 |
| Sawflies | | ٥ | | | 0 | 0 | | | | 0 | | 0 | 0 | | 0 | | | | | 0 | | | | 0 | 0 | | | |
| Scale | | 0 | | 0 | | | | | 0 | | | 0 | | | 0 | 0 | 0 | | 0 | 0 | | | 0 | 0 | | 0 | | |
| Shore Flies | | | 0 | | | | | | | | | | | | | ٥ | 0 | | | | | | | | | | | |
| Slugs/Snails | | | | | | | | | | | 0 | | | | | | | | | | | | | | | | | |
| Spittle Bugs | | | | | | | | | | | | 0 | | | 0 | | | | | | | | | | | | | |
| Thrips | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | | 0 | | 0 | | | 0 | | 0 | | 0 | | | | 0 | 0 | | 0 | 0 | 0 |
| Webworms | | 0 | | | 0 | | | | 0 | 0 | | 0 | 0 | 0 | 0 | | | | | | | | | | | | | |
| Whiteflies | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | 0 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 |

INSECTICIDE CHART

ALWAYS REFER TO THE PRODUCT LABEL FOR DIRECTIONS OF USE.

| | <i>[</i> 2 | /%: | ام | / | | SWP | / | _ / | Green | | | æ | | ٥٨ | / | | thene | / | (R | / <u>≈</u> | / |
|-----------------|-------------|------------|-----------|-------|--------|-------|--------|--------|----------|-------|-------|---------|-----------|--------------|-------|-------------|--------|--------|----------|------------|------------|
| | Men PROBUCT | lesuii GC7 | John 25 M | rthe. | Verst. | edes. | reclus | ure c. | Vlon | Vieth | Vreth | afari o | ann: 20SG | uffoil 75W | X-III | R TS C.4 EC | etrace | ristan | 11 30 SC | Doto | X-Clude 10 |
| PLANT DISEASE 4 | Z ≥ | ≥ | /≥ | 0 | 0 | Q | /Q | /Q | <u> </u> | 0 | 0 | S | / Ø | \ <u>(</u>) | 2 | <i> </i> | /P | F |) > | 0 | 0 |
| Ants | 0 | 0 | 0 | 0 | | | 0 | 0 | | 0 | 0 | 0 | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| Armyworms | | | | _ | 0 | 0 | _ | Ū | | 0 | _ | _ | | _ | 0 | _ | | _ | _ | 0 | |
| | | | | | | | | | | | | | | | | | | | | 0 | |
| Bagworms | | | _ | | | | | • | | • | _ | • | | | • | | | _ | _ | | |
| Beetles | | | 0 | | | | | 0 | | 0 | 0 | 0 | | | 0 | | | 0 | 0 | 0 | 0 |
| Borers | | | 0 | | | | | | | | | 0 | | | | | | | | 0 | |
| Cankerworms | | | | 0 | | | | | | | | | | | | 0 | | | | | |
| Caterpillars | | | 0 | 0 | 0 | | 0 | | 0 | 0 | | | | | | 0 | | 0 | | 0 | 0 |
| Chafer | | | | | | | | | | | 0 | | | | | | | | | | 0 |
| Fungus Gnats | | | | 0 | | | | 0 | 0 | | ٥ | 0 | | ٥ | | 0 | | ٥ | 0 | ٥ | 0 |
| Grasshoppers | 0 | | | | | | | | | | | | | | | | | | | 0 | |
| Lacebug | 0 | | | 0 | | | | 0 | | | | 0 | | | 0 | 0 | | | 0 | 0 | |
| Leafhoppers | 0 | | 0 | | | | | | | 0 | 0 | 0 | | 0 | 0 | | | 0 | 0 | 0 | 0 |
| Leafminers | | | 0 | 0 | | 0 | 0 | 0 | | | | 0 | | 0 | 0 | 0 | | 0 | 0 | 0 | |
| Leafrollers | 0 | | | 0 | | | | 0 | | 0 | | | | 0 | | 0 | | | 0 | 0 | |
| Loopers | | | | 0 | 0 | | | | 0 | 0 | | | | | | 0 | | | | | |
| Mealybugs | 0 | | 0 | 0 | | | 0 | 0 | | | 0 | 0 | | | 0 | 0 | | 0 | 0 | 0 | 0 |
| Mites | | 0 | | 0 | | | 0 | 0 | 0 | | 0 | | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 |
| Plant Bug | 0 | | | | | | | 0 | | | | | | 0 | 0 | | | 0 | 0 | 0 | 0 |
| Sawflies | | | 0 | | | | | 0 | | | | | | 0 | | | | 0 | 0 | | |
| Scale | | | 0 | 0 | | | 0 | 0 | | | 0 | 0 | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |
| Shore Flies | | | | | | | | | | | | | | | | | | | | | |
| Slugs/Snails | | 0 | | | | | | | | | 0 | | | | | | | | | | |
| Spittle Bugs | | | 0 | | | | | | | | | | | | | | | | | | |
| Thrips | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | | 0 | 0 | 0 | |
| Webworms | | | | 0 | 0 | | | 0 | | 0 | | | | | | 0 | | | 0 | 0 | |
| Whiteflies | 0 | | 0 | 0 | | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 |

NSECTICIDE

Waldo & Associates, Inc and Premium Horticultural Supply Co. are licensed to sell Restricted Use Pesticides (RUP) within the state of Ohio only to customers with a valid RUP specified Ohio and Kentucky Applicators license. RUP cannot be shipped via UPS.

CHEMICAL KEY

processina.



HAZARDOUS: Must have special packaging and/or handling. Additional charges will apply.



OMRI

ORGANIC MATERIALS REVIEW INSTITUTE: Products can be used for organic production or



RESTRICTED USE PESTICIDE: Must have a current copy of your pesticide applicators licence on file in order to process an order. Shipping limited to our truck Ohio and Kentucky only.

ALWAYS REFER TO THE PRODUCT LABEL FOR DIRECTIONS OF USE.

Read all labels prior to use. Always follow safety precautions to avoid injury. Use all chemicals as recommended by the manufacturer.

ABAMECTIN 0.15EC MINX

Active Ingredient: Abamectin

REI: 24 Hours

For use on shade house. greenhouse, field grown, ornamentals, foliage plants and woody ornamentals. Note: Phytotoxicity has been noted on ferns. Do not use on conifers.



Controls: Spider Mites, Leaf Miners. Compare to Avid.


| Catalog # | Size | Case Pack |
|----------------------------------|--------|-----------|
| 42-001402 (Abamectin 0.15 EC) | 1 gal. | 4 |
| 42-001410 (Minx) | 1 qt. | 4 |


ACEPHATE 97UP

Active Ingredient: Acephate

REI: 24 Hours

Economical Turf/Tree/ Ornamental insecticide that attacks pests two ways: on contact, through systemic activity that lasts up to 21 days.







Active Ingredient: Diflubenzuraon

REI: 12 Hours

For use on soil inhabiting and foliar feeding insects in ornamental plants in greenhouses, shade houses and interiorscapes.

Controls: Aphids,

Armyworms, Fungus gnats, Leafminers, Spider Mites, Shoreflies Thrips, Whiteflies.



| Catalog # | Size | Case Pack | | | | |
|------------|--------|-----------|--|--|--|--|
| 42-152-516 | 1 lbs. | 12 | | | | |

AZATIN XL

Active Ingredient: Azadirachtin

REI: 4 Hours

For indoor and outdoor use on vegetable crops and ornamentals.

Controls: Aphids, Armyworms, Black Vine Weevil, Beetles, Canker-worm, Caterpillars, Loopers, Moths, Chafers,


Cutworms, Flies, Leaf Hoppers, Leafminers, Thrips and Whiteflies.

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-255232 | 1 qt. | 6 |

CHLORPYRIFOS Pro 4

Active Ingredient: Chlorpyeifos 44.7%

REI: 24 Hours



medians.

Controls: Aphids, ants. armyworms, bagworms, borers, cockroaches, grasshoppers, katvdids, leafhoppers, mites, tent caterpillars and more.



NO UPS

RUP

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 42-001625 | 2.5 gal. | 2 |

CONSERVE SC

Active Ingredient: Spinosad **REI:** 4 Hours

Use on turf and ornamental for insect control derived from naturally occurring organism. It is a highly active insecticide at very low use rates. An industry top choice for control of thrips and is also recommended for control of lepidopterous larvae.



Controls: Bagworms, armyworms, gypsy moth larvae, sawflies, sod webworms, spider mites, thrips, fruit flies, borers and more.

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-191032 | 1 qt. | 4 |

DEADLINE MP

Active Ingredient: Metaldehyde REI: 12 Hours

It is used on field and seed crops and vegetables. For best results, apply in the evening. Especially beneficial if applied following rain or watering. Apply every 3-4 weeks during growing season. Note: Do not apply directly to edible portion of plant



Controls: Snails, Slugs.

| Catalog # | Size | Case Pack | | | | |
|-----------|---------|-----------|--|--|--|--|
| 42-259350 | 50 lbs. | 1 | | | | |

DECATHLON 20WP

Active Ingredient: Cyfluthrin REI: 12 Hours


For the control of a wide range of crawling and flying insect pest on greenhouse, ornamental and nursery stock.



Controls: Aphids, armyworms, bagworms, beetles, caterpillar, cutworm, fungus gnats, gypsy moths, lace bugs, leaf hoppers, mealy bugs, mites, scales, thrips, webworm, whiteflies.

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-105020 | 8 oz. | 12 |

DIMILIN 25W







Active Ingredient: Diflubenzuron REI: 12 Hours

Controls a variety of insect pest found in and around ornamental plants including gypsy moths.

Controls: Armyworms, bagworms, budworms, cankerworms, gypsy moths, hemlock loopers, Leafminers, sawflies, webworms

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-102505 | 5 lbs. | 8 |

DIPFI PRO DF

Active Ingredient: Bacillus thurgiensis kurstaki **REI:** 4 Hours

Biological insecticide listed for bedding plants, ornamentals, turf, herbs, spices and mints. There are no restrictions on applying up to time of harvest. After ingesting a lethal dose, larvae stop feeding within the hour and die within several hours.



Controls: Caterpillars, loopers, worms, twig borers and gypsy moths

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-256016 | 1 lbs. | 30 |

Discus

Active Ingredient: Cyfluthrin & **Imidacloprid**

REI: 12 Hours

For foliar and systemic insect control on ornamentals, nonbearing fruit and nut trees, nursery containers.



Controls: Adelgids, ants, aphids, army-worms, caterpillars, bagworms, boxelder bugs, Japanese beetles, canker-worms, cutworms, fungus gnats, grass-hoppers, gypsy moth larvae, lace bugs, leafhoppers, leafminers, mealybugs, pillbugs, plant bugs, psyllids, scale, thrips, webworms and whiteflies.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-102310 | 1 gal. | 4 |

DISTANCE IGR

Active Ingredient: Pyriproxyfen **REI:** 4 Hours

Effective greenhouse and nursery IGR for whitefly, fungus gnat, shore fly, and scales. Do not apply to poinsettia after bract formation

Controls: Aphids, fungus gnats, white-flies, mealybugs, shoreflies, leafminers.



| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-192032 | 1 qt. | 4 |

FLAGSHIP G

Active Ingredient: Thiamethoxam

REI: 12 Hours

Fast acting granular formula for effective control of a broad spectrum of foliar and soil pests

Controls: Aphids, mealybugs, whiteflies, Japanese beetle.



| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 42-101813 | 25 lbs. | 1 |

ENSTAR AQ

Active Ingredient: S-Kinoprene

REI: 4 Hours

Insect growth regulator for use on ornamentals in greenhouses and Interiorscapes. Breaks the life cycle of the target insects resulting in interrupted reproduction. Best results after 2-3 applications on a 7-14 day interval.

Controls: Whiteflies, thrips, aphids, scales, mealybugs, leafminers, fungus gnats.



| Catalog # | Size | Case Pack |
|------------|-------|-----------|
| 42-170-001 | 1 qt. | 6 |

ENDEAVOR

Active Ingredient: Pyriproxyfen

REI: 12 Hours

For use on landscape, greenhouse, and nursery ornamentals, Christ-mas trees, ground covers. Has residual activity. Targeted pests stop feeding within hours of app-lication. Will not harm beneficial insects.

Controls: Aphids, Whiteflies.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-300015 | 15 oz. | 8 |

DURA GUARD ME







Active Ingredient: Chlorpyrifos REI: 24 Hours

For use on bedding plants, cut flowers, flowering hanging baskets, foliage, potted flowering plants, trees, shrubs.

Controls: ants, aphids, caterpillars, fungus gnats, scale, spider mites, thrip and more.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-101328 | 1 gal. | 4 |

FLORAMITE SC

Controls a variety of mite pests on ornamentals, perennials and woody plants. Provides quick contact knock down and long residual control. Floramite is relatively inactive against beneficials, therefore is compatible with IPM.

Controls: Two-spotted spider mites, pacific mite, European red mite, clover mite, strawberry mite, citrus red mite, southern red mite and more.



| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-150100 | 1 qt. | 8 |

HACHI HACHI

Active Ingredient: Tolfenpyrad

REI: 12 Hours

For use on a wide variety of indoor greenhouse ornamental plants. This product is a contact insecticide used for the control of various insects. It should be used in a program with other products for season long protection.



Controls: Aphids, leafhoppers, scale, thrips, whiteflies.


| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 42-102205 | 1/2 gal. | 4 |

Kontos

Active Ingredient: Spirotetramat

REI: 24 Hours

A systemic insecticide and miticide that can be used as a drench or foliar spray for broad spectrum control of chewing and sucking insects.





| Catalog # | Size | Case Pack |
|------------|--------|-----------|
| 42-107-085 | 250 ml | 6 |

MALLET .5G

ataenius.

Active Ingredient: Imidacloprid REI: N/A

For use on turf for quick knockdown and long lasting residual control of pests especially grubs.




| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-090130 | 30lbs. | 40 |



Active Ingredient: Imidacloprid REI: 12 Hours

For systemic and foliar insect control in turf grass, landscape ornamentals, on fruit and nut trees, on ornamental and



Controls: Aphids, adelgids, lacebugs, Japanese beetle, leafhoppers, leaf- miners, mealybugs, sawfly, white-flies, thrips (suppression of), mole crickets, white grubs larvae and more.

| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 42-075164 | 6.4 oz. | 4 |

MALLET 2F T&O

Active Ingredient: Imidacloprid REI: 12 Hours

For systemic and foliar insect control in turf grass, landscape ornamentals, on fruit and nut trees, on ornamental and vegetable plants in greenhouses, nurseries and interior landscapes



MILIET 75 WSP

Controls: Aphids, adelgids, lace-bugs, Japanese beetle, leaf-hoppers, leafminers, mealybugs, sawfly, white flies, thrips (suppression of), mole crickets, white grubs larvae, more.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-091101 | 1 gal. | 4 |

MANTRA 1G

Active Ingredient: Imidacloprid REI: 12 Hours

For systemic and foliar insect control in turf grass, landscape ornamentals, on fruit and nut trees, on ornamental and vegetable plants in greenhouses, nurseries and interior landscapes.



Controls: Aphids, adelgids, Japanese beetle, lacebugs, leafhoppers, leaf-miners, mealybugs, sawfly, whiteflies, thrips (suppression of), mole crickets, white grubs larvae and more.

| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 42-120105 | 5 lbs. | 4 |
| 42-120150 | 50 lbs. | 1 |

M-PFDF

Active Ingredient: Potassium salt of fatty acids REI: 12 Hours

For use on edible and ornamental crops grown outdoors, in greenhouses and Interiorscapes. Can be used up to the day harvested on listed vegetables, fruits, herbs and spices. Provides control of powdery mildew.



Controls: Aphids, caterpillars, earwigs, lacebugs, leafhoppers, leafminers, mealy-bugs, mole cricket, psyllids, sawfly larvae, scale, spider mites, thrips, and more.

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 42-259925 | 2.5 gal. | 2 |

MAVRIK AQUAFLOW

Active Ingredient: Potassium salt of fatty acids REI: 12 Hours

Use to control insects and mites on indoor and outdoor ornamentals including turf, trees, shrubs and cuttings.

Controls: Aphids, beetles, caterpillars, mealybugs, mites, psyllids, thrips, whiteflies and two-spotted spider mite.



| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-259032 | 1 qt. | 12 |

OVATION SC

Active Ingredient: Clofentezine REI: 12 Hours

A suspension concentrate that's very effective for mite management on commercial ornamental plants such as conifers and non-bearing trees and vines, carnations, hydrangeas, geraniums, potentillas, and more.



Controls: Two-spotted spider mite, European red mite, Pacific spider mite, Yellow spider mite, McDaniel spider mite

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-160800 | 1 pt. | 4 |

Menace 7.9% Flowable







Active Ingredient: Bifethrin

REI: 12 Hours

Control insect and mite pests in green- houses and nurseries, golf courses, ornamentals and turf in landscaped areas around residential institutional, public, commercial and industrial buildings, parks, recreational areas, golf courses, sod farms, athletic fields.



Controls: Aphids, bagworms, lacebugs, black vine weevil, earwigs, fungus gnats, leafhoppers, mealybugs, spider mites, thrips, weevils, fire ants, Japanese beetles, more.

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-001810 | 1 gal | 4 |

MESUROL 75WP







Active Ingredient: Methiocarb REI: 12 Hours

For control of insects, slugs and snails on ornamentals in greenhouses and nurseries. Thorough coverage is necessary of maximum control use up to four applications per season.



Controls: Aphids, mites, snails, slugs

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-210002 | 2 lbs. | 4 |

OVERTURE 35WP

Active Ingredient: Nocaluron REI: 12 Hours

Commercial greenhouse use for control of thrips including Western flower thrip and larvae of various lepidopteron insects infesting greenhouse grown



ornamentals, flowering and foliage crops, ground cover, shrubs, ornamental trees and non-bearing fruit and nut trees grown indoors.

Controls: Thrips – including Western Flower thrip, lepidopterous larvae.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-160802 | 16 oz. | 8 |

PEDESTAL

Active Ingredient: Novaluron REI: 12 hours

Provides an effective means for controlling whiteflies, thrips, leafminers, armyworms and certain other foliar feeding insects on container and field grown ornamentals in greenhouses, shadehouses and nurseries but do not apply to poinsettias.



Controls: Thrips, whiteflies, army-worms, leafminers.

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-103001 | 1 qt. | 8 |

PYLON

Active Ingredient: Chlorophenyl REI: 12 hours

For use on ornamental crops and vegetable plants in commercial greenhouses to control spider mites and thrips.

Controls: Mites, thrips, foliar nemo-todes and fungus gnats.



| Catalog # | Size | Case Pack |
|------------|------|-----------|
| 42-110-008 | 1 pt | 4 |

Pyreth-It

Active Ingredient: Pyrethrins and Piperonyl Butoxide REI: 12 hours

For use on growing crops, ornamentals, stored products, and fruit fly reduction on harvested fruits and vegetables. May be used alone as a cleanup spray or a pre-harvest spray. Quick knockdown.



Controls: Ants, aphids, armyworms, beetles, caterpillars, crickets, thrips, gypsy moths, hornets, horseflies, lice, cockroaches, fruit flies, silverfish, mosquitoes, psyllids, stinkbugs, wasps, whiteflies, yellow jackets.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-101135 | 1 gal. | 4 |

SAFARI 20SG

Active Ingredient: Dinotefuran REI: 12 hours

A new generation, super-systemic, broad spectrum solution for indoor and outdoor ornamental. It delivers a quick uptake and knockdown. Can be applied by foliar spray, soil drench, soil injection, bark application or soil

broadcast.

Controls: Aphid, fungus gnats, leafminers, mealy bug, scale, whiteflies.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-142003 | 3 lbs. | 4 |

SANMITE 75WP ST HAZ



Active Ingredient: Pyridaben

REI: 12 hours

A resistance management weapon in the battle for mite and whitefly control.

Controls: Mites, whiteflies



| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-259914 | 4 oz. | 4 |

TAME 2.4EC

Active Ingredient: Fenpropathrin

REI: 24 hours







Insecticide with a quick knockdown of insects and mites. Do not apply to poinsettias after bract formation, chrysanthemums, or roses in bloom.

Controls: Mites, lacebugs, leaf-hoppers, whiteflies, Japanese beetle, mealybugs, citrus thrips, spotted tentiform leafminers, apple aphid leafminers, wooly apple

aphid, codling moth, black vine weevil, and many more.

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 42-259432 | 1 qt. | 12 |

TETRASAN 5WDG

Active Ingredient: Etoxazole

REI: 12 hours

Miticide is a molting inhibitor, affecting mites at all life stages. It stops the development of the eggs and larvae on contact and sterilizes the adults. Offers up to 5 weeks of control for indoor and outdoor use.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 42-100800 | 16 oz. | 8 |

SULTAN MITICIDE Ornamental growers now

have a different mode of

action for outstanding mite control. Sultan miticide - with active ingredient cyflumetofen - offers growers a powerful, targeted and novel tool needed to control mites quickly as part of a chemical or Integrated Pest Management (IPM) approach.

Tristar 8.5 SL

Active Ingredient: Etoxazole

REI: 12 hours

A broad spectrum control insecticide which provides the longest lasting foliar spray effects on the market today. It mixes easily and is compatible with many tank mix partners.



Controls: Adelgids, aphids, beetles, caterpillars, fungus gnat larvae, leafhoppers, mealybugs, plant bugs, psyllids, sawfly, scale, thrips, weevils, whiteflies.

| Catalog # | Size | Case Pack |
|-----------|------|-----------|
| 42-101906 | 1 qt | 4 |

Active Ingredient: Etoxazole REI: 12 hours

| Catalog # | Size | Case Pack |
|-----------|------|-----------|
| 42-260125 | 1 qt | 4 |

STICKY INSECT TRAPS

Simply place cards every 500 sq. ft. (10 sq. ft. in hot spots) just above plant canopy; where most flight occurs. Inspect traps weekly to identify insects that have been caught.

EARLIER Insect Detection!

For Aphids, Leafminers, Thrips, Whiteflies, Fungus Gnats, Shore Flies, and more.



| Item # | Description | Pack |
|-----------|--------------------------------------|------|
| 44-010351 | Yellow Sticky Card 3" x 5" (100/box) | 100 |

NO-FLY

Active Ingredient: Daminozide

Compare to: B-Nine

REI: 12 Hours

Intended for biological control of targeted pests while non-pathogenic to beneficials. This naturally occurring microorganism is a great IPM too!

Controls: Whiteflies (Bemisia, Trialeurodes, Lecanoideus, Aleuroidicus), aphids, thrips, caterpillars, beetles and potato weevil.

| Catalog # | Size | Case Pk |
|-----------|--------|---------|
| NEW! | 2 lbs. | 12 |

Direct Ship Only







1300 Orthene TR micro total release insecticide effectively controls many pests including (but not limited to): Aphids -Cankerworms - Fungus Gnats -Lacebugs - Mealybugs - Scale -Spider Mites - Thrips - Whiteflies (See label for additional insects controlled.)

Packaging: 12 x 6 oz. cans Active Ingredient: 12% Acephate





Durplex TR micro total release insecticide effectively controls many pests including (but not limited to): Aphids - Fungus Gnats - Mealybugs - Scale -Shore Flies - Thrips - Whiteflies (See label for additional insects controlled.)

Packaging: 12 x 2 oz. cans

Active Ingredient: 8% Chlorpyrifos

and 1.6% Cyfluthrin





Attain TR micro total release insecticide is an ultra low-volume fogger utilizing advanced, fourth generation pyrethroid: Bifenthrin. Aphids - Armyworms -**Bagworms – Caterpillars** Fungus Gnats – Leafminers – Mealybugs - Mites - Plant Bugs - Thrips - Whiteflies (See label for additional insects controlled.)

Packaging: 12 x 2 oz. cans Active Ingredient: 4% Bifenthrin



Mozart TR fungicide is a total release fungicide for use ingreenhouses to control altermaria and botrytis.

Formulation: TR (total release) Packaging: 12 x 6 oz. cans **Active Ingredient**: Fludioxonil





Preclude TR micro total release insecticide is an ultra low volume insect growth regulator (IGR) that disrupts the insect's life cycles at immature stages. Aphids - Scale - Thrips - Whiteflies

Packaging: 12 x 2 oz. cans Active Ingredient: 4.8%

Fenoxycarb



Pylon TR micro total release insecticide effectively controls many pests including (but not limited to): Caterpillars – Fungus Gnats -Broad Mite - Citrus Budmite - Cyclamen Mite - Rust Mite - Spider Mites - Folier Nematodes - Western Flower Thrips - Chilli Thrips (See label for additional insects

Packaging: 16 oz. container, 4 x 1

case

Active Ingredient: Chlorfenapyr









1.5% Acephate

Packaging: 12 x 17.5 oz. cans Active Ingredient: 0.129% d-trans Allethrin and 0.12%

flying insects and spiders.

Prescription Treatment' brand

Tame/Orthene TR micro total

Phenothrin





Pyrethrum TR micro total release insecticide effectively controls many pests including (but not limited to): Aphids – Fungus Gnats –Spider Mites - Whiteflies

(See label for additional insects controlled.)

Packaging: 12 x 16 oz. cans Active Ingredient: 4% Pyrethrun



CONTACT WALDO & ASSOCIATES **FOR** PRICING, AVAILABILITY **AND DELIVERY OPTIONS**



AUTHORIZED DISTRIBUTOR





A broad-spectrum biological insecticide that controls key insect pests on greenhouse and outdoor food crops. NOP compliant and OMRI certified.

- · Broad-spectrum biological insecticide for both organic and conventional agriculture systems
- · Superior formulation making Aza-Direct one of the most stable and effective azadirachtin insecticides in the market
- · Soft on beneficial insects and pollinator
- · 4-hour REI / 0-day PHI



Captiva™ is a bio-insecticide formulated using concentrated plant extracts which are active against Thrips and Spider Mites. Captiva has multiple modes of action (MOA) including insecticidal, repellency, anti-feeding and anti-egg laying properties.

Captiva™ is a very effective tool for Integrated Pest Management (IPM) that helps to manage insect pest populations and can be used alone or in tank mixes with other biological/conventional insecticides or miticides to improve the level of control.



Hexygon is a proven long lasting miticide, providing consistent residual control for up to 60 days in proper conditions. Hexygon's unique mode of action provides effective ovicidal and immature stage control. Adult female mites exposed to sprays or foliar

deposits of Hexygon will lay non-viable eggs – controlling mite population through life cycle interruption. Hexygon is ideal in an IPM program, compatible with most horticultural pesticides and adjuvants. Use on ornamental plants, as well as nonbearing trees and vines growing in nurseries and greenhouses. Hexygon is also ideal for established ornamental landscape plantings. The granular formulation is easy to measure, mix, and handle with low use rates and minimal PPE required.



Mesurol is an effective insecticide-molluscicide for the control of slugs, snails, Western Flower Thrips, and other insects. Mesurol 75-W is a time tested insecticide/molluscicide for

nursery and greenhouse ornamentals. Mesurol acts on contact providing effective control of western flower thrips and broad spectrum control of terrestrial slugs and snails. Activity is not affected by low temperatures or high moisture environments. Mesurol offers effective reliable long residual control.



When Scythe makes contact with a living plant; the spray quickly penetrates GREEN plant tissue and disrupts normal membrane permeability and cellular physiology. The disruption of the cell membrane results in cell leakage and death of all contacted tissues.



Our programs of integrated pest management, coupled with our technical expertise and portfolio of bio-pesticides have been proven to result in successful control of undesirable pests.

We see this as an opportunity for our customers to use products with little or no REI so your labor planning becomes much more adaptable to your busy schedule.



New and Improved Formulation

- · Long shelf life
- · No refrigeration required
- · Reduced tank residue
- · Improved mixabilty

New Met 52® EC for your integrated **Pest Management Program**

 Met52 EC is labeled for effective biological control of thrips, whiteflies, mites and vine weevils.



Key benefits

- · No known resistance, valuable tool for insecticide resistance management
- · Competitive efficacy with chemical insecticides
- · Easy to use
- · Well-suited for inclusion in an IPM program
- · Compatibility with many beneficial insects and other insecticides
- 4 hour re-entry interval
- · 0 hour post-harvest interval





CAN BE USED IN ORGANIC PRODUCTION

Direct Ship Only

Use Site:

- · Green House
- Shade-houses
- · Outdoor Nurseries
- · Retail Nurseries
- · and Other Landscape Area

Plants:

- · Annual & Perennial Flowering Plants
- Tree & Shrubs
- · Tropical Foliage & Greenhouse Vegetable

Active Ingredient:

Extract of Reynoutria Sachalinensis

Formulation:

Micro-emulsion concentrate

BEST IN **CLASS PERFORMANCE FOR DISEASE PREVENTION** AND PLANT HEALTH



PGR

ABIDE

Active Ingredient: Etridiazole

Compare to: A-Rest

REI: 12 Hours

Abide is a very flexible plant growth regulator for use on ornamental plants grown in containers in nurseries, greenhouses and shadehouses, including bedding plants, bedding plant plugs, bulbs, Easter lilies, poinsettias, chrysanthemums and foliage plants.

Abide offers applicator flexibility via foliar spray or soil drench. Use of Abide effectively reduces nternode elongation, generating more compact and sturdier plants. Abide also promotes darker green foliage, thereby enhancing their marketability.

Crops: Azaleas, Bedding Plants, Bulb/Fibrous Root Crops, Potted Mums, Flowering/Foliage Plants, Poinsettias, Woody Plants.

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 40-201001 | 1 qt. | 12 |
| 40-201025 | 2.5 gal. | 2 |

CHLORMEQUAT E-Pro

Active Ingredient: Chlormequat

REI: 12 Hours

Helps produce more compact ornamentals with enhanced leaf coloration and stronger stems. Plants treated with Chlormequat E-Pro not only have better aesthetic properties, but also are better able to withstand the stress of shipping and handling.



Crops: Azaleas, Bedding Plants, Geraniums, Hibiscus, Herbaceous and Woody Flowering Crops and Poinsettias.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 40-000010 | 1 gal. | 4 |

CITADEL

Active Ingredient: Chlormequat Compare to: Cycocel

REI: 12 Hours

For use on a broad variety of orna-mental crops grown in containers in commercial or research greenhouses. It reduces plant height by limiting internode elongation through inhibition of

gibberellin biosynthesis. Produces compact and marketable plants. These desirable qualities include darker foliage, stronger stems, higher chlorophyll content and greater leaf thickness. Wetting agents are not required.

Crops: Azaleas, Bedding Plants, Geraniums, Hibiscus, Herba-ceous and Woody Flowering Crops and Poinsettias.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 40-211010 | 1 gal. | 4 |

CONCISE

Active Ingredient: Uniconazole Compare to: Sumagic

REI: 12 Hours

Offers a longer lasting height control and darker colors on a broad range of ornamental crops.

Crops: Bedding Plants, Herbaceous and Woody Bulb Crops, Flower and Foliage Potted Plants, Perennials.



| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 40-191010 | 1 gal. | 4 |

CONFIGURE

Active Ingredient:

Benaylaminopurine

REI: 12 Hours

Configure is an effective product for use on ornamental crops to increase lateral branching and promote flowering in certain ornamental species.



Crops: Containerized Plants, Annuals and Flowering Perennials, Foliage Crops, Tropical plants.

| Catalog # | Size | Case Pack | |
|-----------|----------|-----------|--|
| 40-140005 | 1/2 gal. | 8 | |

CYCOCEL

Active Ingredient: Chlomequat

REI: 12 Hours

Cycocel is an effective product for use on ornamental crops to increase lateral branching and promote flowering in certain ornamental species. In addition, applications of Cycocel may reduce the overall height of the plant, resulting in more compact and marketable plants.



Crops: Azaleas, Bedding Plants, Geraniums, Herbaceous Flowering Crops, Hibiscus, Poinsettias

| Catalog # | Size | Case Pack | |
|-----------|-------|-----------|--|
| 40-251032 | 1 qt. | 4 | |

DAZIDE 85 WSG

Active Ingredient: Daminozide

Compare to: B-Nine

REI: 12 Hours

Easy-to-use, high-quality water soluble granule. It helps growers manage plant growth and development to ensure plants



are more compact, stronger, and better able to cope with transportation or transplanting, meeting increasingly stringent customer needs.

Crops: Chrysanthemums, Gardenias, Azaleas, Hydrangeas, and Poinsettias, as well as Petunias, Marigolds, and other flowering and foliage plant species.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 40-171050 | 5 lbs. | 8 |

FLOREL SOUTHERN

Active Ingredient: Ethephon

REI: 48 Hours

Registered to reduce or eliminate undesirable fruit development on many orna-mental trees and shrubs like: apple, buck- eye, carob, cottonwood, crabapple, elm.



flowering pear, horse chestnut, maple, oak, olive, pine, sour orange, sweet gum and sycamore.

Crops: Azaleas, Bedding Plants, Bedding Plants Plugs, Bulb Crops, Chrysanthemums, Geraniums, Hibiscus, Impatiens, Poinsettias, Flowering Foliage.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 40-120032 | 1 qt. | 12 |
| 40-120128 | 1 gal. | 4 |

FLORGIB

Active Ingredient: Gibberellin Acid

Compare to: ProGibb T&O

REI: 4 Hours

Contains Gibberellic Acid (GA3). Gibberellins are compounds that are naturally produced within plants to stimulate growth. Florgib is a liquid and is easy to handle and measure.



Florgib has a huge variety of useful applications including elongation of peduncles in Pompom Mums, earlier flowering and increased yield in Statice and accelerated plant growth with increased number of flowering stems in Gypsophila.

Crops: Bermuda Golf Turf, Pompom Chrysanthemums, Statice, Calla Lillies, Tropical Foliage, Geranium, Dieffenbachia sp, Spathiphyllum sp, Cyclamen, Poinsettia, Caladium

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 40-010010 | 1 gal. | 4 |

FRESCO

Active Ingredient: Gibberellin & Cytokinin

Compare to: Fascination

REI: 4 Hours

Fresco is a highly potent plant growth regulator for use on lilies and poinsettias. It delays leaf yellowing and necrosis of lower leaves when applied to lower leaves.



Crops: Lilies - Easter, LA Hybrid, Oriental, Poinsettias

| Catalog # | Size | Case Pack |
|-----------|-------|-----------|
| 40-181001 | 1 qt. | 12 |

Piccolo

Active Ingredient: Paclobutrazol

Compare to: Bonzai

REI: 12 Hours

Brings out the best in ornamentals by producing compact, consistent quality plants. Offers control of height and radius across a wide range of ornamental crops.



Excellent results with leading growers and has been proven in university research trials.

Crops: Azaleas, Bedding Plants, Bedding Plant Plugs, Bulb Crops, Chrysanthemums, Flowering Foliage, Geraniums, Hibiscus, Perennials, Poinsettias, Woody Plants

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 40-161035 | 1 gal. | 4 |
| 40-161045 | 2.5 gal. | 2 |

TOPFLOR

Active Ingredient: Flurprimidol

REI: 12 Hours

Use on ornamental plants grown in containers in commercial nurseries, greenhouses and shadehouses. Effectively reduces internode elongation through the inhibition of gibberellin biosynthesis, resulting in a more desirable compact plant. Increases the quality of plants even in the absence of growth reduction. Darker leaf color, higher chlorophyll content, stronger stems, and greater leaf thickness and decreased water loss. Topflor produces no phytotoxic effects when used as directed. Do not reuse pots, trays or other containers that previously were used in the production of a crop that was treated with Topflor.

Crops: Bedding Plants, Bedding Plant Plugs, Bulb/Fibrous Root Crops, Flowering/Foliage Potted Plants, Poinsettia, Vegetative Annuals, Perennial Plants, Herbaceous, Woody Plants

| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 40-260020 | 2 liter | 4 |



When mixing PGRs, great care needs to be given to accurately measure and apply the chemical. Drench applications vary by pot size and desire does, so refer to the product label for exact mixing instructions. As always, the label contains the legal mixing information.

Foliar sprays require a uniform application to obtain consistent results. For foliar sprays,

measure out a known amount of chemical, add it to a known volume of water, and apply the spray to a known bench area. Most sprays are allied at 1 gal. per 200 sq.ft. of bench area.

For drench applications, measure out a known amount of chemical add it to a known volume of water, and apply a known volume of the drench to each pot. The volume of drench applied increases with the pot size (specifics are listed on each product label).

DILUTION TABLE

| PPM AI | A-bide/ A-Rest (milliliters) | Dazide/ B-Nine (gram) | Citadel/ Cycocel (milliliters) | Collate (milliliters) | Consise/ Sumagic (milliliters) | Piccolo/ Bonzi/ Paczol (milliliter) | Piccolo 10 XC (milliliters) | Topflor (milliliters) | Configure (milliliters) | Augeto (milliliter) |
|--------|------------------------------------|-----------------------------|--------------------------------------|--------------------------|--------------------------------------|--|-----------------------------------|--------------------------|----------------------------|------------------------|
| 0.5 | 7 | | | | 4 | 0.5 | 0.05 | 0.48 | | |
| 1.0 | 14 | | | | 8 | 1.0 | 0.1 | 0.96 | | |
| 5.0 | 72 | | | | 38 | 5.0 | 0.5 | 4.8 | | |
| 10 | 143 | | | | 76 | 10 | 1.0 | 9.6 | | |
| 25 | 358 | | | | 189 | 25 | 2.5 | 23.9 | | |
| 30 | 430 | | | | 227 | 30 | 3.0 | 28.7 | | |
| 40 | 573 | | | | 303 | 40 | 3.0 | 28.7 | | |
| 50 | 717 | | | 0.8 | 379 | 50 | 5.0 | 47.8 | 9.0 | |
| 100 | 1433 | | | 1.6 | 758 | 100 | 10.0 | 95.5 | 18 | |
| 200 | | | 6.5 | 3.1 | | 200 | 20.0 | 191.0 | 36 | |
| 400 | | | 13 | 6.2 | | | | | 72 | 7.3 |
| 500 | | | 16 | 7.8 | | | | | 90 | 9.1 |
| 800 | | | 26 | 12.5 | | | | | 144 | 14.7 |
| 1,000 | | 4.5 | 32 | 15.6 | | | | | 180 | 18.2 |
| 1,250 | | 5.6 | 40 | 19.5 | | | | | | 22.8 |
| 1,500 | | 6.8 | 48 | 23.5 | | | | | | 27.3 |
| 2.000 | | 9.0 | 64 | 31.2 | | | | | | 36.4 |
| 2,500 | 11.1 | 80 | 39.3 | | | | | | | 45.5 |
| 5,000 | | 22.3 | | 79.4 | | | | | | 91.0 |

F.O.B. WI CALL FOR PRICING

MICROFIT HERBI STANDARD

Model: MH-1Herbi Standard

Chemical Tank Volume: 2.5 liter

Chemical Output Rate: 2-5 oz/min

Bank Width: 4 ft precise circular

Total Spray Volume: 5-20 liter/acre

Droplet Size: 200-300µ

Power Supply: 6V DC (4-D cell batteries)

Shipping Weight: 5 lbs



Features:

- · Lightweight, Porable Bank Sprayer
- Cleanup, Boarder & Strip Spraying
- Low Volume, CDA Application
- Applies Most Chemical Formulations
- Minimizeds Spray Drift
- Battery Powered; No Pumpling

MICROFIT HERBI FLEX

Model: MH-2 Herbi Flex

Chemical Tank Volume: 2.5 liter

Chemical Output Rate: .5 - 1.33 oz/min

Bank Width: 4-20 inch band

Total Spray Volume: 5-20 liter/acre

Droplet Size: 200µ

Power Supply: 6V DC (4-D cell batteries)

Shipping Weight: 5 lbs

Features:

- · Lightweight, Porable Bank Sprayer
- Cleanup, Boarder & Strip Spraying
- · Low Volume, CDA Application
- Applies Most Chemical Formulations
- · Minimizeds Spray Drift
- · Battery Powered; No Pumpling

MICROFIT HERBI TWIN

Model: MHT-3 Herbi Twin

Chemical Tank Volume: 2.5 liter

Chemical Output Rate: 2-5 oz/min

Bank Width: 5.5 - 7.5 ft pattern

Total Spray Volume: 5-20 liter/acre

Droplet Size: 200-300µ

Power Supply: 6V DC (4-D cell batteries)

Shipping Weight: 5 lbs



Features:

- · Lightweight, Porable Bank Sprayer
- · Cleanup, Boarder & Strip Spraying
- Low Volume, CDA Application
- Applies Most Chemical Formulations
- **Minimizeds Spray Drift**
- Doubles Area Covered/Pass
- · Battery Powered; No Pumpling

HERBICIDE CHART

ALWAYS REFER TO THE PRODUCT LABEL FOR DIRECTIONS OF USE.

5 Pre-Emergent
O Controls Broadleaves
O Controls Grasses

| Barricade | 0 | | 0 | 0 | Granular for use on lawns, ornamentals, golf fairways and sports fields |
|-----------------|---|---|---|---|--|
| Broadstar G | 0 | | 0 | 0 | Granular for use in nurseries and landscapes |
| Casoron 4G | 0 | 0 | 0 | 0 | Granular for use on lawns, certain hardwoods and non-crop areas |
| Dimension | 0 | | 0 | 0 | Granular for use on lawns, ornamentals, golf fairways and sports fields |
| Gallery DF | 0 | | 0 | | Sprayable for use in turf, landscapes, nurseries and non-crop areas |
| Double O SPC | 0 | 0 | 0 | | Sprayable controls grasses and broadleaf weeds in established turf grass and in container, field grown and landscape ornamentals |
| Pramitol 25E | 0 | 0 | 0 | 0 | Sprayable nonselective herbicide that can be applied in water or oil before or after plant growth begins |
| Princep | 0 | | 0 | 0 | Sprayable controls grasses and broadleaf weeds in established turf grass |
| Pro Deuce | | 0 | 0 | | Sprayable controls existing weeds and weed prone areas like sidewalks, driveways, along fenceways and outside greenhouse structures. |
| Proclipse 65WDG | 0 | | 0 | 0 | Granular controls grasses and broadleaf weeds in turf and ornamental landscapes. |
| Razor | | 0 | 0 | 0 | Sprayable controls for broad spectrum, annual and perennial weeds and woody brush. |
| Razor Burn | | 0 | 0 | 0 | Sprayable controls for broad spectrum, annual and perennial weeds and woody brush. |
| Razor Pro | | 0 | 0 | 0 | Sprayable controls for broad spectrum, annual and perennial weeds and woody brush. |
| Ronstar G | 0 | | 0 | 0 | Granular for control of certain weeds in woody ornamental shrubs and trees in nurseries or in turf |
| Snapshot DG | 0 | | 0 | 0 | Granular for use in lawns and ornamentals |
| Treflan G | 0 | | 0 | 0 | Granular for use in nurseries, landscapes and non-crop areas |

Casoron 4G

Active Ingredient: Dichlobenil

REI: 12 Hours

A pre emergent herbicide that kills selective weeds and grasses. Casoron 4G controls weeds before they emerge from the ground, by forming an herbicidal vapor barrier in the upper layer of the soil when activated by rainfall



or irrigation water. Casoron 4G should be applied before weed seed germination and emergence from the soil (usually from mid-winter to early spring). A single application will usually provide season-long weed control.

Controls: Arthemisia, Leafy Spurge, Timothy, Canada Thistle, Orchard grass, Wild Aster, Fescue, Falsedandelion, Russian Knap Weed, Wild Carrot, Smooth Brome, Yellow Rocket.

| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 41-260450 | 50 lbs. | 80/skid |

GALLERY 75DF

Active Ingredient: Isoxaben

REI: 12 Hours

A selective preemergence herbicide that controls broadleaf weeds in established turf grass, landscape ornamentals, container grown ornamentals, field grown ornamentals, groundcovers, perennials, noncropland, ornamental bulbs, non-bearing fruit and nut trees and non-bearing vineyards,



Christmas tree and conifer plantations. Excellent tank mix partner with pre-emergent grass control products such as Dimension and Barricade. Controls 95 broadleaf weed species. Apply Gallery 75 DF in late summer to early fall, in early spring, or anytime prior to germination of target weeds, or immediately after cultivation.

Controls: 66lb per acre; Aster-slender, Bursageannual, Burweed-lawn, Celery-wild, Chickweedcommon, Clover-white, Cudweed-purple, Fiddleneck-coast, Filaree-redstem, Fleabanedwarf, Fleabane-blackleaved, and more.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 41-269040 | 1 lbs. | 8 |

ORYZALIN 4 Pro

Active Ingredient: Dichlobenil

Compare to: Surflan

REI: 12 Hours

A selective pre emergence surface applied herbicide for control of annual grasses and many broadleaf weeds in landscape, container grown and field grown ornamentals, perennial ground covers, Christmas tree plantations,



non-cropland and industrial sites and non-bearing fruit and nut trees and non-bearing vinevards. *While supplies last.*

Controls: Grasses: Barley-Little, Barnyardgrass, Annual Blue-grass, Smooth Crabgrass, Crowfootgrass, Southwestern Cupgrass, Foxtail-Bristlegrass-giant-Green (pigeongrass)-Robust-Yellow, Goosegrass(silver crabgrass), Johnsongrass (seedling only), Junglerice, Oat-Wild, Panicum-Browntop-Fall(spreading panicgrass)-Texas (buffalograss-coloradograss), Ryegrass-Italian, Signalgrass, Sprangletop-Red, Witchgrass; Broadleaf Weeds: Bittercress, Carpetweed, Chickweed, Fiddleneck, Filaree, Henbit, Knotweed, Pigweed, Puncturevine, Purslane, Rockpurslane, Shepherdspurse, Spurge, Woodsorrel, Lambsquarters.

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 41-004250 | 2.5 gal. | 2 |

PRINCEP

Active Ingredient: Simazine

REI: 12 Hours

A pre-emergent weed control of a wide variety of annual broadleaf and grass weeds in turf and ornamental plantings Controls up to 46 different annual weed varieties



Controls: Most annual grasses and broadleaf weeds in corn, established alfalfa, established bermudagrass, cherries, peaches, citrus, caneberries, cranberries, grapes, apples, pears, certain nuts, asparagus, certain ornamental and tree nursery stock, and in turfgrass sod production.

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 41-259025 | 2.5 gal. | 2 |

PROCLIPSE 65WDG

Active Ingredient: Prodiamine REI: 12 Hours

For pre-emergence control of grass and broadleaf weeds in established turgrasses (excl. golf course putting greens), lawns, and sod nurseries; container, field-grown, and



landscape ornamentals; conifer; hard-wood seedling nurseries; established perennial and wild-flower plantings; Christmas tree farms; and vegetation management situations including: non-crop areas on or surrounding municipal grounds and governmental installations, managed rights-of-way for transportation systems and utilities, facilities including substations, tank farms, pumping stations, parking and storage areas, and ungrazed fence rows.

Controls: Barnyardgrass, Bluegrass-Annual, Carpet weed, Chick- weed, Crabgrass, Crowfootgrass, Cupgrass-Woolly, Foxtails-Annual, Goosegrass, Herbit, Itchgrass, Johsongrass (from seedling), Junglerice, Knotweed, Kochia, Lambsquarterscommon, Lovegrass, Panicam, Pigweed, Purslane-common, Rescuegrass, Shepherds Purse, Signalgrass-broadleaf, Speedwell-persian, Sprangletop, Spurge-prostate, Witchgrass, Woodsorrel-vellow (from seed)

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 41-091305 | 5 lbs. | 4 |

PRODEUCE

Active Ingredient: Glyphosate

& Prodiamine

Compare to: Glyphosate Pro 4

REI: 12 Hours

Complete broad spectrum non-selective post-emergent herbicide for industrial, turf and ornamental weed control.



Controls: Many annual weeds, perennial weeds, woody brush and trees.

| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 41-091064 | 64 oz. | 8 |
| 41-091010 | 1 gal. | 4 |

RAZOR

Active Ingredient: Glyphosate Compare to: Round Up

REI: 4 Hours

The complete broad spectrum postemergence professional herbicide for industrial, forestry, turf, vegetation management and ornamental weed control.

Controls: Annual grasses: Corn, Texas Panicum, Common Rye,



| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 41-101025 | 2.5 gal. | 2 |
| 41-101030 | 30 gal. | 1 |


RAZOR BURN

Active Ingredient: Glyphosate, Diquat

Compare to: Round Up

REI: 4 Hours

Avoid contact of herbicide with foliage, green stems, exposed nonwoody roots or fuit of crops, desirable plants and trees because destruction may result.




| Catalog # | Size | Case Pack |
|-----------|--------|-----------|
| 41-101210 | 1 gal. | 4 |

AXXE BORAD SPECTRUM HERBICIDE

A non-selective, weed control for grasses and broad leaf weeds. It is formulated to deliver maximum performance and provide fast acting results on a long list of weeds and grasses, as well as most

mosses and lichens.



- · Noresidue/resistance
- · NOP compliant

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 39-101001 | 1 gal. | 1 |
| 39-101005 | 2.5 gal. | 1 |



AXXE

RAZOR PRO

Active Ingredient: Glyphosate Compare to: Round Up

REI: 4 Hours

The complete broad spectrum postemergence professional herbicide for industrial, forestry, turf, vegetation management and ornamental weed control.



Controls: Annual grasses: Corn, Texas Panicum, Common Rye, and Shattercane; Annual broadleaves: Sickelpod, Spanishneedles, Bristly Starbur; Annual Broadleaves: Florida Beggarweed, Redroot Pigweed, Giant Ragweed, Muck Thistle, Dogfennel, Common Ragweed, Sunflower, Velvetleaf; Perennial Grasses: Bermudagrass, Johnsongrass, Smutgrass, Vaseygrass, Guineagrass; Perennial Broadleaves: Dogbane, Milkwood, Silverleaf Nightshade, Canada Thistle

| Catalog # | Size | Case Pack |
|-----------|----------|-----------|
| 41-101110 | 1 gal. | 5 |
| 41-101125 | 2.5 gal. | 2 |

RONSTAR 50 WSP & G 2%

Active Ingredient: Oxadiazon

REI: 12 Hours

Selective pre emergent herbicide for the control of annual grasses and broadleaf weeds in turf and ornamentals.

Controls: Crabgrass, Goosegrass, Annual Bluegrass, Annual Sedge and



| | Virginia Butterweed | | | |
|---|---------------------|-------|-----------|--|
| | Catalog # | Size | Case Pack | |
| Ī | 41-262002 | 2 lhs | 5 | |

SNAPSHOT DG

Active Ingredient: Isoxaben &

Trifluralin REI: N/A

Snapshot® specialty herbicide works around the clock for up to six to eight months to keep landscapes and container- and field-grown nursery ornamentals weed-free. It controls or suppresses more than 125



broadleaf weeds and annual grasses and can be used over the top of more than 635 labeled ornamentals. Snapshot is available in two easy-touse granular formulations — Snapshot 2.5 TG and Snapshot DG. Available in convenient 25-pound bags, Snapshot DG utilizes The Andersons patented DG Lite formulation, which features a dispersible granule.

| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 45-004605 | 25 lbs. | 1 |

TREFLAN 5G (TRAMMEL)

Active Ingredient: Trifluralin

REI: 12 Hours

A selective granular pre emergence herbicide for the control of certain annual grasses and broadleaf weeds.



Barnyardgrass, Bluegrass-Annual, Brome, Cheat, Crabgrass, Cupgrass-Southwestern Fescue-Rattail, Foxtail, Goosegrass, Junglerice, and Lovegrass

| Catalog # | Size | Case Pack |
|-----------|---------|-----------|
| 41-265400 | 40 lbs. | 50/pallet |

SOLO BACKPACK SPRAYER

| Catalog # | Item # | Description | Size |
|-----------|--------|---------------------------------------|--------|
| 36-214730 | 473P | Back Pack Sprayer with Piston Pump | 3 gal. |
| 36-214251 | 425 | Back Pack Sprayer with Piston Pump | 4 gal. |
| 36-214350 | 435 | Back Pack Sprayer with Piston Pump | 5 gal. |
| 36-214732 | 473D | Back Pack Sprayer with Diaphragm Pump | 3 gal. |
| 36-214752 | 475 | Back Pack Sprayer with Diaphragm Pump | 4 gal. |
| 36-214852 | 485 | Back Pack Sprayer with Diaphragm Pump | 5 gal. |



GARDEN VEGIBEETM **P**OLLINATOR

The new VegiBee™ Garden Pollinator is a sonic handheld rechargeable electric device that is designed to harvest the excess pollen in vegetable plants. The pollen can then be used to pollinate 4-5 additional flowers on the same plant. Try it on tomatoes, peppers, beans, peas and eggplant.

| Catalog # | Description |
|-----------|--|
| 33-600000 | VegiBee [™] Garden Pollinator |



Plug Pusher

This easy to use, economical tool can be used by right or left handed personnel. The Gro-Mor Plug Pusher is recommended for use with well rooted plugs. Simply hold, then plug tray firmly with one hand, line up the extenders with the drain holes of the plug tray and push. The plugs drop undamaged from the plug tray.

| Catalog # | Description |
|----------------|-----------------------------|
| 33-511000 | Plug Pusher - 128, 200, 288 |
| F.O.B. FACTORY | |



When ordering, please specify flat size, flat mfg., number and configuration of cells. A sample tray may be needed.

*Add \$4.00 for 392, 406, 512 PLEASE NOTE: Plug Pushers are a special order item shipped direct from the factory. Please allow ample time for delivery.

Garden Pollinators

WAND SEEDER





Product Model TM-1 Venturi Pump Package TM-3



Model TM-1

Includes standard wand of your choice, (for instance 512 plug tray, 406pt, 288pt etc.) hose

with needle valve, seed bin, complete set of 90 GRO*MOR tips. heavy duty 115 volt vacuum pump. (220 volt pump for foreign applications available)




Venturi Pump Package TM-3

Includes seed bin, standard wand of your choice, (for instance 512 plug

tray, 406pt, 288pt etc.) hose with needle control valve, complete set of 90 GRO*MOR tips. And a venturi pump that attaches to a regulated compressed air line of compressor.

COMPLETE GERMINATING KIT





The Heated Germination Station offers increased growing success by providing gentle warmth to the planting bed and by controlling humidity under the dome.

The complete unit includes:

- UL Listed Waterproof Mat (17 watts, 120 volt)
- 2.5" Humidity Dome
- 11" x 22" Watertight Base Tray
- 72-cell Seedling Insert
- Instructions with Growing Tips



| Catalog # | Description |
|-----------|--|
| 33-019910 | Germination Station - Complete Unit |

VIBRO HAND SEEDER

This seeder has a speed control function which separates the seed as it drops off the end, allowing for faster seeding, even distribution, and less waste. Lightweight & portable. 9 volt battery incl. Place seeds into spatula. Evenly distribute. Hold seeder level over flat or tray to be filled. Depress switch, hold firmly. Turn speed control, adjusting until seed is moving slowly off the tip of the spatula. The speed can be also changed by tilting the seeder.

| Catalog # | Item # | Description |
|-----------|--------|----------------------|
| 33-630200 | VHS-1 | Vibro Hand Seeder |
| 33-630220 | PSA-2 | Power Supply Adapter |
| 33-630230 | MAG-3 | Magnifier Attachment |

GERMINATING BAGS

These clear polyethylene bags are designed for encasing standard or true flats to prevent drying out during germinating. Especially useful in germination chambers. Germination bags fit standard flats and measure 12" wide x 30" long.

| Catalog # | Description |
|-----------|---------------------------|
| 64-363100 | Germination Bags (100/bg) |

SEEDLING HEAT MATS







Designed to fit under common seed flats, this mat warms the rooting area 10-20° above ambient room temperature, promoting faster growth. This mat is UL listed/plug-in ready and has a waterproof construction. Helpful instructions for lighting, planting and watering are printed right on the mat!

AS EASY AS 1-2-3!

- 1. Place mat on drained surface (no standing
- 2. For warmer mat temp, place mat on insulated surface rather than cold floor. Covering tray with propagation dome will also increase temp.
- Plug mat into a 120 volt power source.

| Catalog # | Description |
|-----------|---|
| 33-010920 | 9" x 19.5" (25 watts) (1 seed flat) |
| 33-011820 | 20" x 20" (45 watts) (2 seed flats) |
| 33-012048 | 20" x 48.75" (107 watts) (4 seed flats) |

Propagation Domes

Propagation Domes are a quick and easy way to increase the temperature and humidity surrounding



seedlings. Designed to fit on standard flats. Made of sturdy vinyl. Measure: 11" x 22".

| Catalog # | Description | |
|--------------------------------------|---------------------------|--|
| 59-022100 | Propagation Dome (5/pack) | |
| 59-022100 Propagation Dome (50/case) | | |

PRECISE AGRITAPE ® **HEAT MATS**



The Precise Heat Mat is self-contained and can easily be rolled up for storage. Designed for the small commercial grower and the home gardener. The heater consists of the Agritage heating element (11" wide by either 4' or 8' long) and a built-in adjustable dial thermostat.

Provides 20 watts per foot in an extremely uniform precise temperature over the entire surface. Can be set to any desired soil temperature. Plugs into a standard wall outlet. Seed trays can be placed directly on the tape.

| Catalog # | Description | |
|-----------|--|--|
| 33-301104 | Heat Mat 11" x 4' w/ built in thermostat | |
| 33-301108 | Heat Mat 11" x 8' w/ built in thermostat | |

ROOT ZONE HEATERS

For faster germination and propagation. Set up is quick and easy. Just roll out the Agritape, cover with grounding screen and plug into your thermostat. If you need a larger size, you can customize your system up to 25' long. Order Agritape and grounding screen separately.

| Catalog # | Description |
|-----------|---|
| 33-321112 | Heat Mat Kit 11" x 10' - includes agritape, grounding screen and instructions |

HEAVY DUTY **PROPAGATION MAT**

REMI-HEAT



Redi-Heat Propagation Mats are portable and can be used anywhere root zone heat is necessary. They provide even, constant heat to root zone for flats and pots. Designed for use on greenhouse benches or any flat surface.

Water-proof and fully grounded against electrical shock. As with all electrical products, use care when working with and around the mats. Redi-Heat Mats are provided with a heavy duty 8' cord and a molded NEMA three prong plug for 120 volt

AC current. The mats are easy to install and economical to operate. Excellent for plant propagation or growing. When using mats with GFI outlets. stay below 500 watts to avoid tripping GFI.





RHT-4 THERMOSTAT



For automatic control of heating mats. Four heating elements may be plugged into thermostat. Each heating device will be heated to setting the grower dials on thermostat. Temp

range, 40°F to 100°F with accuracy of+/-3°F.

| Catalog # | Item # | Description | Specs | Pk |
|---------------|-----------|---------------------|--------------------------|----|
| 33- 028540 | 8606 | Redi-Heat HD Mat | 21" x 5' | 1 |
| 33- 028542 | 8608 | Redi-Heat HD Mat | 21" x 10' | 1 |
| 75- 018525 | 8525 | RHT-4 Thermostat | 15 amp, 1800 watts | 1 |



| PICTURE COD | | OASIS® ROOTCUBES® GROWING MEDIUM |
|-------------|------|---|
| | 5005 | 1" - 162 cls/sht (20 shts/cs; Ttl 3,240 cls) |
| | 5010 | 1-1/4" - 104 cls/sht (20 shts/cs; Ttl 2,080 cls) |
| | 5015 | 1-1/2" - 50 cls/sht (20 shts/cs; Ttl 1,000 cls) |
| | 5020 | 10 strp - 10 cls/strp (190 strps/cs; Ttl 1,900 cls) |

| PICTURE | CODE # | OASIS® LC-1 HORTICUBES® GROWING MEDIUM |
|---------|--------|--|
| | 5225 | 1" Medium 162 cells/sheet (20 sheets/cs; Total 3240 cells) |
| | 5231 | 1" thnct - 276 cls/sht (20 shts/cs; Ttl 5,520 cls) |
| | 5240 | 1-1/4" - 104 cls/sht (20 shts/cs; Ttl 2,080 cls) |
| | 5245 | 1-1/2" - 50 cls/sht (20 shts/cs; Ttl 1,000 cls) |

| PICTURE | CODE # | OASIS® XP-SYSTEM™ GROWING MEDIUM & TRAY | |
|--|--------|--|--|
| The second second | 5400 | Sub-Irrigation Try 26 & 52 ct. strps (100 trys/cs) | |
| STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN T | 5426 | 26 Ct Prpgtn Strps (150 strps/cs; Ttl 3,900 cls) | |
| Direction of the last of the l | 5452 | 52 Ct Dbl Prpgtn Strps (150 strps/cs; Ttl 7,800) | |

| PICTURE | CODE # OASIS® WEDGE® GROWING MEDIUM, REFILLS, & TRAYS | |
|---------------------|---|--|
| | (Media fit | "standard" 10 x 20 try; All media w/ "universal" hole) |
| | 5600 | 5-Rbbd Carrier Try for 5625, 36, 56, or 5020 (75 trys/cs) |
| | 5605 | Sub-Irrigation Try (100 trys/cs) |
| | 5610 | Med Only, 1/4" Hole - Rfl for Try 5640 (Ttl 2,016 cls) |
| | 5611 | Med Only, 1/8" Hole - Rfl for Try 5640 (Ttl 2,016 cls) |
| | 5615 | Med Only - Rfl for 5625, 41, 43 (120 strps/cs; Ttl 2,040 cls) |
| | 5620 | 25 ct. Dbl Strp (140 strps/cs; Ttl 3,500 cls) |
| THE PERSON NAMED IN | 5625 | 34 ct. Dbl Strp (72 strps/cs; Ttl 2,448 cls) |
| | 5635 | 10 ct. Sngl Strp w/ Conn. Clps (280 strps/cs; Ttl 2,800 cls) |
| | 5636 | 10 ct.Sngl Strp w/out Clps (280 strps/cs; Ttl 2,800 cls) |
| mmm | 5641 | 102 ct. Try Only - (6x17 cls; 40 trys/cs; Ttl 4,080 cls) |
| 1111 | 5643 | 102 ct. Try & Med (10 trys/cs; Ttl 1,020 cls) |
| | 5655 | 13 ct. Sngl Strp w/ Conn. Clps (280 strps/cs; Ttl 3,640 cls) |
| | 5656 | 13 ct. Sngl Strp w/ Clps (280 strps/cs; Ttl 3,640 cls) |



Waldo & Associates proudly distributes Berry Plastics' greenhouse poly films. Orders placed by May 1st and shipped between August and October will be fullfilled by Waldo & Associates. All orders for the poly film placed during other times of the year, will be fullfilled and shipped by Berry Plastics.

Tufflite[™] I

Our clear nursery film is a one year warranted film once installed and used as directed. This film is available in 3 mil to 6 mil in various widths and lengths.

Tufflite[™] IV

This high-quality four-year 6 mil greenhouse covering is available in various widths and lengths in standard four year and well as Tufflite Dripless (anti-condensate) and Tufflite IR (infrared). All products offer industry high clarity to allow the most light possible.

Co-Poly

Our Co-Poly is a single season over-wintering film available in white, and sold in standard 70% opacity in various widths and lengths.

Call for a drop ship quote—freight paid over 3,000lbs.

Contact your Waldo & Associates Regional Account Manager or call 1-800-468-4011 for current pricing.

TUFFLITE

Co-Poly White (1 Season-3 mil)

Co-Poly White (1 Season–4 mil)

Co-Poly White (1 Season-6 mil)

Tufflite I Clear (1yr-3 mil)

Tufflite I Clear (1yr–4 mil)

Tufflite I Clear (1yr–6 mil)

Tufflite I/R (4yr-6mil)(TIV)

Tufflite IV (4yr-6mil)(TES)

Tufflite Temp Cool (6 mil)

Tufflite I Clear (3, 4, 6 mil)





GRIFF-CLIPS® PROVIDE EXTRA STRENGTH FOR TIE DOWN COVERS

GRIFFOLYN COVERS OFFER EXTRA STRENGTH

FOR EXTREME WEATHER CONDITIONS

Griffolyn TX-1200 is a 3 ply laminate combining two layers of linear low density poly and a high strength cord grid. Specifically engineered to provide strength and durability in a lightweight UV stabilized material. Excellent for use where extreme wind and weather prevail to cover greenhouses, soils & mulch, or as side curtains for livestock. Call for price quote

Available for immediate shipment in standard roll sizes 4' - 40' wide x 100' long (longer lengths sold in 4 'increments) or custom fabricated to your configurations.



Clear = 80% light transmission, White = 20% light transmission, Black or Black/ White = 0 % light transmission



Griff-Clips are an innovative way to create a tie down fixture when and where one is needed. The unique design is non-penetrating and can easily be installed and moved for reuse without any tools. Works with all types of plastic films and reinforced fabrics and sheeting.

CALL FOR PRICING! 800.468.4011

KLERKS K1 GREENHOUSE



Although Klerks is recognized as the leader in long life additive film technology, did you know that we also pioneered many advances for the nursery film user as well? Klerks was the first company to use tri-layer technology for one year and overwinter films. We start with top quality resins that produce great tensile strength, but we don't just stop there. We offer a veriety of choices for overwinter film users. Film is available in 3, 4, 5, and 6 mil. Clear film as well as white opacities of 35%, 55%, and 70% are also available. Widths from 4' up to 60' are available.

K50 IR/AC

Keep the heat and lose the drips! Klerks sets the standard in the industry for long lasting anti-condensation, the standard to which all other companies compare. All anti-condensates work when they're new, but no other film's anticondensate additive keeps on working for you after that first or second year like Klerks does.

- Anti-condensation Removes the condensation from the film surface by providing an industrial soap additive. That keeps the films surface tension low where droplets will not form. Water will spread out and "sheet" to the gutters.
- Infra-Red This film helps conserve energy by holding longer IR wavelengths in the house at night. This keeps the heaters from cycling as often and saves on energy. Has one of the highest thermal ratings of any film in the industry.
- Diffusion breaks up the light and spreads it around your greenhouse. Gives your plant even, cool light that can reach below the canopy.

K50 CLEAR

A 4 year, 6 mil covering for single or double layer applications. Starting with strong EVA resin for excellent durability and light transmission, it comes standard with an anti-static additive to repel dust and dirt and keep the light shining through. Klerk's UV protection uses the latest HALs technology for superior film life. Tri-layer construction gives maximum physical properties with less weight. Available in Clear or 55% White, sheet or tubes.


KOOLITE PLUS 380©

Provides all the benefits of IR/AC, but has additional benefits.

- Blocks harmful UV while other films claim to block UV, most transmit up to 35% and some don't block UV - B at all, KoolLite380 blocks all UV wavelengths to 380 nm.
- Cools by providing one of the highest diffusion rates in the industry and selectively filtering certain wavelengths of light that cause heat, KoolLite380 lowers leaf surface temperatures by up to 10 degrees. The result is not only cooler greenhouses and plants, but less water usage, less whitewashing in the hotter months. For retail environments, it means cooler customers and better quality light for the shopping experience, and for wholesale growers it means happier workers and staff.
- Diffusion KoolLite380 provides 77% light transmission, 75% diffused and 2% direct light. This means plants receive very high quality light that is even. Very little shadow can be noticed in a KoolLite380 house.
- PAR quality KoolLite380 lowers temperatures like a white film, but provides much better PAR transmission than a white film does. Good growing conditions result from the focus on blue and red wavelengths, and cool temperatures result from lowered IR wavelengths.

Call for Drop Ship Quote Freight Paid over 3000 #

| KLERK'S POLY FILMS | |
|--------------------------|-----------------------------|
| K50 Clear (4yr-6mil) | K3 IRAC LF (3yr-4mil) |
| K50 IR/AC (4yr-6mil) | K1 White & Clear (1yr-3mil) |
| K50 White (4yr-6mil) | K1 White & Clear (1yr-4mil) |
| KoolLite Plus (4yr-6mil) | K1 White & Clear (1yr-6mil) |



We proudly stock SunMaster polyethelene film covers year around in most standard sizes from our Perrysburg, Ohio warehouse. For best availability and pricing special order / non-stock sizes should be ordered by May 1st to ship with our stock sizes August through October. Direct shipments are available year around with added freight.

SUN MASTER OW CLEAR

UV stabilized clear film that provides excellent light transmission while reducing over-wintering temperature fluctuations.

SUN MASTER IV WHITE 55%

UV stabilized for 4 years of film life while providing 55 % shade. Same superior strength as clear against tears and punctures. Use for over-wintering nursery & perennial stock or as a retail greenhouse cover or anywhere more light diffusion is needed.

SUN MASTER IV

UV stabilized for 4 years of film life. Offers superior strength at folds and against tears & punctures while allowing a high light transmission.

SUN MASTER OW WHITE 70%

UV stabilized white film provides 70% shade. Used on nursery stock structures to reduce over-wintering injury to woody ornamentals. Reduces temperature fluctuations during the over-wintering period.

SUN MASTER IV THERMAL

UV stabilized for 4 years of film life. A premier thermal film with excellent Infra-Red retention (IR) properties allowing for energy savings. Also offers long lasting condensation control and diffused light transmission for optimal growing conditions. Superior strength at folds and against tears & punctures. Best used as the internal poly layer on double layered greenhouse coverings.

| FILM TYPE | | |
|-----------------------------------|-------------------------------------|--|
| SunMaster IV (4yr-6mil Clear) | SunMaster OW (3mil White 70%) | |
| SunMaster IV (4yr-6mil White 55%) | SunMaster OW (3mil Clear) | |
| SunMaster Thermal (4yr-6mil) | SunMaster OW (4mil White and Clear) | |

For best customer service we expedite all poly orders for shipment to you within 30 days of receiving product in to our warehouse. Due to product size & popularity we cannot store filled poly order shipments beyond our 30 day receipt time.

Inflation Fan Components

Inflation Blowers

For double layer poly

Used to inflate two layers of poly film to conserve heat, lengthen life of poly and increase rigidity of houses where snow loads are a problem. Thermally protected 115V motor.

| INFLATION BLOWER | | |
|------------------|------------------------------------|--|
| Catalog # | Description | |
| 25-114450 | Inflation Blower - SMALL (50 CFM) | |
| 25-114456 | Inflation Blower - LARGE (146 CFM) | |



Inflation Blower, Bracket & Deflector in use

BRACKET & DEFLECTOR

For inflation blowers

This unique blower bracket will effectively stabilize and hold an inflation blower. It comes with a positive twist lock between the covering film and the bracket. Available in 2 sizes.

| BRACKET AND DEFLECTOR | | |
|-----------------------|------------------------------------|--|
| Catalog # | Description | |
| 25-264440 | Bracket/Deflector Set for FN60SYS | |
| 25-264446 | Bracket/Deflector Set for FN180SYS | |



Inflation Blower, Bracket & Deflector unit

JUMPER KITS



Ideal for inflating side and endwalls. The twist-on coupling with finger grooves and flexible hose makes installation simple. The Jumper kit end features three vented ports to prevent the outer layer of polyethelene from blocking air flow. All PVC construction.

| JUMPER KITS | | |
|-------------|----------------------|--|
| Catalog # | Description | |
| 25-340018 | 18" Black Jumper Kit | |
| 25-340024 | 24" Black Jumper Kit | |
| 25-340036 | 36" Black Jumper Kit | |



Bracket & Deflector set

| WIRING KIT | |
|------------|--|
| Catalog # | Description |
| 25-999999 | 8' electrical cord, orange wire nuts, electrical connector |

| PICTURE | CATALOG # | E-ZY GROWER SUPER STICK TAPE | SIZE |
|---------|-----------|--|---------------|
| | 28-990104 | This 6 mil UV stabilized repair tape offers our most aggressive bonding adhesive. The paper backing peels off for easy placement right where you want it. | 4" x 48' |
| | 28-990106 | | 6" x 48' |
| Щ | 28-990110 | | 10" x 48' |
| | | | |
| PICTURE | CATALOG # | E-ZY GROWER MENDING TAPE | SIZE |
| | 28-992100 | Our economical 5 mil clear, UV stabilized | 2" x 108' |
| | 28-994100 | all purpose mending tape is ideal for use on plastic sheeting, paper or metal. Tears | 4" x 108' |
| | 28-996100 | are quickly repaired and weatherproofed. | 6" x 108' |
| | | | |
| PICTURE | CATALOG # | E-ZY GROWER MENDING TAPE | SIZE |
| | 28-992055 | Packaging Tape For use with standard tape guns. | 2" x 55 yds. |
| | 28-993150 | Shrink Wrap Roll | 18" x 1500' |
| DIOTUDE | CATALOO " | DATTEN TARE | 0175 |
| PICTURE | CATALOG # | BATTEN TAPE | SIZE |
| | 28-991500 | Provides a quick fastening method for stapling plastic film to wood framing. Saves hours of application and removal time while acting as a batten strip to hold plastic in place during cold | 3/4" x 500' |
| | 28-991000 | and wind. Staple every 4', holding tape tight. Batten Tape is a white vinyl strip 3/4" wide by 1/32" thick. Formulated to resist u.v. radiation and extreme cold. | 3/4" x 1000' |
| | | | |
| PICTURE | CATALOG # | BATTEN TAPE | SIZE |
| 0 | 28-991600 | Use to batten down poly film on greenhouses. Keeps film from fluttering, cuts down noise facto and protects the film against tears and puncturing. Does not cast shadows. | 3" x 1000' |
| PICTURE | CATALOG # | BATTEN TAPE | SIZE |
| | 28-997550 | Use to support roll tube on roll-up side vents or to secure greenhouse poly from wind flapping | 1-3/4" x 514' |
| | | on the roof. | |



Anchor Pins & No Rust Pegs

Anchor Pins properly secure and anchor landscape fabrics. These special U-shaped steel pins are angled at their ends for faster and easier installation. No Rust Pegs are ideal for holding down ground cover and are made from a black durable plastic. Hammer gently into the ground every 2-3 feet. Yellow Plastic Washers fit both of the No Rust Pegs, the 6" MMP2 and the 7.5" MMP3.

| CATALOG # | DESCRIPTION | BAGS |
|-----------|---------------------------------|------|
| 30-805990 | Anchor Pins | 50 |
| 30-810060 | 6" No Rust Peg | 100 |
| 30-811080 | 7.5" No Rust Peg | 100 |
| 30-812990 | Yellow Washer Fits MMP2/MMP3 | 100 |

Also available in white. Call for pricing.

GREENHOUSE GROUND COVER

Our 3.2 ounce polypropylene woven ground cover resists tearing, puncturing and weed penetration. Ideal for greenhouse flooring, outdoor displays or as a weed barrier for

landscape planting where a weed free environment is a must. Striped every 12" for plant adjustment. Permeable and UV stabilized.

| CATALOG # | DESCRIPTION |
|-----------|---------------------------|
| 30-003300 | 3' x 300' Ground Cover |
| 30-006300 | 6' x 300' Ground Cover |
| 30-010300 | 10' x 300' Ground Cover |
| 30-012300 | 12' x 300' Ground Cover |
| 30-016300 | 15.5' x 300' Ground Cover |

PLANT PROTECTION NATURAL BURLAP

Ideal for soil erosion control, plant protection, wind screen, tree wraps & more.



*Treated (rot-resistant) burlap available by special order - approximately 15% upcharge.

| CATALOG # | DESCRIPTION |
|-----------|---------------------------|
| 69-930350 | 36"x100 yd Roll - Natural |
| 69-930450 | 48"x100 yd Roll - Natural |

20 YEAR WEED BARRIER

Durable, 4.1 ounce polypropylene, needle-punched fabric with reinforced fiber for extra durability. Striped every 12" for easy plant alignment and is permeable to allow water and nutrients to pass through easily.



| CATALOG # | DESCRIPTION |
|-----------|------------------------|
| 30-103250 | 3' x 250' Weed Barrier |
| 30-104250 | 4' x 250' Weed Barrier |
| 30-106250 | 6' x 250' Weed Barrier |





DELUXE

This white .5 oz. fabric keeps temperatures up to 4° higher than outside conditions and creates an excellent microenvironment for seed germination and seedling growth. In fact, this fabric provides 90-95% average seed germination compared to a 60-65% with straw.

ULTIMATE

This ultimate white 3 oz. fabric provides freeze protection 10° or greater than outside conditions. DeWitt's Ultimate is the most durable, effective product available on the market for "all winter" protection of your perennials and other ornamentals. Designed to hold in heat and allow irrigation and rain to pass through, this fabric will not cause foliage burn even on sunny days.

| CATALOG # | DESCRIPTION |
|-----------|-----------------------------------|
| 30-510625 | DeWitt Deluxe 6' x 250' -white |
| 30-500625 | DeWitt Ultimate 6' x 250' -white |
| 30-501225 | DeWitt Ultimate 12' x 250' -white |
| 69-006880 | SP2 8" Sheet Peg 50/pk |



KNITTED SHADE CLOTH

- Won't unravel when cut!
- 100% UV stabilized polyethylene with lock stitch construction.
- Quick ship stock sizes.
- · Custom fabricated sizes available with lead time.
- Black, white, colors* and stripes*


*colors/stripes non-stock, custom only.

PRE-CUT KNITTED SHADE CLOTH (STOCK ROLL) CATALOG # **DESCRIPTION** 27-50% Black, 12' x 50' 218312 27-50% Black, 26' x 50' 218326 27-50% Black, 12' x 100' 219312 27-50% Black, 26' x 100' 219326

| SPECIAL ORDER KNITTED SHADE CLOTH | |
|-----------------------------------|-------------------------------------|
| DESCRIPTION | STANDARD WIDTH |
| 30% Black | 6', 10', 12', 14', 20'. 26', 32' |
| 40% Black | 6', 10', 12', 20', 26', 32' |
| 50% Black | 6', 10', 12', 20', 26', 32' |
| 50% White | 6', 10', 12', 20', 26' |
| 60% Black | 6', 10', 12', 20', 26', 32' |
| 65% Tan Ultra | 12' |
| 70% Black | 6', 8', 10', 12', 15', 20', 26, 32' |
| 80% Black | 6', 10', 12', 20', 26', 32' |
| 90% Black | 6', 10', 12', 20', 26', 32' |

CLIP-ITS





| CLIP-ITS | |
|-----------|-------------|
| CATALOG # | DESCRIPTION |
| 27-230000 | Clip-Itst |

WOVEN SHADE CLOTH

- Rigid tensile/burst strength.
- 100% UV stabilized polyethylene monofilament withstands extreme solar conditions.
- All orders custom fabricated with lead time.
- Use for shading plants, people and animals, or as wind and privacy screen.



| STANDARD WIDTHS: 6', 10', 12' | |
|-------------------------------|--------------------|
| PRODUCT | PERCENT OF SHADING |
| WS30 | 30% Black |
| WS47 | 47% Black |
| WS55 | 55% Black |
| WS63 | 63% Black |
| WS73 | 73% Black |
| WS80 | 80% Black |

| Reinforcement Tape: | 35¢ per foot |
|---------------------|--------------|
| Grommets: | 28¢ each |
| Seams or Hems: | 28¢ per foot |

Special order shade cloth is shipped direct from the factory; please allow ample time for delivery. Special order minimum of \$75.00.

CO-EX Corporation Macrolux

MULTIWALL POLYCARBONATE SHEETS

VIRTUALLY UNBREAKABLE

Impact strength is 200 times greater than glass and 10 times greater than acrylic.

CONDENSATION CONTROL

A factory applied condensation control is available on 8 mm Macrolux panels. Allows water to spread into a thin sheet rather than form into droplets.

Easy to Install

Macrolux won't crack or split when cut or drilled.

TRANSPARENT

Offering up to 83% light transmission in clear (custom colors available by special order).

Just one-eighth the weight of glass, polycarbonate panels are self supporting and do not require the extensive structural support that a heavier glass wall or glazing material needs.

HIGHLY FLEXIBLE

Can be readily cold formed to many bending radii and can be fabricated on site to precise dimensions.

Saves Energy

The multiwalled construction gives excellent thermal insulating values while blocking UV transmission.

WARRANTY

Macrolux is backed by an extended 10 year warranty on light transmission and breakage caused by hail with completed warranty registration form.



SEE THE 'FABRICATION' SECTION FOR RELATED ALUMINUM EXTRUSIONS

CALL FOR PRICING AND AVAILABILITY. QUANTITY DISCOUNTS MAY APPLY.

| CATALOG # | DESCRIPTION |
|-----------|--|
| F.O.B. OH | TRIPLE WALL 8MM - CLEAR, 4' & 6' widths sold in one foot length increments from 4' - 38' |

CUSTOM NON-STOCK ORDERS ALSO AVAILABLE FOR:

Colors: Opal (4' width) and Bronze (4' and 6' width). Standard Length: 8' - 24' (upcharge over 24'). Call for quote with crating/freight. Crating charges do apply.

CO-EX Corporation Macrolux Rooflite



CORRUGATED (RIBBED) POLYCARBONATE SHEETS

The Greca Profile is appropriate for agricultural, industrial & do-it-yourself applications.

LIGHTWEIGHT

At just 1/8 the weight of glass, Rooflite® does not require the extensive structural support that a heavier glass wall or skylight needs.

VIRTUALLY UNBREAKABLE

An impact resistance 20 times stronger than fiberglass and over 120 times stronger than glass.

Easy to Install

Designed for simple and rapid installation. It easily adapts to any wall or roof with a bending radius over 13'.

Low Flammability

LIGHT TRANSMISSION


These sheets transmit visible light - up to 90% to your crops, with reduced UV transmission to protect greenhouse crops.


WARRANTY


Rooflite is backed by a 10 year warranty against yellowing with completed warranty registration form.

SEE THE 'FABRICATION' SECTION FOR RELATED ALUMINUM EXTRUSIONS

CALL FOR PRICING AND AVAILABILITY. QUANTITY DISCOUNTS MAY APPLY.







CATALOG #

DESCRIPTION

F.O.B. OH

Clear Corrugated Sheets, 4' finish by 8', 10', 12', 14' and 16' lengths

${f C}$ USTOM NON-STOCK ORDERS ALSO AVAILABLE FOR:

Colors: Opal (4' width) and Bronze (4' and 6' width). Standard Length: 8' - 24' (upcharge over 24'). Call for quote with crating/freight. Call for quote with crating/freight.

CONTINENTAL PRODUCTS

KOOL RAY CLASSIC

KOOL RAY CLASSIC is specifically designed

to lower inside greenhouse temperatures during the warmer spring and summer growing seasons. During the course of the year, CLASSIC's environmentally friendly ingredients will slowly wear off (weather permitting) allowing for increased light levels as the daylight decreases. CLASSIC works best when spray applied.



Coverage will vary according to application, applicator, and dilution ratio. Spray will normally provide the best coverage of approximately 175 sq. ft./gal. before dilution.

See label for more information on mixing ratios.

BEDDING PUTTY

You owe it to yourself to use the very best BEDDING PUTTY for glass, plastic panes or sheets. CONTINENTAL'S BEDDING PUTTY has been used faithfully for years by many major

manufacturers of greenhouses. For absolute premium results, use PUTTYLASTIC NATURAL as a top glaze in conjunction with our bedding compound. Available in gun grade only.

| CATALOG # | DESCRIPTION | SIZE |
|------------|-------------------------|----------------------|
| 27-100101 | Kool Ray Classic | 1 gallon |
| 27-100105 | Kool Ray Classic | 5 gallon |
| non-stock | Kool Ray Classic | 55 gallon |
| 27-107001 | Puttlylastic | 1 gallon |
| 27-107005 | Puttylastic | 5 gallon |
| 27-107099 | Puttylastic | cartridge (10/cs) |
| 27-106001 | Bedding Putty-gun grade | 1 gallon |
| 27-106-005 | Bedding Putty-gun grade | 5 gallon |
| 27-106099 | Bedding Putty-gun grade | cartridge (10/cs) |
| 27-109000 | X-Tra Stick | 1 quart |
| 27-109001 | X-Tra Stick | 1 gallon |





PUTTYLASTIC

Completely seals cracks and openings by "creeping and keying" into small

crevices. Because of its special properties, PUTTYLASTIC will retain its elasticity and adhesion for years. And it is easy to apply by handgun or power gun. There is no equal to its performance! Save a bundle on energy bills during the winter. Plus your fans will work more efficiently during the summer. The result will be a greenhouse environment that is easier and less costly to maintain because there are no air leaks.



SUN CLEAR **Anti-Drip Coating for Glass**

No drip coating for glass, fiberglass and polyethylene. Keeps water from condensing and dripping on plants and people and increases light transmission.

One gallon covers 40,000 square feet.



| CATALOG # | SIZE | PACK |
|-----------|-------|-------|
| 44-260016 | 1 pt | 24/cs |
| 44-260050 | 1 gal | 4/cs |



GREENHOUSE HEATER

THE EFFINITY93 (MODEL PTC) FROM MODINE IS THE MOST **EFFICIENT GAS-FIRED UNIT HEATER IN NORTH AMERICA.**



EFFINITY93® HIGH EFFICIENCY GAS FIRED UNIT HEATER

Modine's new Effinity93 Blower units (model BTC) are the only high efficient gas-tired condensing unit heaters on the market today with a blower option! Built on the same successful platform as the Model PTC Propeller Unit Heaters, these models include the same great features with the application flexibility of a blower unit heater:

Three model sizes from 215,000 to 310,000 Btu/hr offer unmatched application flexibility to cover the most popular blower unit heater sizes. Blower air flow performance matches similarly sized BTS units, with an Air Temperature Rise range of 40°F to 70°F available for all model sizes. Proudly made in the USA at our Buena Vista, VA facility.

With the Effinity93 you are assured the following features:

- Modine's exclusive Conservicore[™] technology withstands acidic condensate
- Designed with contractors in mind: faster installation and lower installation costs
- All Effinity93 box sizes are equal to a corresponding HDS or PTS model
- The standard Contractor Convenience Package allows for easy connectivity and troubleshooting
- Optional finger-proof fan guard for operation at low mounting heights
- MADE IN THE USA



MODINE'S PDP/BDP POWER VENTED UNIT HEATER

Modine's PDP/BDP power vented unit heaters are inexpensive to install, easy to use and offer excellent in-service economy. Our gas fired heaters are available in units rated from 150,000 to 400,000 BTU/hr. These units provide air circulation to reduce dead spots in the greenhouse, reducing high moisture areas that promote mold growth.

A power vented unit gives you many added advantages including:

- Versatility allows air to blow from the top of the greenhouse or through ducts
- Heaters are indirect fired, allowing all combustion products to be vented to the exterior of the greenhouse and protecting sensitive plants from toxins found in the products of combustion
- Modine gas-fired unit heaters maintain a minimum 80% efficiency, maximizing seasonal efficiency through the use of a collector box and the power exhauster
- Optional finger-proof fan guard for operation at low mounting heights
- A 100% shut-off, intermittent pilot-ignition system with continuous retry, at no extra charge. The ignition system allows for units to be field-converted to propane, if desired
- A safety pressure-switch to assure safe venting conditions
- Designed to utilize the smallest-diameter vent pipe possible
- · A level hanging mechanism for easy field adjustments after adding accessories that may change the unit's center of gravity
- BDP is designed to operate against 0.5 inches of external static pressure
- MADE IN THE USA



GREENHOUSE HEATER

TUBULAR HEAT EXCHANGER

The Sterling tubular heat exchanger has been designed to provide maximum and uniform heat transfer. The low pressure drop associated with this design enables heated air to be evenly distributed to the conditioned space. This curved, non-welded serpentine design experiences less thermally induced stress making it highly durable for significantly longer service life. All standard Sterling tubular heat exchangers are constructed of heavy duty 20-gauge aluminized steel with an optional 409 stainless steel heat exchanger available for applications in mildly corrosive environments.

SEPARATED COMBUSTION

The "SF" separated combustion configuration allows application flexibility in areas where dust, dirt, humidity or mildly corrosive conditions are prevalent. A unique power-venting system draws clean combustion inlet air from the outside while exhausting flue gases through the outlet discharge. All critical components including the burner, pilot ignition system and flue are safely enclosed within the unit protected from potentially corrosive elements.

DIRECT SPARK IGNITION SYSTEM

Sterling "SF" units utilize a direct spark pilotless ignition of the burner, providing fast heat delivery. This highly reliable and efficient ignition system incorporates an integrated electronic control board to regulate the system sequence of operation, including an onboard LED indicator for simple troubleshooting.

VENTING

The Sterling "SF" unit heaters are ETL certified in accordance with categories I and III venting requirements. This certification allows units to be vented both vertically and horizontally using either single wall or double wall venting materials. This venting flexibility of the "SF" unit heaters make installation easier and more cost effective by allowing the installer to utilize existing venting components.

CONTROL ACCESSIBILITY

Designed with the service person in mind, every component of the Sterling "SF" Series is easily accessible. Ignition and fan controls are located in one centrally located control panel. The access door provides control isolation as well as a pleasing exterior appearance.

| CATALOG # | DESCRIPTION | ВТИ |
|-----------|-----------------------------|---------|
| 22-480100 | Natural Gas Sterling Heater | 150,000 |
| 22-480101 | Propane Sterling Heater | 150,000 |
| 22-482100 | Natural Gas Sterling Heater | 175,000 |
| 22-482101 | Propane Sterling Heater | 175,000 |
| 22-484100 | Natural Gas Sterling Heater | 200,000 |
| 22-484101 | Propane Sterling Heater | 200,000 |
| 22-486100 | Natural Gas Sterling Heater | 250,000 |
| 22-486101 | Propane Sterling Heater | 250,000 |

LINE VOLTAGE THERMOSTATS

Designed to control automatic ventilation or heating systems. Single stage (1UHH2): line voltage or low voltage control of fans or heaters. Two Stage (1UHH3): control two-speed fan or two stages of heat/cooling. Temp range: 30° to 110° F.

| CATALOG # | ITEM # |
|-----------|--------|
| 75-332206 | 1UHH2 |
| 75-332207 | 1UHH3 |






GREEN-BREEZE HAF FANS

Features:

- · Available in 12"
- Includes hot dip galvanized standard flag mount bracket and mounting hardware
- Patented open front guard cuts cleaning time and maintenance costs (U.S. Patent No. 5,348,447)
- Variable speed motors for year round air circulation (requires separate variable speed control to adjust fan speed)
- Attached cord with 3-prong plug
- · No belts or bearings to maintain
- Corrosion resistant white powder coated fan guard meet OSHA 1910.212(a)(5) requirements.
- Mounting bracket mounts directly to the yoke of motor to eliminate any vibration for smooth fan operation
- · Fan ships completely assembled
- The tapered side guard creates a tight air pattern that throws air much further than conventional basket fans
- Provides airlows that helps to eliminate hot and cold spots throughout the greenhouse
- Totally enclosed, maintenance free, direct drive high efficiency motors have completely sealed ball bearings, UL and CULcertification (File# E219338/E315335) and are covered by a full TWO YEAR WARRANTY
- Can be used with our misting/fogging product line to reduce temperature and/or increase humidity for plants

| ITEM # |
|---|
| VBG12 White 115V 1 PH s/var w/ Bracket & 10' cord |
| VDB16G White 115V 1 PH s/var w/ Bracket & 6' cord |
| VDB20G White 115V 1 PH s/var w/ Bracket & 6' cord |
| VDB24G White 115V 1 PH s/var w/ Bracket & 6' cord |





Ez-Breeze Haf Fans

J&D Manufacturing's EZ-Breeze HAF Fan is a high efficiency air circulator that effectively cools people, plants, animals and industrial equipment. The EZ-Breeze reduces condensation, dries animal litter and bedding, controls insects, and creates a uniform temperature throughout your building to reduce heating costs.

- · Available in 20" and 24"
- · Includes hot dip galvanized mounting bracket with u-bolts and nuts
- Aluminum propeller designed to reduce ambient noise levels while maintaining maximum circulation requirements
- · Efficient variable speed motor (requires separate variable speed control
- Corrosion resistant white powder coated guards meet OSHA 1910.212(a)(5)
- · Pre-wired with 115V attached 6' cord and 3-prong plug
- · Fan ships completely assembled
- · Totally enclosed, maintenance free, direct drive high efficiency motors have completely sealed ball bearings, UL/CUL certification (File # E219338/E315335) and a full TWO YEAR WARRANTY
- · For additional cooling, use with our misting/fogging product line
- · Performance fan ratings certified by BESS Lab at the University of Illinois
- · Made in the U.S.A.

ES SHUTTER FAN

J&D Manufacturing's ES Shutter Fan is a durable agriculture grade exhaust fan perfect for barn and building peaks, greenhouses, warehouses and more. ES shutter Fans are available without a cord, or pre-wired with a cord and plug for "No Electrician Required" installation. Fans ship fully assembled out of the box so you're up and running in no time!

- Available in 10", 12", 16", 20", 24" and 30"
- · Smooth and quiet operation
- · Comes totally assembled out of the box
- Models with cord have 3-prong plug and are pre-wired for 115 Volts. No electrician required!
- · Balanced 3 bladed aluminum prop with a zinc plated steel hub
- Chrome guard allows for easy cleaning and meets OSHA 1910.212(a)(5) requirements to mount at any height on inlet side of fan. (When mounted, shutter side should be 7' above ground)
- High efficiency aluminum shutters with tie bar to eliminate shutter flapping and opening on windy days
- · Totally enclosed, maintenance-free, direct drive high-efficiency motors have completely sealed ball bearings and are covered by a TWO YEAR WARRANTY Optional exterior weather hood available to protect your the exterior shutter side of fan from harsh winds and severe weather



MYN-FAN HIGH PERFORMANCE ECONOMY HAF FANS



Meeting Your Needs is the driving force behind designing MYN Fan air movement products. Our circulation fans, galvanized exhaust fans, inflation blowers and intake shutters are designed to meet your needs in all markets including Commercial, Misting, Agriculture, Horticulture and Rental.

- · High efficiency, quiet operating fans
- Longest distance air throw in the industry
- · Industrial grade aluminum blade
- · Guards have powder coating over zinc plating for added rust protection
- · Engineered OSHA guard design for maxi mum air throw
- Bracket included
- · Pre-wired with 5ft grounded cord
- 2 year limited warranty

| CATALOG # | MODEL # | PRODUCT DESCRIP- TION | CFM | RPM | MOTOR TYPE |
|-----------|---------|-------------------------------|----------------|------|------------|
| 25-118000 | 18B4W3 | MYNFAN 18" HAF FAN 3-SPEED | 3815/3225/2810 | 1725 | TEAO |

Versa-Kool Deep Guard Circulation Fans



Innovative Ventilation and Thermal Comfort Solutions Since 1951

Reduce heat stress and improve air quality with Schaefer's uniquely designed circulation fans. Unrivaled in the market, these fans are engineered to produce greater air movement and superior cooling no matter the application. You don't hear them. You don't see them. You only feel them!

Also known as Horizontal Air Flow (HAF) fans, these fans move air in a coherent horizontal pattern creating a gentle 'racetrack' air pattern needed in greenhouses to maximize heat distribution and humidity control by mixing the air, from ceiling to floor.

Features and Benefits:

- Deep quard design for unmatched performance, low noise levels and safety without sacrificing airflow
- · Matched high quality motors and blades for maximum efficiency
- Powder coated steel guards for increased durability and corrosion resistance
- Hot dipped galvanized guards on VK12-GA and VK20-GA models for even greater rust protection
- · Powder coated steel mounting bracket and power cord included
- · Wide variety of mounting options available for flexible and easy installation
- · Variable speed controls available
- · Misting kits available for even greater cooling
- 2 year warranty
- · Made in the USA



TYPE NBF FANS PRACTICAL, EFFECTIVE ECONOMICAL,

American Coolair's Type NBF fan provides the solution to fresh air ventilation in most types of greenhouses. Type NBF fans are built to give you years of heavy-duty troublefree service. The rugged, belt driven construction operates in any position, has permanently lubricated ball bearings, and is available with single or two speed totally enclosed motors. Coolair has developed a complete ventilation system for greenhouse use combining the Type NBF fan with all aluminum shutters (LRW) and heavy gauge galvanized steel slope wall housing for exterior mounting, allowing a maximum of unobstructed interior space.


· TYPE SWH (SLOPE) WALL HOUSING Allows shutter to be placed on intake side of fan and eliminates air turbulence that occurs with shutter on down-wind side of the fan. Prevents warm air from being lost through metal wall housing to outside cold air in cold climate operations. Constructed of galvanized steel for long, durable wear and low maintenance.



TYPE LRW SHUTTER (ALL ALUMINUM) Extruded aluminum frame with interlocking L aluminum blades for maximum weather seal. Double panel shutters constructed with rigid "T' section center member to prevent shutter blades from sticking. Nylon bearings on all movable linkage. Sturdy, extruded aluminum tie-bar is



connected exactly on centers of blades, dual-tie bars on double panel units. Gravity or motor operated.



| SWH (SLOPE) WALL HOUSING DIMENSIONS | | | | | | |
|-------------------------------------|--------|----------|----------|----------|----------|----------|
| Model | Н | J | K | L | М | Ship Wt. |
| GSWH24 | 32 3/8 | 38 9116 | 32 3/8 | 22 15/16 | 28 | 52 |
| GSWH30 | 38 3/8 | 43 15/16 | 38 1/2 | 22 | 28 | 67 |
| GSWH36 | 44 3/8 | 50 | 44 9/16 | 21 13/16 | 28 11/16 | 82 |
| GSWH42 | 50 3/8 | 55 7/8 | 50 5/8 | 20 1/2 | 28 3/8 | 104 |
| GSWH48 | 56 3/8 | 62 1/16 | 56 11/16 | 21 1/16 | 29 7/8 | 122 |
| GSWH54 | 62 3/8 | 68 3/16 | 62 3/4 | 22 1/2 | 31 1/4 | 132 |

Rough Opening: Add 1/2" to H for width and for 2" wall add 3/4" to K for height, 4" wall add 1 1/4" to K for height, 6" wall add 1 1/2"" to K for height



Contact Your Regional Account Manager For Current Pricing


DEDECORMANCE DATA

| | PERFORMANCE DATA - TYPE NBF FAN | | | | | | |
|---|--|---------------------------------------|-------|------|-------------|-------|-------|
| | All specifications subject to change without notice. | | | | | | |
| | | Motor | Fan | Арх. | .10" S. P. | | |
| | Model | Size | H.P. | RPM | Ship Wt. | СҒМ | ВНР* |
| | NBF24G | 24" | 1/4 | 627 | 70 | 4755 | 0.258 |
| | NBF24H | A: 32 | 1/3 | 706 | 73 | 5490 | 0.364 |
| | NBF24J | B: 10- 5/16 | 1/2 | 815 | 79 | 6550 | 0.549 |
| | NBF24K | C: 17 7/8 | 3/4 | 972 | 93 | 7970 | 0.915 |
| | NBF30G | 30" | 1/4 | 486 | 77 | 6480 | 0.295 |
| | NBF30H | A: 38 | 1/3 | 533 | 80 | 7360 | 0.383 |
| | NBF30J | B: 10 5/16 | 1/2 | 627 | 86 | 9020 | 0.611 |
| | NBF30K | C: 17 7/8 | 3/4 | 706 | 106 | 10350 | 0.862 |
| | NBF36H | 36" A: 44 B: 10 1/16 C: 17 7/8 | 1/3 | 419 | 100 | 8890 | 0.399 |
| | NBF36J | | 1/2 | 474 | 110 | 10580 | 0.572 |
| | NBF36K | | 3/4 | 541 | 118 | 12495 | 0.839 |
| | NBF36L | | 1 | 609 | 120 | 14360 | 1.184 |
| | NBF42J | 42" | 1/2 | 365 | 122 | 11925 | 0.546 |
| | NBF42K | A: 50 B: 9 7/16 | 3/4 | 433 | 128 | 14930 | 0.888 |
| | NBF42L | C: 17 1/8 | 1 | 474 | 130 | 16685 | 1.157 |
| | NBF48J | | 1/2 | 303 | 146 | 14300 | 0.593 |
| | NBF48K | 48" A: 56 | 3/4 | 350 | 152 | 17650 | 0.910 |
| | NBF48L | B: 10 1/8 | 1 | 373 | 154 | 19220 | 1.104 |
| 1 | NBFH48L | C: 17 7/8 | 1 | 396 | 154 | 20800 | 1.320 |
| | NBFA54L | 54" A: 62 | 1 | 350 | 280 | 21360 | 1.058 |
| | NBFA54M | B: 10 5/8 C: 18 1/4 | 1 1/2 | 414 | 296 | 26475 | 1.725 |

| TYPE LR\ | TYPE LRW SHUTTER DIMENSIONS | | | |
|----------|-----------------------------|----------|----------|--|
| Model | F (O.D.) | G (I.D.) | Ship Wt. | |
| LRW27 | 30 1/4 | 27 | 12 | |
| LRW33 | 36 1/4 | 33 | 14 | |
| LRW39 | 42 1/4 | 39 | 17 | |
| LRW45 | 48 1/4 | 45 | 20 | |
| LRW51 | 54 1/4 | 51 | 24 | |
| LRW57 | 60 1/4 | 57 | 30 | |

TEMP° ALERT

Wall mount, mechanical temperature sensor to detect if air temperature is too high or too low. Alarm limits are



| CATALOG # | ITEM # | DESCRIPTION |
|-----------|---------|-----------------------------------|
| 75-209000 | #TA - 1 | Temp Alert Temperature Monitor |

2.8K Weatherproof Temperature

Small, sealed, general purpose temp probe for indoor or outdoor use. Comes with 12 feet of wire.



| Catalog # | Item # | Description |
|-----------|----------|---|
| 75-270101 | FGD-0101 | 2.8K Weatherproof Temperature Sensor |

SENSAPHON REMOTE MONITORING SOLUTIONS

Sensaphone® 400 & 800

Sensaphone 400 & 800 offer an easy, inexpensive way to monitor a remote facility. It can be installed in any indoor environment to monitor temperature, water on the floor. humidity, and much more and it can notify up to four people by making voice phone calls. The 800 has all of the same features as the 400, but it has of eight external inputs.



| CATALOG # | ITEM # | DESCRIPTION |
|-----------|----------|----------------|
| 75-201400 | FGD-0400 | Sensaphone 400 |
| 75-201800 | FGD-0800 | Sensaphone 800 |



Taylor offers the same accuracy today that we were known for in 1851. Chose from the basics - tube thermometers, or step up to a digital model. All outdoor thermometers are weather resistant and hold up with the ever changing elements.

INDOOR THERMOMETER W/HUMIDITY GAUGE #5535E

9.25" High/White. With Humidity Gauge.

Catalog #

75-290116



90116

| Easy read Jumbo Scale |
|-----------------------|
| 14½" in length |
| °F and °C scales. |
| |

THERMOMETER #5109

JUMBO WALL



| Catalog # | Item # |
|-----------|--------|
| 75-005101 | 5109 |

6712N THERMOMETER WITH HUMIGUIDE

13.25" diameter. Weather resistant. Measures temp/humidity

| mode tomp, mannanty | |
|---------------------|--------|
| Catalog # | Item # |
| 75-102362 | 02362 |

INDOOR/OUTDOOR THERMOMETER #00880

This thermometer is 16" high and comes in white.

| Catalog # | Item # |
|-----------|--------|
| 75-108800 | 880 |



INDOOR/OUTDOOR THERMOMETER #00346

Ca 75-

5" Dia White

| ameter Basic e Dial Thermometer. | | |
|-------------------------------------|------|-----|
| talog # | Item | ı # |
| -103460 | 346 | 3 |


HANDY-TEMP® WALL THERMOMETER #5135

Indoor/outdoor use. Aluminum construction. Won't rust. Inexpensive. Both °F and °C scales. Measures 8-7/8" long.



Max-Min THERMOMETER #5460

One side shows the minimum temp while the other shows the maximum temp. The limit markers stay at the highest & lowest temp readings until reset. °F and °C scales. 83/4" long.



TEMPRITE® WINDOW THERMOMETER #5316

Attaches w/swing bracket. View at almost any angle. Large easy to read numbers. °F and °C scales. Mounting screws included.



| Catalog # | Item # |
|-----------|--------|
| 75-005316 | 5316 |

| Catalog # | Item # |
|-----------|--------|
| 75-005135 | 5135 |

75-005460

5460

BIOTHERM® BENCHWARMER



Energy efficient, effective bottom heat uses conventional hot water heaters. Install on or under the bench top or on the floor.

TrueLeaf Benchwarmer ** Kit Features:

- Efficient: Put the heat where it is needed, at the crop level. Allows lower air temperatures and 20-40% less fuel use.
- Effective: Heating the root zone and microclimate increases plant quality and shortens the production cycle.
- Simple: Pre-packaged Benchwarmer Kit installs guickly and easily no special tools needed. One to Five benches up to 1,000 SF- install on top of benches, under benches or on the greenhouse floor.
- · Safe: Reliable heat without the shocking experience of electric mats.
- Supported: 24/7 technical support @ 800.438.4328

BENCHWARMER ** KIT INCLUDES:

- TrueLeaf BioTherm MicroClimate™ Tubing
- TrueLeaf BioTherm MicroClimate™ Headers
- TrueLeaf BioTherm MicroClimate™ Grabber-Trak
- · Air and Water Controls
- Circulator Pump
- · Pre-Wired Control with special Soil Sensor
- Thermometers to check supply and return water temperatures
- · Installation Manual with extensive drawings
- 24/7 Technical Support
- · 10 year limited warranty on bench top materials

Anybody can install it:

We packaged our Benchwarmer kits so they install quickly and easily. We supply all the drawings, we've prewired all of the electrical parts, and if you need help call us at 800-438-4328!

> CALL FOR PRICING! 800-468-4011

Convection Tubing

This polyethylene is 4 mil and is protected with strong ultra violet inhibitor. The inhibitor is not tinted in order to retain maximum clarity for light penetration. The plastic also has an additive to increase its strength and clarity. These tubes are manufactured using a formulation specified for the greenhouse environment. Each tube is custom punched to your specifications.

Punching Options:


Normal punch position is at 8 and 4 o'clock. For heating application, 7 and 5 o'clock should be specified. 9 and 3 o'clock punching provides more lateral air movement. Edge punching can be done when only one row for holes is required. Hole sizes available: 2", 21/2", 3". Please specify length of greenhouse for proper punching.











STAGGER PUNCH AND ORDERS OVER 1000' FOB MFG.

| CATALOG # | DESCRIPTION | LAY FLAT |
|-----------|-----------------------|----------|
| 21-201200 | 12" Convection Tubing | 19" |
| 21-201800 | 18" Convection Tubing | 29-1/2" |
| 21-202400 | 24" Convection Tubing | 38" |
| 21-203000 | 30" Convection Tubing | 47" |

F.O.B.

- Minimum: There is a \$25.00 Minimun order on Convection Tubing
- Unpunched: Unpunched Tubing is .05¢/ LF. Less
- All orders ship direct.

A.V LIFETIME BENCHES

A-V frames are stronger, lighter and more durable than wood. The 20,000 psi UV protected, fiberglass material resists weathering and will not rust or decay. Many standard sizes are available, custom sizes by request.



- Assembly: Listed benches are shipped UNASSEMBLED. Assembled units are available, call for pricing.
- Legs: Benches without legs DO NOT include: Legs, Leg Sockets, or Leg Hardware. Leg bracing is available @ \$18/Bench (recommended where heavy loading may occur).
- Splice Kits: Recommended 18"-54" wide benches (2 kits per seam). Above 54" wide - use 3 kits per seam.
- Splice Kits = \$3.25 each

| UNASSEMBLED BENCH | | |
|-------------------|---------|-----------|
| Item # | Size | # of Legs |
| BT24096 | 2' x 8' | 6 |
| BT48096 | 4' x 8' | 6 |
| BT72096 | 6' x 8' | 6 |
| BT96096 | 8' x 8' | 9 |

A.V. Lifetime Bench is a SPECIAL ORDER item, shipped direct from the factory. Please allow ample time for delivery. F.O.B. VA.

E-ZY STACK DISPLAY BENCH

Add an instant display anywhere with our quick set stackable benches. Sturdy yet elegant design with clear glass-look top, accents your mixed containers, baskets and tie in products for added impulse sales.

E-zy Assembly.

| WIDTH X LENGTH |
|-----------------|
| 1' x 4' |
| 1' x 6' |
| 2' x 4' |
| 2' x 6' |
| 3' x 4' |
| 3' x 6' |
| 4' x 4' |
| 4' x 6' |
| Leg Height: 12" |





Do you have a small space with big sales potential? The Bench-Mart Deluxe offers you a quick and economical way to turn your under-utilized area into a retail focal point. This structure boasts multi-level bench

displays and hanging basket purlins for high-volume merchandising. Other features include bench tops, poly covering, and slide-side panels for improved ventilation. Gallied

FEATURES/OPTIONS


Side Benching Included: Built-in side brackets and standard bench tops ensure

Hanging Basket Purlins: Structure comes with two runs of hanging basket purlins and attractively displays baskets conveniently within your customer's reach

Double Swinging End Door: Your customers will breeze through the wide swinging end doors

Tool-Free Assembly: Allows you to get your structure up and running without getting up and running around for materials

Slide-Side Ventilation: An easy manner to provide climate control and air flow for your customers and plants



SPECIFICATIONS

Length: 6'-96' (in 6' sections) Sidewall Height: 5' Height to Apex: 87-67 Frame Spacing: 6" Door: Double 2'-0" w x 6'-8" high Cover: Clear or white 6 mil. UVI polyethylene End Wall Cover: Clear 6 mil. UVI polyethylene

Frame: 1.163" O.D. 17 ga. galvanized steel tubing and 16 ga. galvanized roll-form steel Ventilation: Slide-Side



| Bench Mart Deluxe | |
|-------------------|--------------------|
| Size | |
| | 10' x 6' |
| | 10' x 12' |
| | 10' x 18' |
| | 10' x 24' |
| | 6' addt'l sections |



Additional End Door:

Add an end door to your structure for improved traffic flow and customer access between garden \$175 each







SPECIFICATIONS

Construction: Galvanized steel

Capacity: (27) 1020-style flats per 6-foot section

Optional 251/4"-inch high purlin holds (6) 10-inch hanging baskets per 6-foot section Optional 231/2" high standard basket tower holds (18) 10-inch hanging baskets Optional 28%" high "A"-style basket tower holds (12) 10-inch hanging baskets

Base Dimensions: 72'w x 39'd x 60'h

FENCE-ON-A-STEP BENCH

PX7001

A little flair, a little style, a lot of versatility, that's what our FB3001 display offers. You'll like how your hanging baskets rest at the right height for customer convenience and how our modular design allows you to add the sections you need to get the length you want. You can also place your units back-to-back and create a high-capacity center aisle. Flexible, stylish, affordable-is that what you had in mind?

| PX7001 Fence-On-A-Step Bench |
|--|
| Size |
| 6' Base |
| 12' run* |
| 18' run* |
| 24' run* |
| add 6' |
| * Splitting connected runs may require additional components. Call for more information. |


OPTIONS





E-ZY Grower Bench Frame

Adding benches to your house is an effective way to maximize growing area without adding additional structures. The benches can be set in concrete or placed above ground on a solid foundation. Leg sets are made of 14 gauge steel tubing. Bench framing is made of aluminum "F" rail around the perimeter, connected every 2' with a 1" sq. piece of steel tubing or a 1½" aluminum "I" beam depending on the tye of "F" rail selected. Hot dip galvanized, 13 gauge expanded metal is used to finish the bench tops. E-zy Grower benches are made of the best materials available and are designed for easy assembly...



(1) AFTER IMPORTANT LEVELING OF FRAMEWORK, INSTALL A #10 X 3/4" TEK SCREW TO LOCK FRAME IN PLACE.

CHOOSE THE OPTIONS YOU NEED AND CALL FOR YOUR

CUSTOMIZED QUOTATION TODAY!

- Rolling or Stationary
- Bench width of 3', 4', 5', 5½', 6', or 61/2'
- · Leas set in concrete or on solid foundation
- Lengths divisible by 6' or 8' are standard, other lengths are considered custom.
- Steel Corner splices or PVC corners.

Advantages Offered Over The Competition:

- Bench top cross pieces are 1' x 1' and 1' x 2' 16 gauge steel; not 18 gauge as many.
- We use 1' x 2' rectangular steel where ends of expanded metal join for easier more positive support.
- For retail use we offer optional attractive high density polyethylene rounded corners.
- Rollers are 14 gauge steel 1-3/8" not 16 or 17 gauge that others use or 1-1/4" diameter, which in time becomes egg shaped. Option of using 1-3/8" diameter is offered for extra long benches or benches that are heavily loaded.
- We use round tubing for leas for easier installation.

EXPANDED METAL SHEETS FOR BENCH TOPS



- Continuous Air Flow Reduces fungus by allowing unrestricted air passage.
- Extra Long Life Hot dip galvanized zinc coating after expansion. This is the best available and will greatly outlast cheaper grades that are galvanized before
- **Drainage** 76% open area allows easy drainage.
- Strong 13 gauge allows pots to sit level.
- No Maintenance Soil and water drop right through the bench - eliminating weed, soil, and water accumulation.
- Light Weight 94 lb. per hundred square feet.
- Low Cost You'll find this bench to be more economical than most bench material now used.

Custom Sizes - Call For Quote!

PX7001 Fence-On-A-Step Bench

A little flair, a little style, a lot of versatility, that's what Poly-Tex's PX7020 display offers. You'll like how your hanging baskets rest at the right height for the customer convenience and how the modular design allows you to add the sections you need to get the length you want. You can also place your units back-to-back and create a highcapacity center aisle. Flexible, stylish, affordable—is that what you had in mind?

SPECIFICATIONS

Construction: Galvanized steel

Capacity: (27) 1020-style flats per 6-foot section

- Optional 27-inch high purlin holds (6) 10-inch hanging baskets per 6-foot section.
- Optional 26-1/4" high stand and basket tower holds (18) 10-inch hanging baskets
- Optional 29-1/2" high "A"-style basket tower holds (12) 10-inch hanging baskets







either standard basket tower "A" style basket tower when orde FOB Castle Rock, MN specify 6

| PX7001 OPTIONS | | | |
|----------------|---|--|--|
| PRODUCT | DESCRIPTION | | |
| 1 | EXPANDED METAL BENCH TOPS Sold in 6' lengths | | |
| anguilla | STANDARD TOWER WITH CANOPY Choice of red (shown), blue, green, or yellow and white stripe vinyl (6-foot only) | | |
| Milly | A-TOWER WITH CANOPY Choice of red, blue (shown), green, or yellow and white stripe vinyl (6-foot only) | | |
| U | CASTERS Available on 6' units | | |

6' DISPLAY W/ **PURLIN** \$370

w/tower \$305 w/expanded bench add \$62

12' CONNECTED RUN W/PURLIN

S675

w/tower \$565* w/expanded bench add \$124

18' CONNECTED RUN W/PURLIN

S980

w/tower \$825* w/expanded bench add \$186

24' CONNECTED RUN W/PURLIN S1285

w/tower \$1,085* w/expanded bench add \$248

PX7021 Double Tri-Step Display

See double the blooms and double the profits with Poly-Tex's FB3021 double tri-step display. Featuring the same "stepped" shelf depth (from 36 to 24 to 18 inches), this unit gives you all the visual appeal of our tri-step display... times two, and the patented shared end support connecting system allows you to create aisles of color. You'll appreciate Poly-Tex's tool-free assembly and galvanized steel construction. Choose additional options, like double hanging basket purlins and expanded metal bench tops to optimize your sales capacity.

Added options include two-sided 11" X 7" sign holder, double hanging basket purlins and expanded metal bench tops.

SPECIFICATIONS

- Construction: Galvanized steel
- Capacity: (48) 1020-style flats per 6-foot section. Optional 48" high double basket purlin holds (24) 10-inch hanging baskets



| PX7021 OPTIONS | | | | |
|----------------|---|--|--|--|
| PRODUCT | PRODUCT DESCRIPTION PRICE | | | |
| 1 | EXPANDED METAL BENCH TOPS Sold in 6' lengths | | | |

| PRODUCT OPTIONS | | | | |
|-----------------|-------------------|-------------------|-------------------|--|
| 6' Display | 12' Connected Run | 18' Connected Run | 24' Connected Run | |

SNAP & GROW 8'x8' GREENHOUSE





- Corrosion Resistant Frame: Heavy-duty aluminum frame withstands both the elements and moist greenhouse conditions.
- Strength and Clarity: SnapGlass polycarbonate panels are virtually unbreakable, and they are as crystal clear as glass.
- Quick Assembly: Set-up requires minimal tools and only takes about a day.
- Adjustable Ventilation: With the preassembled roof vent and the unique double door, your plants will receive excellent air circulation.
- Anchoring Clips: Allows you to simply affix your greenhouse to a wood or concrete foundation. (Anchor bolts not included.)

SPECIFICATIONS:

• Width: 8' 1/2"

• Length: 8' 1/2" • Sidewall height: 5' 3"


• Height to apex: 8' 6.5"

• Frame Spacing: 8'

• Cover: Clear, single layer SnapGlas polycarbonate panels

• Frame: Aluminum with rigid polypropylene SmartLock connectors

• Ventilation: (1) adjustable roof vent



CALL FOR QUOTE!

CASHIER TABLES

Our new cashier tables are constructed from heavy-duty 18 ga. galvanized steel for sleek styling and easy cleanup. These strong, attractive tables feature simple assembly and can be bolted together in different configurations to fit your needs.

FREE SHIPPING ON SNAP &

GROW ORDERS SHIPPED

WITHIN THE CONTIGUOUS

UNITED STATES!






This display was created to give you more space for hanging items like baskets, chimes and birding items that you want to sell alongside related merchandise like flats, bird seed or other shelf products. Perfect as an island or aisle to incorporate vertical merchandising!

SPECIFICATIONS

Construction: Galvanized steel

Base Dimensions: 17'-10"w x 46"d x 90 "h Capacity: (36) 10-inch hanging baskets



| TOWER DISPLAY | | | | |
|--|-------------|------------------|--|--|
| Part# | Tower Price | Benching Section | | |
| BT3001 | \$239 \$220 | | | |
| Configurations may require additional components. Call for more information. | | | | |

2 & 3-TIER DISPLAYS



PX7030 & PX 7032

Set it up with our tiered units featuring a narrower profile for tight spaces also and sidewalk displays. Our expanded metal bench tops come standard with both the FB3030 and the FB3032. You can choose from many other options to get these displays looking just the way you want them, including casters, power coated colors, sign holders of cross merchandisers. Add additional lower rear benches to either model and you'll be able to display up to 15 flats with the 2-tier display or 27 flast on the 3 tier dispaly. More merchanise in a smaller amount of space? Check!








PX7032 SINGLE UNIT W/EXPANDED METAL (STANDARD)



W/CASTERS + SIGN HOLDER



SPECIFICATIONS Construction: Galvanized steel Capacity:(12) 1020-style flats per 6-foot section Base Dimensions:73.25"w x 27.5"d x 30"h









Our standard powder coating material creates a high quality finish that's sure to get attention. This oven cured, U.V. stabilized material is great for either indoor or outdoor use. Use color to create product buzz, call attention to promotional areas or coordinate with your current décor.



Tool-free assembly as always and now fewer parts. That means you need less space to store displays seasonally and fewer misplaced parts when it's time for set-up.



The new 1 1/4" square, steel tube frames are stronger to support greater loads.

| PX7030 CONFIGURATIONS | | | | |
|---|---|--|--|--|
| Part # | Description | | | |
| PX7030 | Single unit w/expanded metal (standard) | | | |
| PX7030-CP | Single unit w/Casters + Purlin | | | |
| PX7030-CS | Single unit w/Casters + Sign Holder | | | |
| PX7030-XT6 | 6' Extension for Single 6' Unit | | | |
| PX7030-XT6P | PX7030-XT6P 6' Extension for 6" Unit w/ Purlin | | | |
| PX7030-XT6S | PX7030-XT6S 6' Extension for Single 6' Unit + Sign Holder | | | |
| *Splitting connected runs may require additional components. Call for more information. | | | | |

| PX7032 Configurations | | | |
|---|---|--|--|
| Part # | Description | | |
| PX7032 | Single unit w/expanded metal (standard) | | |
| PX7032-CP | Single unit w/Casters + Purlin | | |
| PX7032-CS | Single unit w/Casters + Sign Holder | | |
| PX7032-XT6 6' Extension for Single 6' Unit | | | |
| PX7032-XT6P 6' Extension for 6" Unit w/ Purlin | | | |
| PX7032-XT6S 6' Extension for Single 6' Unit + Sign Holder | | | |
| *Splitting connected runs may require additional components. Call for more information. | | | |



The new Tree Display is your helping hand if you sell potted trees. Retainer arms hold the trunk securely to prevent blown-over trees, broken limbs and leaf loss. Adjustable arms in two sizes accommodate a variety of tree and pot sizes to match your product mix. Orange flip gates allow easy access for your customers and quick re-stocking for you. Options include a sign holder and extension kits to create a connected run.

SPECIFICATIONS

Construction: Galvanized steel

Capacity:

TR3020 - 8 trees, TR3030 – 16 trees,

Base Dimensions: 4' 5" x 10'



| TREE DISPL | TREE DISPLAY | | | | |
|------------|------------------------------|--|--|--|--|
| Part# | Description | Includes | | | |
| TR3020 | Tree Display Single | (2) Ends (1) Support Beam (4) 26" Retainer Arms (4) 16" Retainer Arms and Hardware | | | |
| TR3021 | Tree Display Adder Single | (1) End (1) Support Beam (4) 26" Retainer Arms (4) 16" Retainer Arms and Hardware | | | |
| TR3042 | Tree Display Double - 42" | (2) Ends (1) Center Beam (6) 42" Retainer Arms and Hardware | | | |
| TR3030 | Tree Display Double - 30" | (2) Ends (1) Center Beam (8) 30" Retainer Arms and Hardware | | | |
| TR3043 | Tree Display Extension - 42" | (1) End (1) Center Beam (6) 42" Retainer Arms and Hardware | | | |
| TR3031 | Tree Display Extension - 30" | (1) End (1) Center Beam (8) 30" Retainer Arms and Hardware | | | |
| TR3041 | Tree Display Sign | 11" x 7" with Retaining Clip | | | |

E-ZY MINI BASKET ARBOR







The Mini Basket Arbor is designed to be an extra sales tool compact enough to place almost anywhere, yet holding enough product to have real sales impact! It holds 42 full 10" hanging baskets and assembles with wing nuts.



WREATH DISPLAY OPTION:

Use our Mini Arbor year 'round with this option. Beautifully displayed wreaths at your customer's eye level for easy reach. Holds one of the following:

- · (80) 12" wreaths
- · (48) 24" wreaths
- · (16) 36" wreaths

CASTER OPTION:

Make it an E-zy to roll, portable display unit. Load it up and wheel it at the front of your retail sight for roadside display. At closing time, just wheel inside! Includes: 4 heavy-duty 5" polyolefin casters.

| CATALOG # | DESCRIPTION | |
|-----------|-----------------------------------|--|
| 11-102031 | Arbor ONLY (3.5' W x 6' L x 7' H) | |

E-ZY BASKET ARBOR

Our basket arbors are built to last and designed to make you a profit immediately! Now you can display all your hanging baskets in one attractive, money-making area without the hassle and expense of trying to build your own display. These units are deisgned for quick and easy assembly on almost any surface. Put one up and watch those baskets SELL, SELL, SELL!

SPECIFICATION

- · Bows: 1.315 14-gauge steel tubing.
- Purlins: 1.315 17-gauge steel tubing
- · Arbor height at peak: 8'.
- · Swedged bow slides easily into center pieceand is fastened with a 1/4" x 2" carriage bolt and nut.



Displays between 50-150 10" hanging baskets!

| Catalog # | Description |
|-----------|---|
| 11-100091 | 9½' x 8' E-zy Basket Arbor w/ 2 bows & 8 Purlins |
| 11-100092 | 9½' x 12' E-zy Basket Arbor w/ 3 Bows & 8 Purlins |
| 11-100093 | 9½' x 20' E-zy Basket Arbor w/ 3 Bows & 8 Purlins |
| 11-101990 | 8' Arbor Add-On w/ 1Bow & 8 Swedged Purlins |
| 11-101990 | 12' Arbor Add-On w/ 1Bow & 8 Swedged Purlins |
| 11-101990 | 12' Arbor Add-On w/ 2 Bows & 8 Swedged Purlins |

THE NEWEST WAY TO DISPLAY **YOUR HANGING BASKETS!**



BASKETS GET SEEN AND SOLD WHEN DISPLAYED ON OUR E-ZY BASKET **CURVE DISPLAY!**

The all steel construction of our 12' Starter Unit assembles easily to generously display 36 or more full-bloom spreading baskets with enough spacing to avoid damage. The continuous curve of color will WOW your customers and your basket sales!

Really knock their socks off with two E-ZY Basket Displays loaded on either side of your entrance or for impulse buys at the check out!

| Catalog # | Description |
|-----------|--|
| 11-159120 | E-ZY Basket Curve 12' Starter Unit |
| 14-644288 | Banner Bar |
| 93-032500 | Custom Banner to fit Banner Bar (30" x 120") |





CARTS



Our durable metal and polypropylene garden carts are just what you have been looking for to transport all your gardening needs. Designed for durability and manufactured in Canada, these carts are sure to satisfy.



| CATALOG # | OG # ITEM # DESCRIPTION | | |
|---|-------------------------|---|--|
| 35-901001 | 3548 | Plastic Green Wagon (20" x 38" deck) | |
| 35-902101 | 20x38W | Small Metal Green Cart (20" x 38" deck) | |
| 35-901101 | 3562 | Poly Green Double Deck Push Cart (20" x 38" deck) | |
| 35-904010 3910-G Poly Crate Wagon - Green (30" x 46" deck) | | | |
| 35-903131 4WGC-D 4-Wheel Double Deck Push Cart w/ 16" Pneumatic Tires (24" x 48" deck) | | | |
| Carts come with standard pneumatic tires. UPGRADE TO FLAT FREE TIRES FOR AN ADDITIONAL \$25/CART | | | |

FLAT-FREE TIRES MARATHON

For Carts, Hand Trucks, "Our flat-free tires go the distance!" Sprayers, Wheelbarrows, etc.

If you know the hassle of a flat tire, then you need our new Flat-Free Tire. These tires are Maintenance Free and mounted on heavy-duty steel rims with shielded ball bearings. You'll never have to add air or fix a flat.



Flat-Free Tires are made of amazing micro-cellular polyurethane foam which is comprised of trillions of tiny air pockets - eliminating flats, while creating the bounce and load handling characteristics of conventional air filled tires. Polyurethane, unlike rubber, is not affected by damaging UV sun rays.

Outer Skin

The non-marking tough outer skin is more than twice as strong as rubber. It is also abrasion, chemical and ozone resistant.

Performance

Flat-Free Tires look and feel like air filled tires. They are designed to mimic air filled tires. Best of all they never go flat and they are more than two times stronger than rubber tires.

Capacity

Same as pneumatics

Durability

Outer skin is tougher than pneumatics

Performance

Designed to perform just like a pneumatic tire with the benefit of NO FLATS!

How Much Do Flats Really Cost?

\$30.00 Cost per flat tire:


(labor, parts, downtime, etc.)

Number of flats per year:

(average varies by region)

Total Cost: \$120.00 (pneumatic tires)

| CATALOG # | TIRE DIAMETER/ DESCRIPTION | воот | BEARING SIZE | TIRE MODEL # |
|-----------|-------------------------------|-------|--------------------|--------------|
| 35-810800 | 16" Flat Free Rib | 00005 | 5/8" C-hub-4" | 4.80/4.00-8 |
| 35-810801 | 16" Flat Free Rib | 00061 | 3/4" C-hub-4" | 4.80/4.00-8 |
| 35-830800 | 16" Flat Free Knob | 00047 | 5/8" C-hub-6" | 4.80/4.00-8 |
| 35-820810 | 10.5" Flat Free Saw Tooth | 00010 | 5/8" O/S-hub-2.25" | 4.10/3.50-4 |
| 35-820820 | 10.5" Flat Free Saw Tooth | 00011 | 3/4" O/S-hub-2.25" | 4.10/3.50-4 |
| 35-820814 | 10.5" Flat Free Saw Tooth | 00014 | 5/8" O/S-hub-4" | 4.10/3.50-4 |
| 35-820830 | 10.5" Flat Free Saw Tooth | 00020 | 5/8" C-hub-3" | 4.10/3.50-4 |
| 35-840850 | 8.5" Flat Free Jag | 00026 | 1/2" C-hub-3" | 2.80/2.50-4 |
| 35-840860 | 8.5" Flat Free Jag Swivel | 00316 | N/A | 2.80/2.50-4 |
| 35-840861 | 8.5" Flat Free Jag Rigid | 00315 | N/A | 2.80/2.50-4 |



GOOD THINGS MAY COME IN SMALL PACKAGES, BUT GREAT THINGS COME IN THE WORKS!

| 30 | ' x 96' THE WORKS Greenhouse |
|----|--|
| I | 30' x 96' Gothic Midwall Greenhouse Frame, 4' bow spacing 3-purlins |
| ı | Crossbrace Assemblies every other bow |
| 2 | 4-Year Clear Poly 48' x 100' Sheet (For Double Layer) |
| ı | Inflation Fan 180cfm w/ wiring kit |
| ı | Poly Lock - Universal Spring Lock & Double Quick Lock |
| 2 | 96' Long E-ZY Roll-Up Side Vents |
| 2* | PDP25OA Modine Heaters 115V. Standing Pilot (*specify natural gas or propane heater) |
| 2 | In-Line Single Stage Thermostats |
| 4 | 20" E-ZY Breeze Circulating Fans |
| 2 | End Wall Kits with Steel Frame & Twin Wall Polycar- bonate |
| 1 | 4' x 8' Sliding Polycarbonate Door |
| 2 | 36" Exhaust Fan Assembly Two Speed 115V. 1HP |
| 2 | 57" Inlet Shutter with Motor 115V. |
| 2 | In-Line Two Stage Thermostat |
| | Call for THE WORKS Final Price |

| 30 | 30' x 48' THE WORKS Greenhouse | | | | |
|----|--|--|--|--|--|
| ı | 30' x 48' Gothic Midwall Greenhouse Frame, 4' bow spacing 3-purlins | | | | |
| I | Crossbrace Assemblies every other bow | | | | |
| 2 | 4-Year Clear Poly 48' x 100' Sheet (For Double Layer) | | | | |
| ı | Inflation Fan 60cfm w/ wiring kit | | | | |
| ı | Poly Lock - Universal Spring Lock & Double Quick Lock | | | | |
| 2 | 48' Long E-ZY Roll-Up Side Vents | | | | |
| 1* | PDP25OA Modine Heaters 115V. Standing Pilot (*specify natural gas or propane heater) | | | | |
| 1 | In-Line Single Stage Thermostats | | | | |
| 2 | 20" E-ZY Breeze Circulating Fans | | | | |
| 2 | End Wall Kits with Steel Frame & Twin Wall Polycar- bonate | | | | |
| 1 | 4' x 8' Sliding Polycarbonate Door | | | | |
| 1 | 42" Exhaust Fan Assembly Two Speed 115V. 1HP | | | | |
| 1 | 39" Inlet Shutter with Motor 115V. | | | | |
| 1 | In-Line Two Stage Thermostat | | | | |
| | Call for THE WORKS Final Price | | | | |

30' Gothic Specifications:

Bows:

1.66, 14 gauge Gatorshield® tubing

Purlins:

1.315, 18 gauge Gatorshield® tubing

30' Standard-Wall:

 Height At Peak: 12'0" • Height 3' from Side: 6'3"

• Groundpost: 36" (4" above ground)

· Poly Width: 42'

30' Mid-Wall:

· Height At Peak: 13'8" Height 3' from Side: 8'1"

• Groundpost: 54" (26" above ground)

Poly Width: 48'

30' Hi-Wall:

• Height At Peak: 15'10" · Height 3' from Side: 10'4"

• Groundpost: 84" (54" above ground)

• Poly Width: 50'

Common lengths are priced below.



Our 30' E-zy Grower Gothic Greenhouse is ENGINEER CERTIFIED to support snow loads of 35 lbs/square foot. (certified for continuously heated greenhouse with bows 4' o.c. and crossbraces every 8').

What does that mean?

It means that this is one tough greenhouse. It's designed to take the nastiest northern weather that Mother Nature has to offer. Wind, rain and snow are no match for this house. The secret is the slope of the bows, heavy wet snow can topple a regular greenhouse, but snow just can't cling to ours, it slides right off!

| STANDARD-WALL FRAMES | FRAME | Wire Polylock Package | Crossbrace Package (every 8 feet) | Endwall Frame (one end) EACH |
|--|-------|--------------------------|-----------------------------------|---------------------------------|
| 30' x 48' Frame - 4' bow spacing; 3 purlins | | | | |
| 30' x 48' Frame - 4' bow spacing; 5 purlins | | | | |
| 30' x 96' Frame - 4' bow spacing; 3 purlins | Conta | ct your regiona | l account manager c | ustom quote |
| 30' x 96' Frame - 4' bow spacing; 5 purlins | cal | II 1.800.468.401 | or 1 for details on a spe | cial quote |
| 30' x 144' Frame - 4' bow spacing; 3 purlins | | | | |
| 30' x 144' Frame - 4' bow spacing; 5 purlins | | | | |
| MID-WALL FRAMES | FRAME | Wire Polylock Package | Crossbrace Package (every 8 feet) | Endwall Frame (one end) EACH |
| 30' x 48' Frame - 4' bow spacing;3 purlins | | | | |
| 30' x 48' Frame - 4' bow spacing; 5 purlins | | | | |
| 30' x 96' Frame - 4' bowspacing; 3 purlins | Conta | ct your regiona | ıl account manager c | ustom quote |
| 30' x 96' Frame - 4' bow spacing; 5 purlins | cal | II 1.800.468.401 | or 1 for details on a spe | cial quote |
| 30' x 144' Frame - 4' bow spacing; 3 purlins | | | | |
| 30' x 144' Frame - 4' bow spacing; 5 purlins | | | | |

NEED A DIFFERENT LENGTH?

Call us to quote your CUSTOM length!

21' & 24' E-zy Grower Gothic Greenhouse

21' Gothic Specifications:

Bows: 1.315, 14 gauge Gatorshield® tubing

Purlins: 1.315, 18 gauge Gatorshield® tubing

21' Standard-Wall:

- Height At Peak: 10'3"
- Height 3' from Side: 5'11"
- Groundpost: 36" (4" above ground)
- Poly Width: 32'

21' Mid-Wall:

- Height At Peak: 11'9"
- Height 3' from Side: 7'5"
- Groundpost: 54"
 (26" above ground)
- Poly Width: 36'

24' Gothic Specifications:

Bows: 1.315, 14 gauge Gatorshield® tubing

Purlins: 1.315, 18 gauge Gatorshield® tubing

24' Standard-Wall:

- Height At Peak: 12'0"
- Height 3' from Side: 6'3"
- Groundpost: 36"
 (4" above ground)
- Poly Width: 36'

24' Mid-Wall:

- Height At Peak: 13'8"
- Height 3' from Side: 7'6"
- Groundpost: 54"
 (26" above ground)
- Poly Width: 40'



| STANDARD-WALL FRAMES | Frame | Wire Polylock Package | Crossbrace Package (every 8 feet) | Endwall Frame (one end) EACH |
|---|---------|--------------------------|---|---------------------------------|
| 21' x 48' Frame - 4' bow spacing; 1 purlins | | | | |
| 21' x 48' Frame - 4' bow spacing; 3 purlins | | | | |
| 21' x 96' Frame - 4' bow spacing; 1 purlins | | | | |
| 21' x 96' Frame - 4' bow spacing; 3 purlins | Contact | your regional a | ccount manag | er custom quote |
| 24' x 48' Frame - 4' bow spacing; 1 purlins | call 1 | .800.468.4011 f | or or details on a | special quote |
| 24' x 48' Frame - 4' bow spacing; 3 purlins | | | | |
| 24' x 96' Frame - 4' bow spacing; 1 purlins | | | | |
| 24' x 96' Frame - 4' bow spacing; 3 purlins | | | | |
| MID-WALL FRAMES | Frame | Wire Polylock | Crossbrace | Endwall Frame |
| | Traine | Package | Package (every 8 feet) | (one end) EACH |
| 21' x 48' Frame - 4' bow spacing; 1 purlins | Traine | Package | | |
| | Traine | Package | | |
| 21' x 48' Frame - 4' bow spacing; 1 purlins | Traine | Package | | |
| 21' x 48' Frame - 4' bow spacing; 1 purlins 21' x 48' Frame - 4' bow spacing; 3 purlins | | | (every 8 feet) | |
| 21' x 48' Frame - 4' bow spacing; 1 purlins 21' x 48' Frame - 4' bow spacing; 3 purlins 21' x 96' Frame - 4' bow spacing; 1 purlins | Contact | | (every 8 feet) | (one end) EACH |
| 21' x 48' Frame - 4' bow spacing; 1 purlins 21' x 48' Frame - 4' bow spacing; 3 purlins 21' x 96' Frame - 4' bow spacing; 1 purlins 21' x 96' Frame - 4' bow spacing; 3 purlins | Contact | your regional a | (every 8 feet) | (one end) EACH |
| 21' x 48' Frame - 4' bow spacing; 1 purlins 21' x 48' Frame - 4' bow spacing; 3 purlins 21' x 96' Frame - 4' bow spacing; 1 purlins 21' x 96' Frame - 4' bow spacing; 3 purlins 24' x 48' Frame - 4' bow spacing; 1 purlins | Contact | your regional a | (every 8 feet) | (one end) EACH |

Need a different length?


Call us to quote your CUSTOM length!

E-zy Grower Structures Gothic Arch Style

Our E-zy Grower Gothic Arch greenhouse frames are designed to shed heavy wet snows better than any other design. Manufactured from Allied Gatorshield® steel tubing, our frames are built tough to withstand harsh winter weather. Available in three widths; 21', 24', and 30'. All three widths use a standard size of poly covering, which eliminates the annoying task of special ordering poly! Our basic frame package includes bows, ground posts, purlin, kneebraces, hardware, clamps, & instructions. And, as always, custom lengths are not a problem. Simply call our Sales Team for your specialized quote today.

Other items you may need to consider for your new greenhouse structure:

- Polyethylene or Polycarbonate covering
- Inflation Blower
- · Horizontal Air Flow (HAF) Fans
- · Exhaust Fans and Shutter
- Heaters
- Thermostats
- Ground Covering
- Benches



GREENHOUSE PACKAGE ADDITIONS (OPTIONAL):

Call us for a Quick Quote on greenhouse frames or optional packages.

We have many packages for you to choose from. Mix & match or let our sales team help you decide. Don't spend your valuable time trying to figure out which parts you need....

Simply choose a structure size and pick the packages!

CROSSBRACE PACKAGE:

Crossbraces are designed to add extra support to the structure. Steel crossbars are attached with clamps to short truss pieces and hung near the peak of structure at least every other bow. We highly recommend this option especially on any structure that is exposed to adverse weather conditions.

POLY ROLLUP SIDE VENTS:

A natural, eco-friendly means of ventilating the greenhouse. Poly is secured onto round steel tubing which rolls up and down guide posts by a gear box at one end and guiding box at the opposite end. We offer specific options within this package to meet your individual operating needs.

SLIDING DOOR PACKAGE:

Sold complete or a la carte. Frame is all steel construction which supports aluminum extrusions that secure 8mm polycarbonate. Doors hang from sturdy track, trolley and hardware supplied.

ENDWALL PACKAGE:

This package can be tailored to your needs. Order the endwall frame only, complete with all the steel and hardware for the gable end. Or you may add poly or rigid 8mm polycarbonate for a permanent clear gable end.

POLY LOCK PACKAGE:

Package includes enough aluminum Poly Spring Lock and Wire Insert to secure poly to base boards at both sides of structure and enough Universal Spring Lock and Wire Inserts to secure poly at both end bows.




| STANDARD-WALL FRAMES | Frame | Wire Polylock Package | Endwall Frame(one end) EACH |
|--|-------|-----------------------|-----------------------------|
| 20' x 48' Frame - 4' bow spacing; 1 purlin | | | |
| 20' x 48' Frame - 4' bow spacing; 3 purlins | | | |
| 20' x 96' Frame - 4' bow spacing; 1 purlin | | | |
| 20' x 96' Frame - 4' bow spacing; 3 purlins | | Call for Pr | icing |
| 20' x 144' Frame - 4' bow spacing; 1 purlin | | | |
| 20' x 144' Frame - 4' bow spacing; 3 purlins | | | |

NOTE: FOR BETTER RIGIDITY, WE RECOMMEND A MINIMUM 4' SPACING BETWEEN BOWS. WE WILL QUOTE OTHER SPACING OPTIONS AT CUSTOMER'S REQUEST.

NEED A DIFFERENT LENGTH?

Call us to quote your CUSTOM length!



The E-zy Grower Winter Chalet is designed to protect your valuable nursery stock, perennials, roses, bedding plants and more from snow loads, strong winds and other bad weather. The E-zy Grower Winter Chalet is well engineered for long term economic overwintering, storage and growing space. The 15' Winter Chalet bow is made of a single piece of curved steel. While the 20' Winter Chalet bow uses two pieces of curved steel, one side swedged to fit into the other.

15' Winter Chalet Specs:

Bows: 1", 14 gauge tubing Purlins: 1.315, 18 ga tubing

- Height At Peak: 7'3"
- Height 3' from Side: 5'9"
- Groundpost: 24"
- (2" above ground)
- Poly Width: 24'

20' Winter Chalet Specs:

Bows: 1.315", 14 ga tubing **Purlins:** 1.315, 18 ga tubing

- Height At Peak: 10'0"
- Height 3' from Side: 8'0"
- Groundpost: 36"
- (2" above ground)
- Poly Width: 32¹

| 15' WINTER CHALET FRAMES | Frame | Wire Polylock Package | Endwall Frame(one end) EACH |
|--|------------------|-----------------------|-----------------------------|
| 15' x 48' Frame - 4' bow spacing; 1 purlins | | | |
| 15' x 96' Frame - 4' bow spacing; 1 purlins | | O-II for Del | |
| 15' x 144' Frame - 4' bow spacing; 1 purlins | Call for Pricing | | cing |
| 15' x 192' Frame - 4' bow spacing; 1 purlins | | | |
| 20' WINTER CHALET FRAMES | Frame | Wire Polylock Package | Endwall Frame(one end) EACH |
| 20' x 48' Frame - 4' bow spacing; 1 purlins | | | |
| 20' x 96' Frame - 4' bow spacing; 1 purlins | | Call for Pri | cing |
| 20' x 144' Frame - 4' bow spacing; 1 purlins | | | |

NEED A DIFFERENT LENGTH?

Call us to quote your CUSTOM length!




GUTTER CONNECTED STRUCTURES

- SUPERIOR STRENGTH SQUARE TUBE DESIGN
- GOTHIC ARCH PROFILE



- THE ECONOMICAL **ALTERNATIVE**
- SIMPLE INSTALLATION







Gutter connected performance at cold frame prices




SQUARE tube ground stakes & bows



Large easy to walk in gutters

SPECIFICATIONS



| 7'-4" | SIDEWALL (A) | |
|-------|------------------|--|
| 8'-8" | UNDER GUTTER (B) | |

| width | C | D | E |
|-------|--------|--------|---------|
| 16' | n/a | n/a | 11'-10" |
| 20' | n/a | 11'-4" | 12'-10" |
| 24' | 9'-9" | 12'-4" | 14'-4" |
| 30' | 11'-5" | 15'-4" | 17'-4" |
| 35' | 11'-3" | 16'-4" | 19'-4" |

8'-4" SIDEWALL (A) 9'-8" UNDER GUTTER (B)

| width | C | D | E |
|------------|------------------|------------------|--------------------|
| 16' | n/a | n/a | 12'-10" |
| 20' | n/a | 12'-4" | 13'-10" |
| 24' | 10'-9" | 13'-4" | 15'- 4" |
| 30' | 12'-5" | 16'-4" | 18'- 4" |
| 35' | 12'-3" | 17'-4" | 20'- 4" |
| 24' 30' | 10'-9" 12'-5" | 13'-4" 16'-4" | 15'- 4' 18'- 4' |

9'-4" SIDEWALL (A) 10'-8" UNDER GUTTER (B)

| width | C | D | E |
|-------|--------|--------|---------|
| 16' | n/a | n/a | 13'-10" |
| 20' | n/a | 13'-4" | 14'-10" |
| 24' | 11'-9" | 14'-4" | 16'- 4" |
| 30' | 13'-5" | 17'-4" | 19'- 4" |
| 35' | 13'-3" | 18'-4" | 21'- 4" |

C* Optional cross bar and "W" style truss D* Standard cross bar Custom Sidewall heights available

ACCESSORIES AND EQUIPMENT

ROLL-UP/DROP DOWN CURTAINS • EXHAUST FANS • INLET LOUVERED VENTS • HEATING SYSTEMS • DOORS • EVAPORATIVE COOLING SYSTEMS • CIRCULATION FANS • ENVIRONMENTAL CONTROLS • BENCHES • IRRIGATION PACKAGES • RACK AND PINION RIDGE VENTS



CALL 800.468.4011 FOR A QUOTE!

TRAC-RITE® Doors

MINIMAL LEAD TIME CALL US FOR A QUOTE TODAY!

SO EASY TO INSTALL, WE INSTALLED ONE AT **OUR WAREHOUSE!**

- · Easy installation
- Low maintenance
- Rust-resistant
- Smooth, quiet operation
- · Available for most any door opening with custom sizes up to 16 feet.
- 10-year EP3 Spring Warranty
- Space guard security latch



• Eleven standard pre-finished colors 5. DOOR CURTAIN ASSEMBLY **Optional Accessories:** 4. AXLE Jam Brush Seal OPTIONAL DRAFT STOP WARNING Header Draft Stop LABEL 1. LIVE AXLE ASSEMBLY Hood 3. SPRING · Factory Installed Insulation · Interior Lock TENSION WHEEL 11. DOOR STOP 7. (LH) DOOR BRACKET 10. MOUNTING FASTENERS (WOOD, MASONRY, METAL) OPTIONAL SPACEGUARD LOCK 9. SPACEGUARD LATCH 8. DOOR GUIDE OPTIONAL MASONRY CLIP 13. PULL ROPE HANDLE 12. EXTERIOR HANDLE 6. BOTTOM ASSEMBLY KEEPER (PART OF 11) 944 Series Pictured


WEAR GUARD

QUICK & E-ZY SLIDING DOORS









STANDARD DOOR SIZE KITS:

3' x 8' DOOR

Steel Frame Only

Track, Trolly, Hardware

Polycarbonate Covering & Aluminum Extrusions

4' x 8' DOOR

Steel Frame Only

Track, Trolly, Hardware

Polycarbonate Covering & Aluminum Extrusions

5' x 8' DOOR

Steel Frame Only

Track, Trolly, Hardware

Polycarbonate Covering & Aluminum Extrusions

6' x 8' DOOR

Steel Frame Only

Track, Trolly, Hardware

Polycarbonate Covering & Aluminum Extrusions


NEED A SPECIAL SIZE? NO PROBLEM!

We can easily customize almost any size door frame. Call our Sales Team at 800.468.4011 for your personal quote today!

Door Track

Rollformed from galvanized steel and can support

up to 400 lbs. It is used not only as a door track, but also to construct our E-zy Door Frames.



| CATALOG # | DESCRIPTION |
|-----------|----------------|
| 17-630106 | 6' Door Track |
| 17-630108 | 8' Door Track |
| 17-630110 | 10' Door Track |
| 17-630112 | 12' Door Track |

Door Hangers

Door Hanger:

An economical nylon-bearing hanger typically used on metal frame doors weighing up to 400 lbs. The drop bolt installs vertically through top frame member of door. Vertical adjustment only. Steel wheels, frame and axles with solid nylon bearings.



7" Door Handle



| CATALOG # | DESCRIPTION |
|-----------|----------------------|
| 17-650700 | 7" Door Handle 1XMY8 |

STAY ROOLS

Stay Roll 93: For floor-mounted applications. Includes lag

screw and expansion shield. Steel with hard rubber wheel.

Stay Roll: A compact stay roll which installs at the base of the jamb on each side of the door opening to guide the sliding door during operation. Adjustable for doors up to 2-1/2". Steel w/ lexan

wheel. Use 1/4" tek screw or 1/4" bolt with a washer and nut to attach Stay Roll to metal surfaces.

| CATALOG # | DESCRIPTION |
|-----------|---------------|
| 17-609300 | Stay Roll #93 |
| 17-600468 | Stay Roll |

BRASKETS

Single Side Bracket:

Used for face mounted applications requiring a single run of Track #301. The front of the bracket pivots outward, allowing for easy installation of the Door Track #301. Attaches with a 3/8" hex head bolt with a washer and nut for most applications.



Single Ceiling Bracket #3-301:

Used for ceiling mounted application requiring a single run of Track #301.



Single Corrugated Metal Bracket #7-301:

Typically used on buildings with corrugated metal siding. This bracket is designed to be installed between siding ribs. Slot adjustment allows track to clear ribs up to 1-1/4" high. The triangular bracket provides support for a custom fabricated watershed cover, when required.



| CATALOG # | DESCRIPTION |
|-----------|--|
| 17-611301 | Single Side Bracket |
| 17-613301 | Single Ceiling Bracket, #3-301* |
| 17-617301 | Sngl Corrugated Metal Bracket, #7-301* |

VENT CONTROL SYSTEMS



VC-100A VENT DRIVE

FEATURES

- 1/20 Horsepower TENV, Continuous Duty
- 115 Volt 60 Hz .68 amp
- 1600 RPM motor: Total gear reduction 1900:1; Final output .84 RPM



- Output torque 500 in. lb./56 Nm
- Lifts up to 75' of 4' polycarbonate roof ridge vent or 125' of 4' polycarbonate side vent
- · Thermal overload protection automatic reset
- Quick reversing
- Adjustable torque limit switch assembly
- · Output gear reducer: worm gear with tapered roller bearing on output shaft immersed in synthetic grease
- · Dual output shaft

VC- 2000 VENT DRIVE

FEATURES

- 1/20 Horsepower TENV, Continuous Duty
- 115 Volt 60 Hz 2.5amp
- · 1600 RPM motor: Total gear reduction 550:1; Final output 3



- · Output torque 1500 in. lb./169 Nm
- Lifts up to 325' of 4' polycarbonate roof ridge vent or 400' of 4' polycarbonate side vent
- · Thermal overload protection automatic reset
- · Quick reversing
- · Adjustable torque limit switch assembly
- Output gear reducer: worm gear with tapered roller bearing on output shaft immersed in synthetic grease
- Dual output shaft

CONTROL

FEATURES

- 5 Stages: 2 stages of heating and 3 stages of cooling
- Day and night temp settings simply turn the two knobs to indicate the desired temps
- · Controls most heating and cooling equipment
- · Energy savings through programmable lockout of stages
- · Modulating output voltage for proportional steam and hot water valves
- · Equipment comes on gradually after a power failure
- · Color-coded manual override toggle switches
- Replaceable 10 amp DPDT load relays, can operate a wide variety of equipment - these relays reduce the cost of your contactor panel
- Durable corrosion-resistant cabinet with locking door protects your control: 16" x 16" x 5"
- Solar-guarded aspirated temperature sensor and 100' of cable

STEP UP CONTROLTM

FEATURES

- · 6 Stages: 2 stages of heating and 4 stages of cooling - Easily adjust the temp for each stage
- · 3 set point temp periods day,night DIF; auto adjusts based on sunrise and sunset



- · Modulates vents and curtains
- 1 analog output (0 to 10DC or 4-20 milliamps) to control variable-speed fans and modulating valves
- · Cycle timer
- · Alarm output
- Password protection
- · Easy to use knob and button interface
- Large menu-driven screen displays current temp, time, date, grow weeks, equipment status, etc.
- Records the temp in 15-minute increments and stores it for
- · Logs and graphs data
- · High, low and average temperatures
- Timed override switches in addition to the manual override toggle switches
- · Stores settings in the event of a power failure
- · Optional humidity sensor
- Durable corrosion-resistant cabinet: 9.5" x 6.25" x 3.75"

4-STAGE CONTROL

FEATURES

- · 4 stages of heating or cooling
- Solar-shielded temperature sensor with 75' of shielded cable
- · LCD screen displays current temperature, mode and outputstatus



- · Keypad provides easy operation
- Fahrenheit or Celsius scale
- NEMA 4 enclosure, 9" x 5.5" x 3"

MINISTEPTM CONTROL

FEATURES

#M-4010

- · 1 stage of heat
- · 3 stages of cooling
- · LCD display of current temperature, mode and output status
- · Keypad provides easy operation
- Set point range: -40° to 220° F
- Durable corrosion-resistant cabinet: 16" x 14" x 6"



CALL FOR CURRENT PRICING. ALL PRICES ARE F.O.B. ARVADA, CO

E-ZY GROWER POLY ROLL-UP VENTS


The E-ZY Grower Roll-up Vent is an economical way of providing seasonal ventilation for both Free-standing and Gutterconnected houses. The design incorporates a manual gear box with brake and locks, which rolls along a fixed guide at one end of the building and a guided bearing installed at the far end. Poly sheeting rolls up and down on a steel roll tube along side the structure at desired length.

E-zy Gear Box with Crank Handle: Our fabricated unit offers user a 10:1 turn ratio for ease of rolling. Specify if using with standard swedge pipe or our E-zy Roll Tube for correct splice connector. Fits 1.315 guide pipe.




Kankit 104:

Quickly cranks roll-up vent with 4:1 turn ratio. Distinctive green plastic housing fits on 3/4" quide post.



- 1) E-ZY Roll Tube has built-in spring lock track to easily secure poly to tube with zigzagging wire insert. Connector is supplied to join tube pieces end to end for desired vent length.
- 2) Swedged Roll Tube is 14-gauge steel swedged at the ends to join pieces end to end for desired vent length. Poly is attached with economical poly vent clips or Aluminum lath may be tek screwed as a cap over poly.





COMPLETE ROLL-UP VENT WITH E-ZY ROLL

GROWER

| TUBE | | |
|------|-------------|--|
| | 48' Length | |
| | 96' Length | |
| | 144' Length | |

COMPLETE ROLL-UP VENT WITH SWEDGED **ROLL TUBE**

- 48' Length with Aluminum Lath attachment
- 96' Length with Aluminum Lath attachment
- 144' Length with Aluminum Lath attachment

ROLL-UP VENT BASE UNIT(SPECIFY 10:1 OR 4:1 GEAR BOX)

Includes: Gear Box with Crank Handle, Guide Box, Guide Posts, & Hardware *Specify if you have straight or curved greenhouse side walls.

1 - 4 \$259.00

5 - 9 \$239.00

| PARTS LIST: | | | |
|-------------------|--|---|--|
| Catalog # | Item # | Description | |
| 12-403301 | RVM301 | Gear Box w/ Crank Handle (*specify tube splice adapter) | |
| 12-010104 | 104 | Kankit Gear Box w/ Crank Handle | |
| 12-403303 | RVM303 | Guide Box | |
| 12-403304 | RVM304 | Crank Handle (for E-zy Gear Box) | |
| 12-403319 | RVM319 | 6' Guide Post, 1.315 18ga | |
| 12-403321 | RVM321 | Guide Post L - Bracket | |
| 12-403317 | RVM317 | Swedged Tube Adapter | |
| 12-403323 | RVM323 | Poly Vent Clips Opyion (to secure poly on swedge roll tube) | |
| 13-091193 | | Aluminum Lath 16'1" | |
| 12-403316 | RVM316 | E-ZY Roll Tube Splice | |
| 28-997550 | | Black Web Tape 1 3/4" x 514' | |
| 17-111075 | | #10 x 3/4" Tek Screws for Lath | |
| *Round Splice for | *Round Splice for Swedged Roll Tube, Square Splice for E-zy Roll Tube. | | |

E-ZY GROWER ROOF & RIGID SIDE VENTS

NATURAL VENTILATION

Our E-zy Grower Vents can be adapted to most structures and work great for replacement of old worn out vents. Made with heavy duty aluminum extrusions and covered with polycarbonate. Our vents will give years of troublefree use. The Ridge Vent is used to allow warm air to rise out through the top of the greenhouse, while cool air comes in through the Side Vent. Both styles are available in custom lengths and widths.





KIT INCLUDES:

- Rigid aluminum frame extrusions
- Hardware
- Instructions



CALL US FOR YOUR CUSTOM VENT QUICK QUOTE!





POWERRACK TM RACK &


PINION PACKAGE

Can you see the difference?

Successful growers can. It's the unrivaled quality built into every PowerRack™ rack and pinion. While some rack arms are dry cut, the teeth on Wadsworth's PowerRack™ arms are cut under an oil bath to minimize sharp edges and assure smooth operation. The holes in the pinion housing are punched with a precision stamping tool to maintain exact spacing. All clevis pins, cotterpins and set screws are made from quality stainless steel.

Why Curved?

The curved PowerRack™ rack & pinion is designed to give additional clearance (54" radius) when space is tight. When a straight rack might interfere with a curtain or aisle, growers find the curved rack to be the answer!




PowerRack Packages: Complete with rack, pinion with housing and sash bracket

| Item # 1-3/8" | Item # 1-5/8" | STRAIGHT RACK | | |
|------------------|------------------|--|--|--|
| M-2636 | M-2736 | 36" PowerRack Package w/ straight rack | | |
| M-2642 | M-2742 | 42" PowerRack Package w/ straight rack | | |
| M-2648 | M-2748 | 48" PowerRack Package w/ straight rack | | |
| M-2653 | M-2753 | 53" PowerRack Package w/ straight rack | | |
| M-2666 | M-2766 | 66" PowerRack Package w/ straight rack | | |
| M-2672 | M-2772 | 72" PowerRack Package w/ straight rack | | |
| Item # 1-3/8" | Item # 1-5/8" | CURVED RACK | | |
| M-2836 | M-2936 | 36" PowerRack Package w/ curved rack | | |
| M-2842 | M-2942 | 42" PowerRack Package w/ curved rack | | |
| M-2848 | M-2948 | 48" PowerRack Package w/ curved rack | | |
| M-2853 | M-2953 | 53" PowerRack Package w/ curved rack | | |
| M-2866 | M-2966 | 66" PowerRack Package w/ curved rack | | |
| M-2872 | M-2972 | 72" PowerRack Package w/ curved rack | | |

All PowerRack Packages are special ordered, please allow ample time for delivery. 1-5/8" Shaft Opening (1.66 tubing) is also available, please request when ordering. All prices are FOB Arvada CO.

CURVED POWERRACK™ MOUNTED ON **GREENHOUSE WITH VENT IN A PARTIALLY OPENED** POSITION.



POWERRACKTM FEATURES:

- · Wide load-bearing surfaces.
- Replaceable Parts: Every part is replaceable using ordinary hand tools.
- Freedom from corrosion: Aluminum rack and housing, zinc pinion gear, tough nylatron bearings. Easy alignment: Rack works even when it's not perfectly square with vent.
- Economically priced.



CLOSEUP OF MOUNTED POWERRACK™ SASH BRACKET



CLOSEUP OF MOUNTED POWERRACK™

SHAFT HANGERS

Used to hold roll tube shaft on rack and pinion vent systems.



Place every 4-6 foot.


Available in 2 sizes: 1-3/8" and 1-5/8".

| Catalog# | Description |
|-----------|---------------------------------------|
| 12-130016 | Shaft Hanger, (for 1.315 OD) |
| 12-110006 | #S2806 Universal Shaft Hanger, 1-3/8" |
| 12-110008 | #S2808 Universal Shaft Hanger, 1-5/8" |

GROWSTAT CONTROL SERIES

Now individual greenhouse computer based control functions are available in a low cost, easy to install, package. Advanced features

include a large display, easy to use programming switches, and a lockable weatherproof enclosure. Will hold and display the high and low sensor readings for the past 24 hours. Separate day, night, and DIF settings are standard. 24 VAC low voltage operation, and include applicable sensors and cables. The Ventstat will operate any motorized greenhouse vent, roll-up, or retractable roof system. Up to eight stages of operation. Separate day, night, and DIF settings.






THE HAWK AUTOMATED CONTROLLER

FOR ROOF & SIDE ROLL-UP VENTS

The Hawk Controller is unique in design as it operates on both temperature and time, which eliminates constant opening and closing. The Hawk Controller gives you complete control, allowing you to set at what temperatures the vent will open and for how long. The Hawk controller is very accurate, opening the vent from one inch to six foot and will stay open for the amount of time you specify. The program may be easily changed to meet your needs throughout the season.



CONTROLLER

- 110 volt or 220 volt
- · Celsius or Fahrenheit
- · Digital readout controller
- · Accurate to one-tenth of one degree
- · Manual over-ride switches
- May extend sensor up to 500'

MOTOR

- · Self contained
- · Weather resistant seals
- · Electric brakes included 2 year warranty
- Uses only 3 amps
- 110 volt thermally protected motor
- The Roll-Up motor will operate up to 300' on either curved or flat walls.
- The Roof Vent motor will operate up to 250' of vent.


| CATALOG # | DESCRIPTION |
|----------------|-----------------------|
| 12-160-102 | Roll-Up Vent Operator |
| 12-160-101 | Roof Vent Operator |
| 12-160-100 | Controller |
| *F.O.B. OH MFG | |

Monorail Assembly Parts

RAIL STOPS

FOR RAIL SUPPORTS Used to stop and collect trolleys or

hangers on rails at desired points.



| Part | Tube | | C | imer | sions | | | Wt/100 | Pcs/ | |
|------|---------|--------|--------|------|--------|------|------|--------|--------|--|
| # | Size | A | В | С | D | E | F | Pcs | Carton | |
| 101 | 1-5/18" | 4-7/8" | 1-1/8" | 1" | 1-3/4" | 1/4" | 1/2" | 62 lbs | 100 | |



TROLLEY HEADS

Two wheel trolley head: 1" wide steel wheels

RAIL SUPPORTS

Designed for 3/4" pipe drop used with 1-5/16" (1.315) rail tubing.





| Part | Size | | | Dimensio | ons | | | Load | | Wt/ |
|------|--------|------|--------|----------|-----|----|--------|------------|-------|------------|
| # | I.P.S. | Α | В | С | D | E | F | Сар. | Mat'l | 100 Pcs |
| 0030 | 3/4" | 1/2" | 4-1/4" | 6-5/8" | 1" | 2" | 1-1/8" | 750 lbs | Steel | 80 lbs |

CLOSE RAIL SUPPORTS

This Close Rail Support bolts directly to angle iron, underside of beams and door frames. Used where other pipe suspensions are not practical.



| Part | | | Dimension | Load | | Wt/ | | |
|------|------|----------|-----------|----------|-------|---------|-------|------------|
| # | Α | В | С | D | E | Сар. | Mat'l | 100 Pcs |
| 2103 | 1/2" | 1-15/16" | 5-3/8" | 2-11/16" | 3/16" | 500 lbs | Steel | 160 lbs |

SPEED RAIL & SPEED

SPEED RAIL: Tubing swedged on one end used as rail for monorail cart to travel on. 1.315, 14 gauge galvanized steel.

SPEED CURVE: 1.315, 14 gauge galvanized steel tubing. Length: 6' long, swedged on one end. Use one 57° curve w/ curved switches to give a 90° turn.



SINGLE ARM BRACKETS

Uses U-Bolt to lock any type of upright support without slipping.

| David # | Size | | Dimensions | | | | | Wt. per |
|---------|--------|--------|------------|---------|--------|---------|----------|----------|
| Part # | I.P.S. | Α | В | С | D | E | F | 100 Pcs. |
| 2401 | 1" | 1-7/8" | 1/2" | 7-1/4" | 1-3/4" | 9" | 1-5/16" | 235 lbs. |
| 2402 | 1" | 1-7/8" | 1/2" | 10-1/4" | 1-3/4" | 12" | 1-5/16" | 300 lbs. |
| 2403 | 1" | 1-7/8" | 1/2" | 11-3/4" | 1-3/4" | 13-1/2" | 1-5/16" | 315 lbs. |
| 2404 | 1" | 2-1/8" | 1/2" | 13-1/4" | 1-3/4" | 15" | 1-5/16" | 335 lbs. |
| 2405 | 1-1/4" | 1-7/8" | 1/2" | 10-1/4" | 1-3/4" | 12" | 1-21/32" | 305 lbs. |
| 2406 | 1-1/4" | 1-7/8" | 1/2" | 11-3/4" | 1-3/4" | 13-1/2" | 1-21/32" | 320 lbs. |
| 2407 | 1-1/4" | 2-1/8" | 1/2" | 13-1/4" | 1-3/4" | 15" | 1-21/32" | 350 lbs. |
| 2410 | 2" | 2-1/8" | 1/2" | 13-1/4" | 1-3/4" | 15" | 2-3/8" | 370 lbs. |

| CATALOG # | CARTS |
|---|---|
| 18-036000 | Monorail Cart w/ 3 Shelves |
| 18-040000 | Monorail Cart w/ 4 Shelves |
| 18-050000 | Monorail Cart w/ 5 Shelves |
| NOTE: Does not | include shelf bottoms (Frame Only) |
| CATALOG # | SHELVES & INSERTS |
| 18-026000 | Monorail Shelf Frame Only |
| 20-020699 | Expanded Metal Shelf Inserts - 6' x 2' |
| 29-186024 | Polycarbonate Shelf Inserts - 6' x 2' |
| CATALOG # | SWITCHES |
| 18-502710 | #2710R Right Curved Lever Switch |
| 18-512710 | #2710L Left Curved Lever Switch |
| 18-242800 | #2810R Right Drop-Off Curved Switch |
| 18-452810 | #2810L Left Drop-Off Curved Switch |
| 18-242900 | #2910 Straight Lever Switch |
| 18-242610 | #2610 Straight Drop-Off Switch |
| 18-222151 | #2151 Master Switch, crss thru manual |
| 18-230201 | #2010RI Right Inside Master Switch |
| 18-231201 | #2010Ll Left Inside Master Switch |
| n/a | #2010RO Right Outside Master Switch |
| n/a | #2010LO Left Outside Master Switch |
| 18-262000 | #2751 Knife Switch (R-7) 20" Long |
| 18-212851 | #2851 Removable Bar Switch - 24" Long |
| CATALOG # | BRACKETS |
| | |
| 18-492401 | Single Arm Bracket #2401 |
| 18-492401 18-492402 | Single Arm Bracket #2401 Single Arm Bracket #2402 |
| | - |
| 18-492402 | Single Arm Bracket #2402 |
| 18-492402 18-492403 | Single Arm Bracket #2402 Single Arm Bracket #2403 |
| 18-492402 18-492403 18-492404 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 |
| 18-492402 18-492403 18-492404 18-492405 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-992111 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp |
| 18-492402 18-492403 18-492404 18-492405 18-492407 18-492407 18-492410 CATALOG # 18-992111 18-900031 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-992111 18-900031 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 Steel Clamp Set #0032 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-900031 18-900032 18-900033 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 Steel Clamp Set #0032 Steel Clamp Set #0033 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-900031 18-900032 18-900033 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 Steel Clamp Set #0032 Steel Clamp Set #0033 Steel Clamp Set #0034 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-900031 18-900032 18-900033 18-900034 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 Steel Clamp Set #0032 Steel Clamp Set #0033 Steel Clamp Set #0034 Steel Clamp Set #0035 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-900031 18-900032 18-900033 18-900034 18-900035 18-900136 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 Steel Clamp Set #0032 Steel Clamp Set #0034 Steel Clamp Set #0035 Steel Clamp Set #0035 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-992111 18-900031 18-900033 18-900034 18-900035 18-900136 18-721000 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 Steel Clamp Set #0032 Steel Clamp Set #0033 Steel Clamp Set #0034 Steel Clamp Set #0035 Steel Clamp Set #0036 #C15540 Two Wheel Trolley Head |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-900031 18-900032 18-900033 18-900034 18-900035 18-900136 18-721000 18-800300 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 Steel Clamp Set #0032 Steel Clamp Set #0033 Steel Clamp Set #0034 Steel Clamp Set #0035 Steel Clamp Set #0036 #C15540 Two Wheel Trolley Head Rail Support #C00300 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-992111 18-900031 18-900032 18-900035 18-900136 18-721000 18-800300 18-881010 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 Steel Clamp Set #0032 Steel Clamp Set #0033 Steel Clamp Set #0034 Steel Clamp Set #0035 Steel Clamp Set #0036 #C15540 Two Wheel Trolley Head Rail Support #C00300 Rail Stop #1010 |
| 18-492402 18-492403 18-492404 18-492405 18-492406 18-492407 18-492410 CATALOG # 18-992111 18-900031 18-900032 18-900034 18-900035 18-900136 18-721000 18-800300 18-881010 18-882103 | Single Arm Bracket #2402 Single Arm Bracket #2403 Single Arm Bracket #2404 Single Arm Bracket #2405 Single Arm Bracket #2406 Single Arm Bracket #2407 Single Arm Bracket #2410 CLAMPS & MORE #2111 Strap Clamp Steel Clamp Set #0031 Steel Clamp Set #0032 Steel Clamp Set #0033 Steel Clamp Set #0034 Steel Clamp Set #0035 Steel Clamp Set #0036 #C15540 Two Wheel Trolley Head Rail Support #C00300 Rail Stop #1010 Close Rail Support #2103 |

GATORSHIELD STEEL TUBING



| ROUND STEEL TUE | <u>BING</u> | | |
|------------------------|-----------------|-------|-------------|
| Catalog # | Size | Gauge | Bundle Qty. |
| 14-108288 | 1" x 24' | 18 | 127 |
| 14-104288 | 1" x 24' | 14 | 127 |
| 14-148195 | 1.315" x 16' 3" | 18 | 91 |
| 14-148288 | 1.315" x 24' | 18 | 91 |
| 14-144171 | 1.315" x 14' 3" | 14 | 91 |
| 14-144187 | 1.315" x 15' 7" | 14 | 91 |
| 14-144243 | 1.315" x 20' 3" | 14 | 91 |
| 14-144288 | 1.315" x 24' | 14 | 91 |
| 14-183288 | 1.625" x 24' | 13 | 61 |
| 14-204234 | 1.66" x 19' 6" | 14 | 61 |
| 14-204288 | 1.66" x 24' | 14 | 61 |
| 14-283288 | 1.9" x 24' | 13 | 61 |



| ROUND SWEDGED STEEL TUBING | | | | | | | |
|----------------------------|-----------------|-------|-------------|--|--|--|--|
| Catalog # | Size | Gauge | Bundle Qty. | | | | |
| 14-508288 | 1" x 24' | 18 | 127 | | | | |
| 11-600195 | 1.315" x 16' 3" | 18 | 91 | | | | |
| 14-544243 | 1.315" x 20' 3" | 14 | 91 | | | | |
| 14-204234 | 1.66" x 19' 6" | 14 | 61 | | | | |



| SQUARE STEEL TUBING | | | | | | | |
|---------------------|-------------|-------|-------------|--|--|--|--|
| Catalog # | Size | Gauge | Bundle Qty. | | | | |
| 15-108288 | 1" x 24' | 18 | 160 | | | | |
| 15-204240 | 1.25" x 20' | 14 | 121 | | | | |
| 15-204288 | 1.25" x 24' | 14 | 121 | | | | |
| 15-306288 | 1.5" x 24' | 16 | 81 | | | | |
| 15-402288 | 1.75" x 24' | 12 | 25 | | | | |
| 15-505288 | 2" x 24' | 15 | 25 | | | | |



| RECTANGULAR STEEL TUBING | | | | | | |
|--------------------------|---------------|-------|-------------|--|--|--|
| Catalog # | Size | Gauge | Bundle Qty. | | | |
| 16-106240 | 1" X 2" x 20' | 16 | 96 | | | |
| 16-106288 | 1" X 2" x 24' | 16 | 96 | | | |



ALUMINUM PROFILE/EXTRUSIONS

QUICK LOCK MALE INSERT


For use with Single & Double Quick Lock Base. The Quick Lock Male Insert turns easily into the Quick Lock Base to hold two layers of greenhouse poly cover. Poly is securely locked after air is inflated between the two poly layers to 'seat' the insert. When the time comes to change out poly a quarter turn of the insert is all you need to release it from the base.

| CATALOG # | DESCRIPTION |
|-----------|---------------------------|
| 13-041048 | 4' Quick Lock Male Insert |
| 13-041048 | 4' Quick Lock Male Insert |

QUICK LOCK BASE / DOUBLE & SINGLE

Recommended for use with double layer inflated poly only. Quickly and easily attach and replace double layer poly on your greenhouse frame with our rigid locking system. Use Single Quick Lock Base to attach poly to baseboards at the sides and ends of your greenhouse. We recommend 1/4" x 1" hex head bolts w/ nuts for attaching Single Quick Lock Base to a steel frame. Our Double Quick Lock Base is designed for use at the top of an Ezy-Grower Roll-up side vent to secure both roof and side wall poly in one base track. The double base is rigid enough to be attached across greenhouse bows (up to 5' spacing) with out horizontal support. Use #10 x 3/4" tek screws to attach to steel framing or 1/4" size bolts when attaching to wood.

Both Single and Double Quick Lock Bases are used in conjunction with Quick Lock Male Insert described above.



| | CATALOG # | DESCRIPTION |
|---|-----------|----------------------------|
| | 13-031144 | 12' Double Quick Lock Base |
| | 13-031288 | 24' Double Quick Lock Base |
| Ī | 13-021144 | 12' Single Quick Lock Base |
| | 13-021288 | 24' Single Quick Lock Base |


WIRE INSERT

The stainless steel wire insert, which is sotimes called a spring, will not change its' holding characteristics even with repeated use. When installing, simply pull the material across the base channel, and snap the soft wire insert into place to secure the material.



WIRE POLY LOCK

Use the steel Wire Poly Lock extrusion to secure poly along baseboards and along the curve of bows. We suggest hat two springs be used for added strength in windy




areas. Wire Poly Lock can be attached to most steel greenhouse frames. Secure with 1/4" x 1" tek screws every 18" when attaching extrusion to steel baseboards or bows. It is recommended to use 1/4" hex bolts with nuts when attaching extrusion to Greenhouse Frame.

| CATALOG # | DESCRIPTION |
|-----------|-------------------------|
| 13-061144 | 12' Wire Poly Lock Base |
| 13-061288 | 24' Wire Poly Lock Base |

UNIVERSAL Spring Lock

Universal Spring Lock easily, neatly and inexpensively finishes end walls. It securely attaches poly or shade cloth to any round, oblong or square




tubing and allows for 8mm polycarbonate or 'raised rib' sheets under its cap.

| CATALOG # | DESCRIPTIONS |
|-----------|---------------------------|
| 13-071240 | 20' Universal Spring Lock |
| 13-071288 | 24' Universal Spring Lock |

LARGE H PROFILE



Use the 8mm aluminum Large H profile to splice two pieces of polycarbonate together on any flat surface. The Large H profile can be attached to most steel greenhouse frames with 1/4" x 1" tek



| CATALOG # | DESCRIPTION |
|-----------|------------------------------|
| 13-101144 | 12' Large H Aluminum Profile |
| 13-101288 | 24' Large H Aluminum Profile |

SMALL H PROFILE

Use the 8mm aluminum Small h profile to attach and seal edges of polycarbonate to a structure. The Small h profile can be attached to most steel greenhouse frames with #10 x 3/4" tek screws.






| CATALOG # | DESCRIPTION |
|-----------|------------------------------|
| 13-111144 | 12' Small H Aluminum Profile |
| 13-111288 | 24' Small H Aluminum Profile |

ALUMINUM U-CHANNEL

Used with Bar Base to seal top and bottom edge of polycarbonate sheets.



| CATALOG # | DESCRIPTION |
|-----------|------------------------|
| 13-141144 | 12' Aluminum U-Channel |
| 13-141288 | 24' Aluminum U-Channel |

WIRE INSERT




The stainless steel wire insert, which is sotimes called a spring, will not change its' holding characteristics even with repeated use. When installing, simply pull the material across the base channel, and snap the soft wire insert into place to secure the material.

| Catalog # | Description |
|-----------|--------------------------------|
| 13-052048 | 4' Stainless Steel Wire Insert |

BAR BASE & BAR CAP


Bar Base and Bar Cap are used together to form a two-piece profile similar to the Large H profile. The advantage of having two separate pieces is that it makes attaching polycarbonate to a curved surface much easier. Bar Base can be attached to most steel greenhouse frames with #10 x 3/4" or 1/4" x 1" tek screws. Use Phillips PanHead Screws 1/2" long to attach BarCap to the Base every 12" to 18".



| CATALOG # | DESCRIPTION |
|-----------|---------------------------------|
| 13-121290 | 24'2" Bar Base Aluminum Profile |
| 13-131312 | 26' Bar Cap Aluminum Profile |

UNIVERSAL SPRING LOCK

Universal Spring Lock easily, neatly and inexpensively finishes end walls. It securely attaches poly or shade cloth to any round, oblong or square tubing and allows for 8mm polycarbonate or 'raised rib' sheets under its cap.




| CATALOG # | DESCRIPTIONS |
|-----------|---------------------------|
| 13-071240 | 20' Universal Spring Lock |
| 13-071288 | 24' Universal Spring Lock |

ALUMINUM LATH

Economical answer to attaching poly to round tubing! Aluminum Lath is used on the end bows of a steel greenhouse structure or an inexpensive alternative for attaching poly to roll tube for poly roll-up vents. Use 1/4" x 1" tek screws every 18" to secure.






| CATALOG # | DESCRIPTION |
|-----------|---------------------|
| 13-091193 | 16'1" Aluminum Lath |

QUICK LOCK BASE /Double & Single

Recommended for use with double layer inflated poly only.


Quickly and easily attach and replace double layer poly on your greenhouse frame with our rigid locking system. Use Single Quick Lock Base to attach poly to baseboards at the sides and ends of your greenhouse. We recommend 1/4" x 1" hex head bolts w/ nuts for attaching Single Quick Lock Base to a steel frame. Our Double Quick Lock Base is designed for use at the top of an Ezy-Grower Roll-up side vent to secure both roof and side wall poly in one base track. The double base is rigid enough to be attached across greenhouse bows (up to 5' spacing) with out horizontal support. Use #10 x 3/4" tek screws to attach to steel framing or 1/4" size bolts when attaching to wood. Both Single and Double Quick Lock Bases are used in conjunction with Quick Lock Male Insert described above.



| CATALOG # | DESCRIPTION |
|-----------|----------------------------|
| 13-031144 | 12' Double Quick Lock Base |
| 13-031288 | 24' Double Quick Lock Base |
| 13-021144 | 12' Single Quick Lock Base |
| 13-021288 | 24' Single Quick Lock Base |

POLY VENT SPRING LOCK


Used at the bottom edge of a poly vent. Unique position of channel allows water to pass over vent seal area. Fits 1-1/4" square steel vent arms.



| CATALOG # | DESCRIPTION |
|-----------|---------------------------|
| 13-081144 | 12' Poly Vent Spring Lock |
| 13-081288 | 24' Poly Vent Spring Lock |

WIRE POLY LOCK

Use the steel Wire Polv Lock extrusion to secure poly along baseboards and along the curve of bows. We suggest hat two springs be used for added strength in windy



areas. Wire Poly Lock can be attached to most steel greenhouse frames. Secure with 1/4" x 1" tek screws every 18" when attaching extrusion to steel baseboards or bows. It is recommended to use 1/4" hex bolts with nuts when attaching extrusion to Greenhouse Frame.

| Catalog # | Description |
|-----------|-------------------------|
| 13-061144 | 12' Wire Poly Lock Base |
| 13-061288 | 24' Wire Poly Lock Base |

QUICK LOCK MALE INSERT

For use with Single & Double Quick Lock

Base. The Quick Lock Male Insert turns easily into the Quick Lock Base to hold two layers of greenhouse poly cover. Poly is





securely locked after air is inflated between the two poly layers to 'seat' the insert. When the time comes to change out poly a quarter turn of the insert is all you need to release it from the base.

| CATALOG # | DESCRIPTION |
|-----------|---------------------------|
| 13-041048 | 4' Quick Lock Male Insert |

UNIVERSAL VENT RAIL

Universal Vent Rail is used at the bottom edge of both side and roof vents to create a water-tight seal. It has been specially designed to be used with Universal Slam Rail. Add Wire Inserts (Springs) only on vents using greenhouse plastic, Wire Inserts are not needed for polycarbonate vents.






| CATALOG # | DESCRIPTION |
|-----------|-------------------------|
| 13-221144 | 12' Universal Vent Rail |
| 13-221288 | 24' Universal Vent Rail |

F-RAII

Used in framing bench tops with expanded metal. No more exposed edges on expanded metal benches.



| CATALOG # | DESCRIPTION |
|-----------|-------------|
| 13-321288 | 24' F Rail |

UNIVERSAL SLAM RAIL

Universal Slam Rail is used with Universal Vent Rail to create a water-tight seal.

The profile has been cleverly designed to seal both the vent and the greenhouse poly.

thus cutting down on the expense of using two extrusions! Attach Universal Slam Rail to bows or outside purlins with bolts every 18".

| CATALOG # | DESCRIPTION |
|-----------|-------------------------|
| 13-231288 | 24' Universal Slam Rail |

FEMALE HINGE

The aluminum Female Hinge has been specifically designed for the E-zy Grower Side Vent. When used with the Male Hinge it creates



a movable profile (hinge) that allows the vent to swing open or closed. Attach Female Hinge to steel support with 1/4" x 1" tek screws every 18".


| CATALOG # | DESCRIPTION |
|-----------|------------------|
| 13-181288 | 24' Female Hinge |

Need to vent?

Our E-zy Grower Roof & Side Vent Kits make it easy! Check out the details on pages and.

MALE HINGE

The Male Hinge is used with the Female Hinge to complete the movable 'hinge' on our E-zy Grower Vents. This 'hinge' that is created when the two




profiles are joined together is the mechanism that allows the vents to open and close. No additional hardware is needed for assembly due to the self-locking design of the Male Hinge.

| CATALOG # | DESCRIPTION |
|-----------|----------------|
| 13-191288 | 24' Male Hinge |

E-zy Roll Tube

Our aluminum tube is designed with a built-in track to allow for easy installation of poly for poly roll-up vents. Simply secure poly in track with stainless steel wire (spring) insert. Need to change the poly? Just remove the spring, add a new piece of poly and put the old spring



Remember to order Splice for Roll Tube Extension!

| CATALOG # | DESCRIPTION |
|-----------|---|
| 12-403316 | E-ZY Roll Tube Splice #RVM316 |
| 12-403317 | E-ZY Roll Tube Drilled Adapter #RVM317 |
| 12-403318 | E-ZY Roll Tube Insert #RVM318 |
| 13-052048 | 4' Spring Insert Only |
| 13-291144 | 12' E-ZY Roll Tube |
| 13-291288 | 24' E-ZY Roll Tube |
| 12-403316 | E-ZY Roll Tube Splice #RVM316 |

TEK SCREWS

Self drilling screw for aluminum and steel.



| CATALOG # | DESCRIPTION |
|-----------|--------------------------------|
| 17-111005 | #10 X 1/2" Tek Screw |
| 17-111075 | #10 x 3/4" Tek Screw |
| 17-112510 | 1/4" x 1" Tek Screw |
| 17-112511 | 1/4" x 1" Tek Screw & Washer |
| 17-112515 | 1/4" x 1.5" Tek Screw |
| 17-112516 | 1/4" x 1.5" Tek Screw & Washer |
| 17-112520 | 1/4" x 2" Tek Screw |

WOOD-TITE SCREWS (HEX HEAD)

For fastening profiles directly to wood members.

| CATALOG # | DESCRIPTION |
|-----------|------------------|
| 17-130915 | #9 1/4" x 1-1/2" |





WASHERS



Use flat washers for general use. Use fender washers where a large outer diameter is required.

| CATALOG # | DESCRIPTION |
|-----------|------------------|
| 17-302500 | 1/4" Flat Washer |
| 17-303800 | 3/8" Flat Washer |

PERMASEAL WASHERS



Used to help seal around screw holes on polycarbonate sheets.

| CATALOG # | DESCRIPTION |
|-----------|-------------------------|
| 17-351180 | 1-1/8" Permaseal Washer |

HEX NUTS







For general purpose applications. Most commonly used nut. Use lock nuts where vibration my cause loosening.

| CATALOG # | DESCRIPTION |
|-----------|---------------|
| 17-212500 | 1/4" Hex Nut |
| 17-205600 | 5/16" Hex Nut |
| 17-203800 | 3/8" Hex Nut |
| 17-263800 | 3/8" Lock Nut |
| 17-262500 | 1/4" Lock Nut |

Wing Nuts



| CATALOG # | DESCRIPTION |
|-----------|---------------------|
| 17-235600 | 5/16" Zinc Wing Nut |
| 17-262500 | 1/4" Zinc Wing Nut |
| 17-263800 | 3/8" Zinc Wing Nut |

CARRIAGE BOLTS



Smooth round head for appearance, security and safety. Measure from underside of head to tip of bolt.

| CATALOG # | DESCRIPTION |
|-----------|----------------------------|
| 17-022510 | 1/4" x 1" Carriage Bolt |
| 17-022515 | 1/4" x 1.5" Carriage Bolt |
| 17-022520 | 1/4" x 2" Carriage Bolt |
| 17-022522 | 1/4" x 2.25" Carriage Bolt |
| 17-022525 | 1/4" x 2.5" Carriage Bolt |
| 17-022530 | 1/4" x 3" Carriage Bolt |
| 17-022545 | 1/4" x 4.5" Carriage Bolt |
| 17-222550 | 1/4" x 5" Carriage Bolt |
| 17-022560 | 1/4" x 6" Carriage Bolt |
| 17-023825 | 3/8" x 2.5" Carriage Bolt |
| 17-025610 | 5/16" x 1" Carriage Bolt |
| 17-025620 | 5/16" x 2" Carriage Bolt |
| 17-025625 | 5/16" x 2.5" Carriage Bolt |

HEX HEAD BOLTS



Common grade for general purpose fastening. Measure from the underside of head to tip of the bolt.

| Catalog # | Description |
|-----------|---------------------------|
| 17-002507 | 1/4" x 3/4" Hex Head Bolt |
| 17-002515 | 1/4" x 1.5" Hex Head Bolt |
| 17-002520 | 1/4" x 2" Hex Head Bolt |
| 17-002525 | 1/4" x 2.5" Hex Head Bolt |
| 17-002530 | 1/4" x 3" Hex Head Bolt |
| 17-003815 | 3/8" x 1.5" Hex Head Bolt |
| 17-003825 | 3/8" x 2.5" Hex Head Bolt |
| 17-003835 | 3/8" x 3.5" Hex Head Bolt |

BASE PLATE

Used for E-ZY Grower Greenhouses constructed on black top/ concrete surfaces.



EYE BOLTS

Used on E-zy Grower Gutter Connect houses, Gothic (curved) Roll-up Vents or anywhere a rope or cable needs to be attached.

| CATALOG # | DESCRIPTION |
|-----------|------------------------|
| 17-093845 | 3/8" x 4-1/2" Eyebolt |
| 17-095625 | 5/16" x 2 1/2" Eyebolt |

T.D. MENDING PLATES





| CATALOG # | DESCRIPTION |
|-----------|-----------------------|
| 17-982304 | 4" T.D. Mending Plate |
| 17-982308 | 8" T.D. Mending Plate |

COTTER **K**EY

Used to attach the wheels to our E-zy Grower Carts and also used on our curved roll-up vents.



| CATALOG # | DESCRIPTION |
|-----------|---------------------------|
| 17-422400 | 2-1/2" Hairpin/Cotter Key |

U Bouts


Attaches wind/knee braces to our E-zy Grower Greenhouses. The 1.315 U Bolt is used on our 15', 20', 21' & 24' houses (1.315 tubing). The 2" U Bolt is used on our 30' house (1.66 tubing).



| CATALOG # | DESCRIPTION |
|-----------|---|
| 17-081799 | U Bolt Kit, 1-3/4" x 3" x1/4" w/ backplate and 2 nuts |
| 17-080299 | U Bolt Kit, 2" x 3-1/4" x1/4" w/ backplate and 2 nuts |

ENDWALL BRACKET & BRACE BANDS

For attaching tubing bows to endwall. Available for wood 2x4 & 11/2 square metal tubing. Includes bolt and nut.



| CATALOG # | DESCRIPTION |
|-----------|-----------------------------|
| 17-801300 | Brace Bands, 1-3/8" HD13010 |
| 17-801500 | Brace Bands, 1-5/8" HD13020 |
| 17-800200 | Brace Bands, 2" HD13030 |
| 17-470000 | Wood End Bracket |

PHILLIPS PAN HEAD SCREWS


Used to fasten steel splices and steel corners on our E-zy Grower Benches and attaching bar cap to bar base.



| CATALOG # | DESCRIPTION |
|-----------|------------------------------------|
| 17-171005 | #10 x 1/2" Phillips Pan Head Screw |

SPI ICE

Used to splice two pieces of frail together on long bench runs.



| CATALOG # | DESCRIPTION |
|-----------|----------------|
| 17-980206 | 2" x 6" Splice |

CRANK HANDLE



| CATALOG # | DESCRIPTION |
|-----------|---|
| 12-403305 | Crank Handle for E-ZY Grower Gear Box RVM303 |

KANKIT GEARBOX WITH CRANK HANDLE

Quickly cranks roll-up vent with 4:1 turn ratio. Distinctive green plastic housing fits on 3/4" quide post.



| CATALOG # | DESCRIPTION |
|-----------|---------------------------------|
| 12-010104 | Kankit Grearbox w/ crank handle |

ROLL UP VENT BRACKET


Holds Guide Post to Greenhouse Baseboard and Bow.



| CATALOG # | DESCRIPTION |
|-----------|-------------------------------|
| 12-403321 | Roll Up Vent Bracket - RUM321 |

VERTICAL CLOSURE STRIP


Polyurethane strip used to seal pieces of corrugated polycarbonate sheets along straight side. Also seals vents at opening.



| CATALOG # | DESCRIPTION |
|-----------|-------------------------------------|
| 29-823140 | Vertical Closure Strip, 3/4"x1"x40" |

Lockups


Lockups are designed for connecting purlin and bows and are also excellent for building bench frames, sidewall ventilation vent headers and anywhere there is a need for perpendicular pipe connection. No screws or electrical tools are needed, simply hammer to install by inserting the wedge and tapping. Easy to disassemble if needed. Made of galvanized steel it will not stretch or expand under pressure like aluminum.



| CATALOG # | DESCRIPTION |
|-----------|------------------------|
| 17-961313 | 1.315" x 1.315" Lockup |
| 17-961315 | 1.315" x 1.66" Lockup |
| 17-961319 | 1.315" x 1.90" Lockup |

CROSS CONNECTORS w/ HARDWARE

Used to attach purlins. The 1-3/8" x 1-3/8" is used for our 20', 21', and 24' greenhouses. The 1-5/8" x 1-3/8" is used on our 30' areenhouses.



| CATALOG # | DESCRIPTION |
|-----------|-----------------------------------|
| 17-970101 | Cross Connectors, 1" x 1" |
| 17-971313 | Cross Connectors, 1-3/8" x 1-3/8" |
| 17-971513 | Cross Connectors, 1-5/8" x 1-3/8" |

TENSION BANDS

Used on greenhouse endwalls to fasten 2 pieces of steel together.





| CATALOG # | DESCRIPTION |
|-----------|-------------------------------|
| 17-811300 | Tension Bands, 1-3/8" HD11010 |
| 17-811500 | Tension Bands, 1-5/8" |

BRACE BANDS

Used to attach truss rods, crossbraces to our E-zy Grower Greenhouses.

USE 5/16" x 2" Carriage Bolt & Nut

| CATALOG # | DESCRIPTION |
|-----------|-----------------------------|
| 17-801300 | Brace Bands, 1-3/8" HD13010 |
| 17-801500 | Brace Bands, 1-5/8" HD13020 |
| 17-800-00 | Brace Bands, 2" HD13030 |

QUARTER CLAMPS

Use the 1-3/8" Round guarter clamps to hold purlins to the first and last bow. Use the 1-1/4" Square quarter clamps in endwall construction.

USE 1/4" x 1" Tek Screws

| CATALOG # | DESCRIPTION |
|-----------|-------------------------------|
| 17-821300 | Quarter Clamps, 1-3/8" Round |
| 17-821200 | Quarter Clamps, 1-1/4" Square |

BENCH CLAMPS W/ HARDWARE

Round or square varieties.



| CATALOG # | DESCRIPTION |
|-----------|---|
| 17-950101 | 1" Round Aluminum Bench Clamp |
| 17-951313 | 1-3/8" Round Aluminum Bench Clamp |
| 17-951212 | 1-1/4" Square Aluminum Bench Clamp |
| 17-951113 | 1" x 1-3/8 Rd Aluminum Bench Clamp w/hardware |
| 17-950112 | 1" Rd x 1-1/4 Sq Aluminum Bench Clamp w/ hardware |
| 17-951312 | 1-3/8" Rd x 1-1/4 Sq Aluminum Bench Clamp w/ hardware |

SPLIT T

Three way clamp used on ends to connect tubing together at perpendicular angles. USE 5/16" x 2"

Carriage Bolt & Nut

| | • |
|-----------|----------------------------------|
| CATALOG # | DESCRIPTION |
| 17-921313 | Split T, 1-3/8" x 1-3/8" HD2711 |
| 17-921513 | Split T, 1-5/8" x 1-3/8" HD27121 |
| 17-921515 | Split T, 1-5/8" x 1-5/8" HD27122 |

STEEL BENCH CORNER

Used to finish off bench top corners on our E-zy Grower Benches.



| CATALOG # | DESCRIPTION |
|-----------|--------------------|
| 17-701040 | Steel Bench Corner |

STRAP CLAMPS

These clamps are great for fastening to baseboards without any drilling. Sizes: 1.315", 1.625", 1.9".

USE 1/4" x 1" Tek Screws



WONDER WATERER TM

SAFE, GENTLE WATERING OF YOUNG SEEDLINGS FOR SUCCESSFUL EARLY GROWTH.

A must for greenhouses, the Wonder Waterer's™ laser-cut faceplate creates a soft, uniform spray pattern that won't disturb delicate young seedlings. The faceplate is removable for easy cleaning, and the system includes an in-line filter and a metal shut-off valve between the wand and handle for improved strength and durability.



| PRODUCT | CATALOG # | DESCRIPTION |
|---------|-----------|----------------------------------|
| | 79-411200 | Wonder Waterer COMPLETE |
| | 79-411214 | Wonder Waterer <i>GOLD</i> |
| | 79-411205 | Wonder Waterer ONLY |
| | 79-411209 | Face Plate |
| | 79-411203 | Filter Strainer |
| | 79-411202 | Grip Handle Fiter Case w/Stainer |

WATER N' ACCESSORIES

| PRODUCT | CATALOG # | DESCRIPTION |
|---------|-----------------|--|
| | 79-434300 | 30" E-zy Water N' Wand w/ foam insulated handle |
| | 79-431001 | Royal Purple Shut-Off Our economical one-way royal purple shut-off has a longer handle for easy operation. |
| | 79-435001 | Full Flow Plastic Shut-Off This heavy duty plastic shut-off comes with a purple handle and has a full port valve. |
| | 79-433001 | #34H Brass Shut-Off w/ Swivel Solid brass one-way shut-off with a swivel connector and large handle for easy use. |
| | 79-613002 | Brass Shut-Off #300EG Solid brass shut-off with hose to hose connection and large handle for easy use. |
| | 79-432002 | Regal 400 Water N' Head This plastic nozzle has over 400 holes in the faceplate. It is easy to locate and a great nozzle for all your general watering needs. |
| | 79-430100 | Royal Softie Water N' Head Stainless steel face plate w/ 1000 plus die cut holes create a soft spring shower for watering seedlings and plugs. |
| | 79-432000 | Regal Fan Water N' Head Lightweight, sturdy plastic body provides gentle shower spray. Includes easy turn flow control, shut off, and attached ground stake option. |
| | 79-432331 | Noble Water N' Head A very uniform soft spray that won't damage your plants. Face plate is removable for cleaning and won't dent causing distortion in the watering pattern. |
| | 79-431211 | Zinc Y Shut-Off Sturdy die cast zinc construction. |
| | WILLIAM CONTROL | AND THE RESERVE OF THE PARTY OF |



TUBING

| POLYETHYLENE TUBING | | | |
|---------------------|-------|-------|-------|
| Size | I.D | O.D. | Wall |
| 1/2" Tube: | .600" | .700" | .050" |
| 3/4" Tube: | .820" | .940" | .600" |





Spaghetti Tubing Super flex UV White & Black tubing.

| CATALOG # | ITEM # | DESCRIPTION |
|-----------|-------------|----------------------------------|
| 78-125011 | n/a | 1/2" x 100' Polyethylene Tubing |
| 78-125050 | n/a | 1/2" x 500' Polyethylene Tubing |
| 78-125010 | n/a | 1/2" x 1000' Polyethylene Tubing |
| 78-127501 | n/a | 3/4" x 100' Polyethylene Tubing |
| 78-127550 | n/a | 3/4" x 500' Polyethylene Tubing |
| 78-601001 | 14106120-01 | 1" x 100' Polyethylene Tubing |
| 78-601005 | 14106120 | 1" x 500' Polyethylene Tubing |
| 78-610111 | 15FPEW53 | White Spaghetti Tubing 1000' |
| 78-610130 | 15FPE53 | Black Spaghetti Tubing 3000' |

FITTING FOR TUBING



Aluminum Sleeve

Designed to hold 3/4" poly tubing securely and evenly on suspended irrigation systems.



Line Ends

Water flow is stopped by sliding end of poly tubing through one loop, crimping the tubing and securing it by pushing it through the other loop.



In-Line Shut-Off

Durable plastic valve for use with poly tubing.



Power Clamps


Adjustable stainless steel clamp used to secure insert fittings inside polyethylene tubing.

| CATALOG # | ITEM # | DESCRIPTION |
|-----------|----------|----------------------------|
| 13-301240 | n/a | Aluminum Sleeve 20' length |
| 77-880050 | n/a | Line End for 1/2" Tubing |
| 77-588900 | n/a | Line End for 3/4" Tubing |
| 78-700122 | 58ISV520 | Inline Shut-Off 16mm |
| 78-700120 | 58ISV600 | Inline Shut-Off 1/2" |
| 78-700121 | 58ISV820 | Inline Shut-Off 3/4" |
| 79-350690 | #6 | 1/2" Power Clamp |
| 79-350691 | #10 | 5/8" Power Clamp |
| 79-350692 | #12 | 3/4" Power Clamp |


POLY PIPE INSERT FITTINGS

Mix & Match! Order 100 or more poly pipe fittings and save an EXTRA 5%!


PVC/Poly Adapter poly insert x pvc slip



Tee (A)
insert x insert x insert



Reducing Tee (B) insert x insert x insert



Reducing Tee (C)
insert x insert x fpt




Coupling insert x insert



Plug insert

| Catalog # | Item # | Description |
|-----------|----------|--|
| 81-140105 | 1401-005 | 1/2" Tee (A) |
| 81-140107 | 1401-007 | 3/4" Tee (A) |
| 81-140174 | 1401-074 | 1/2" x 1/2" x 3/4" Reducing Tee (B) |
| 81-140111 | 1401-101 | 3/4" x 3/4" x 1/2" Reducing Tee (B) |
| 81-140113 | 1401-131 | 1" x 1" x 3/4" Reducing Tee (B) |
| 81-140205 | 1402-005 | 1/2" x 1/2" x 1/2" Reducing Tee (C) |
| 81-140207 | 1402-007 | 3/4" x 3/4" x 3/4" Reducing Tee (C) |
| 81-140211 | 1402-101 | 3/4" x 3/4" x 1/2" Reducing Tee (C) |
| 81-142905 | 1429-005 | 1/2" Coupling |
| 81-142907 | 1429-007 | 3/4" Coupling |
| 81-143505 | 1435-005 | 1/2" Female Adapter (A) |
| 81-143507 | 1435-007 | 3/4" Female Adapter (A) |
| 81-143510 | 1435-010 | 1" Female Adapter (A) |
| 81-143605 | 1436-005 | 1/2" Male Adapter (B) |
| 81-143607 | 1436-007 | 3/4" Male Adapter (B) |
| 81-143610 | 1436-010 | 1" Male Adapter (B) |
| 81-143674 | 1436-074 | 3/4" x 1/2" Reducing Male Adapter (C) |
| 81-140613 | 1406-131 | 1" x 3/4" Reducing slipxslip |
| 81-143611 | 1436-101 | 1/2" x 3/4" Reducing Male Adapter (C) |
| 81-143613 | 1436-131 | 3/4" x 1" Reducing Male Adapter (C) |
| 81-140605 | 1406-005 | 1/2" 90° Elbow (A) |
| 81-140607 | 1406-007 | 3/4" 90° Elbow (A) |
| 81-140610 | 1406-010 | 1" 90° Elbow (A) |
| 81-140705 | 1407-005 | 1/2" 90° Elbow (B) |
| 81-140707 | 1407-007 | 3/4" 90° Elbow (B) |
| 81-144905 | 1449-005 | 1/2" Plug |
| 81-144907 | 1449-007 | 3/4" Plug |
| 81-144910 | 1449-010 | 1" Plug |


Female Adapter (A)
insert x fpt




Male Adapter (B)
insert x mpt




Reducing
Male Adapter (C)
insert x mpt




90° Elbow (A)
insert x insert



90° Elbow (B) insert x fpt



90° Reducing Elbow (C) insert x insert



RISERS, FITTINGS & PUNCHES







Cap



Red Weight w/ Shut-off



Barb Connector



Stabilizer Peg





Insert Connector Barb x Thread





| Catalog # | Item # | Description |
|-----------|-------------|-------------------------------------|
| 81-882-20 | 882-120 | Riser 1/2" x 12" length |
| 81-882150 | 882-150 | Riser 1/2" x 15" length |
| 81-882180 | 882-180 | Riser 1/2" x 18" length |
| 81-882240 | 882-240 | Riser 1/2" x 24" length |
| 81-882360 | 882-360 | Riser 1/2" x 36" length |
| 81-883360 | 883-360 | Riser 3/4" x 36" length |
| 81-430005 | 430-005 | Coupling 1/2" fpt x fpt |
| 81-430007 | 430-007 | Coupling 3/4" fpt x fpt |
| 77-897272 | 11897272 | Female Coupling 1/2" fpt x 1/2 fpt |
| 80-520102 | 2010-02 | Female Adapter 1/2" fpt X 1/8" fpt |
| 80-520202 | 2020-02 | Female Adapter 1/2" slip X 1/8" fpt |
| 80-826325 | 009-63254 | Nozzle Adapter 1/2" fpt X 3/8" fpt |
| 78-700022 | 1109006-B | Insert Connector Barb x Thread |
| 78-700032 | 11090552-B | Tee #2 (thread x thread x barb) |
| 78-700070 | 1107737-B | Dual Goof Plug |
| 78-700060 | 1107008C-B | Red Plastic Weight w/ shut-off |
| 78-700090 | 11WPSCAP | Shut-Off Cap |
| 78-700040 | 01ADP4WP-B | Stackable Upright 4-Way |
| 77-890710 | 11890710 | Barbed Butterfly |
| 77-897016 | 11897016 | Taper Thread Butterfly 3/8" |
| 77-897030 | 11897030 | Butterfly 3/8" Thread x 4/7 Barb |
| 77-897001 | 11897001 | 1/2" Male Base |
| 78-700130 | 682901033 | Blue Punch 3mm |
| 78-149903 | DP2A | Yellow Punch w/ 3 tips |
| 78-149901 | DP3Y | Replacement Tip - yellow |
| 78-149900 | DP3G | Replacement Tip - green |
| 78-149902 | DP3R | Replacement Tip - red |
| 77-897052 | 1187052 | Orange/White Weight |
| 77-590021 | 11990308 | Leak Prevention |
| 76-199002 | 12071006 | 2.5mm Hole Punch - blue |
| 80-766000 | NET 03302-B | Conical Adapter |
| 79-021075 | | 3/4" Ball Valve |
| 79-021100 | | 1" Ball Valve |



Female Adapters





Stackable Upright 4-Way



Dan LPD



Butterfly x Thread x Barb



Taper Thread Buttferly



Barbed Butterfly

FILTERS & PRESSURE REGULATORS



SPIN CLEAN FILTERS

Incoming dirty water is forced through a directional nozzle plate onto the inside of the stainless steel screen. This creates a centrifugal action which rotates debris down the screen wall to the large debris holding basin. Debris is flushed out via a ball valve or unscrewing cap. Spinning action keeps more of the screen area clean, minimizing pressure losses due to excess dirt build-up.



NETAFIM

PRESSURE REGULATOR with 3/4" Pipe Threads

Designed to maintain a constant factorypreset outlet pressure when inlet pressure varies. Pressure Regulators should be used after each manual valve on lateral lines, and should be placed as close to the area to be

irrigated as possible. Durably constructed of high-impact engineering-grade thermoplastics and stainless steel. The flow range on all listed pressure regulators is 3.5 to 20 gpm.



Senninger

PRESSURE REGULATOR

Precision Diaphragm - Type

- · No Adjustments Ever Needed
- · Maintains Constant Outlet Pressure
- · Very Low Hysteresis & Friction Loss
- 3/4" Flow Range: 2-20 gpm
- 1" Flow Range: 10-32 gpm



NETAFIM

ARKAL DISC FILTER

Arkal Disc Filters are deisgned to filter water throughout the entire depth of every groove. As water travels through the filter, grooves in the disc form a network that traps both organic and inorganic contaminates.



| CATALOG # | ITEM # | DESCRIPTION | MESH |
|-----------|----------------|--|------|
| 78-910412 | 25A45-120 | 3/4" Netafim Arkal Disc Filter (sprinklers, drip systems) | 120 |
| 78-910714 | 25A45-140 | 3/4" Netafim Arkal Disc Filter (mist systmes) | 140 |
| 78-911012 | 25A47-120 | 1" Netafim Arkal Disc Filter (sprinklers, drip systems) | 120 |
| 78-911014 | 25A47-140* | 1" Netafim Arkal Disc Filter* (mist systmes) | 140 |
| 78-911512 | 25A17-120* | 11/2" Netafim Arkal Disc Filter* (sprinklers, drip systems) | 120 |
| 78-911514 | 25A17-140* | 11/2" Netafim Arkal Disc Filter* (mist systmes) 140 | |
| 78-234201 | 4E-3/4B-100 | 3/4" Spin Clean Filter, 100psi, 11gpm max | |
| 78-900720 | 32PRV.75-20V2K | 20 psi Netafim Pressure Regulator, 3/4" (drippers, spray stakes, inline drippers) | |
| 78-900735 | 32PRV.75-35V2K | 35 psi Netafim Pressure Regulator, 3/4" (sprinklers, pressure compensating drippers) | |
| 80-190202 | PMR-20MF | 20 psi Senninger Pressure Regulator 3/4" inlet & outlet | |
| 80-190402 | PMR-40MF | 40 psi Senninger Pressure Regulator 3/4" inlet & outlet | |
| 80-190403 | PR-40HF | 40 psi Senninger Pressure Regulator 1" outlet & 1-1/4" inlet | |

SIZE THE HEAD CONTROL COMPONENTS

The Components should be sized according to the flow range shown in the Filter, Valve & Pressure Regulator Sizing chart. The pipe connecting to the components can be of a different size.





Filter, Valve and **Pressure Regulator Sizing**

| | Flow Range (GPM) | Unit Size | Model Number |
|------------------------------------|--|--|---|
| Electric Valve (AC) | .01 - 26 .01 - 44 .25 - 110 .25 - 176 | 3/4" Globe 1" Globe 1 1/2" Globe 2" Globe | 61ET.75GH2 61ET1GH2 61ET1.5GH2 61ET2GH2 |
| Disc Filter (120 mesh) | 1 - 12 1 - 26 1 - 52 1 - 110 | 3/4" 1" 1 1/2" Super 2" Dual Lite | 25A45-120 25A47-120 25A17-120 25A2DL-120 |
| Pressure Regulator (35 psi)* | 4.5 to 17.6 11 to 35 22 to 70 | 3/4" 1 1/2" 2" (x4) | 32PRV.75-35V2K 32PRV1.5-35V2K 32PRV2-435V2K |

*A 35 psi regulator will typically provide the desired 30 psi average sprinkler pressure after line and component pressure losses.

Hoses DRAM

Dramm ColorStorm-Professional Rubber Hose is made from EPDM rubber for a "crackless" hose cover that is resistant to abrasion and weathering.

This reinforced hose is hexagonal in shape to reduce kinking. The design of the hose allows a user to easily pull free any kinks that may occur. Our hexagonal Sure-GripTM cover creates a softer surface for a more comfortable grip.

Each hose has crush-proof, nickel plated, brass fittings for an exact fit that will survive years of use.

Dramm Professional ColorStorm Hose now says "Don't Tread On Me!" Our bright yellow hose

is labeled "CAUTION TRIPPING HAZARD" to further prevent accidents. This feature is great for garden centers, landscap-

ers and contractors... anyone worried about customers tripping.

ColorStorm-Professional Rubber Hose is available in 5/8" and 3/4" diameters and in 50', 75' and 100' lengths standard. Custom lengths and bulk rolls are available.





| CATALOG # | ITEM # | DESCRIPTION |
|-----------|--------|------------------------------------|
| 79-116050 | 17013 | Colorstorm Rubber Hose 3/4" x 50' |
| 79-116075 | 17213 | Colorstorm Rubber Hose 3/4" x 75' |
| 79-116100 | 17313 | Colorstorm Rubber Hose 3/4" x 100' |
| 79-116150 | 17003 | Colorstorm Rubber Hose 5/8" x 50' |
| 79-116175 | 17203 | Colorstorm Rubber Hose 5/8" x 75' |
| 79-116200 | 17303 | Colorstorm Rubber Hose 5/8" x 100' |

PVC RED CONTRACTOR HOSE

This super tough reinforced vinyl hose is made to be on the job in heavy duty applications with contractors, growers, equipment operators as well as for industrial applications.

| Catalog # | Description |
|-----------|--|
| 19- | PVC Red Contractor Hose 3/4" x 300', 150 PSI (unfinished ends) |

Phytotronicia

HI-HOSE WATERING SYSTEM

- · Keeps watering hose off of the floor and out of the way
- Labor-saving, cost-cutting, efficient
- Kits available for 50, 75 and 100 foot greenhouses
- Includes: coupled 5/8" "Blue Ribbon" hose w/anti-kink hangers preinstalled, swivel pulleys, galvanized aircraft cable, wire rope clamps, and a turnbuckle
- Hundreds of systems in use
- Assembly instructions included

| 6320 | High Hose Kit 50 foot |
|------|------------------------|
| 6322 | High Hose Kit 75 foot |
| 6324 | High Hose Kit 100 foot |



*NOTE: Kit HH-100 requires a center support and wither 2 faucets (one at either end); or a splitter at the center of the greenhouse.

Hose Fittings & Accessories

| PRODUCT | CATALOG # | ITEM # | DESCRIPTION |
|--|-----------|------------|--|
| | 79-301091 | 50336 | Quick Connect (N109C) |
| | 79-301093 | 50335 | Quick Connect 2/pack (N109MC) |
| 0000 | 79-350178 | | Rubber Washers 10/pk |
| 0 | 79-301656 | 50339 | Quick Seals 3/pack |
| 6 | 79-301070 | 50382 | Filter Washers 3/pack |
| | 79-304849 | 50577 | Brass Male/Female (3/4" mpt x 3/4" fht) |
| TE III | 79-304851 | 50578 | Brass Male/Female (3/4" mht x 3/4" fpt) |
| | 79-304833 | 50573 | Brass Male (3/4" mht x 3/4" mht) |
| | 79-304905 | 50575 | Brass Swivel (1/2" fpt x 3/4" fht swivel) |
| | 79-304907 | 50576 | Brass Swivel (3/4" fpt x 3/4" fht swivel) |
| | 77-990310 | 31-FVFPT-H | Automatic Drain Valve |
| and annual | 79-351761 | 22RM58 | Male Coupling (brass, repairs 5/8" hose) |
| مسرس الله | 79-351762 | 22RM34 | Male Coupling (brass, repairs 3/4" hose) |
| | 79-351764 | 22RF58 | Female Coupling (brass, repairs 5/8" hose) |
| | 79-351765 | 22RF34 | Female Coupling (brass, repairs 3/4" hose) |
| and the same of th | 79-350690 | #6 | Power Clamp (fits 1/2" poly tube) |
| | 79-350691 | #10 | Power Clamp (5/8" adjustable, stainless steel) |
| ALL THE PERSON NAMED IN | 79-350692 | #12 | Power Clamp (3/4" adjustable, stainless steel) |
| | 78-310100 | CP3S99 | Band-lt Clamp, 13/16" x 3/8" |
| | 78-310200 | CP311S | Band-It Clamp, 1-3/8" x 3/8" |
| | 78-310400 | CP4S99 | Band-It Clamp, 1" x 5/8" |
| | 78-310300 | CP8S99 | Band-It Clamp, 2" x 5/8" |
| | 78-320999 | SO3869 | Band-It Center Punch Tool |

FHT=FEMALE HOSE THREAD, FPT=FEMALE PIPE THREAD, MHT=MALE Hose Thread, MPT=Male Pipe Thread

WATERING TOOLS 1 1 1 1

COLORSTORM WATER TIMER

Water from 15 minutes to 2 hours, no complicated programming - simply turn the dial to the desired time. This water timer is all mechanical, so there are no batteries to buy, replace or corroding to worry about. Simply attach to your hose. Easy to see, set, and read. Auto shut off. Durable plastic construction. Lifetime quarantee.



| CATALOG # | DESCRIPTION |
|-----------|------------------------------|
| 75-705000 | Dramm ColorStorm Water Timer |

WATERING CAN

Perfect for indoor/outdoor use. Houseplant watering is easy with the far reaching spout. Detachable plastic rose. Made from high-grade, durable plastic. Won't rust, leak or corrode. Made in Switzerland.

| CATALOG # | ITEM# | DESCRIPTION |
|-----------|-------|-------------------------------------|
| 79-212820 | B2LC | 2 Liter Watering Can (1/2 gallon) |
| 79-215820 | B5LC | 5 Liter Watering Can (1-1/3 gallon) |
| 79-217820 | B7LC | 7 Liter Watering Can (1-3/4 gallon) |
| 79-210820 | B10LC | 10 Liter Watering Can(2-1/2 gallon) |

ONE TOUCH VALVE

The One TouchTM Valve offers thumb-tip control of your water flow.

Extremely easy to use, the One Touch can be adjusted from off to full flow and anywhere in between with thumb-tip precision.

Made from rubber over molded, die-cast zinc with machined brass male threads, the One Touch is made to last.



| CATALOG # | DESCRIPTION | | | | |
|-----------|-----------------------|--|--|--|--|
| 79-210997 | Dramm One Touch Valve | | | | |
| | | | | | |



Fogg-IT Nozzles & POT MIST WATERER

The Fogg-It Nozzle has 3 mist jets which create a conical spray pattern. Made in the USA from solid brass.

Superfine 0.5gpm

For delicate flowers such as seedlings, fuchsias,

begonias and other greenhouse crops.

• Fine 1.0gpm For delicate flowers, newly planted lawns and general use.

· Low Volume 2.0gpm For spraying foliage, ferns, tropical plants and general use.

 Heavy Volume 4.0gpm Where extra-heavy volume is needed.



| Catalog # | Description |
|-----------|----------------------------|
| 79-525005 | Superfine Nozzle |
| 79-520106 | Fine Nozzle |
| 79-520203 | Low Volume Nozzle |
| 79-520401 | Heavy Volume Nozzle |
| 79-531400 | 14" Pot Mist Watering Wand |
| 79-532400 | 24" Pot Mist Watering Wand |

Each Pot Mist Waterer has an ergonomic thumb valve and two interchangeable heads; a gente free flow and a mist spray head.

Excellent for bedding plants. orchids and anywhere high humidity is desired.

#1000PLC Redhead 79-221006

The Red 1000PL is the standard Redhead with a medium pattern.



#1000PLN Green

Green Narrow Pattern is perfect for focused watering where more control is reauired.



#1000PLW Orange

Orange Wide Pattern throws a wider pattern than the standard Redhead. offering the ability to cover more area with a soft, gentle flow.



#750 Lemonhead Water Breaker

Soft full-flow watering nozzle. 750 holes create an ultra-soft shower with much less water.



79-221750

#400PLC Water Breaker

Provides fast, full-flow watering without damage to your plants. Made from highimpact plastic and aluminum.



OneTouch Valve

The OneTouch Valve offers thumb-tip control of your water flow. With 11 gpm output and a long life, the OneTouch Valve offers flexibility when watering.



#400ALC Water Breaker

The aluminum 400 water breaker provides fast, full-flow watering without damage to your plants.



#170ALC Water Breaker

Excellent for watering in areas with low water pressure or with systems which restrict total water volume.



Touch N' Flow Pro

The 65 Touch N'Flow Pro Triager Valve offers durability and high flow in a trigger valve.



#510C Seedling

The Seedling Nozzle allows you to water fragile plants, delicate seedlings or plant cuttings.



#170PL Water Breaker

The 170PL is an excellent choice for watering in areas with low water pressure or with systems which restrict total water volume.



Brass Rose

Our Brass Rose features an extra wide spray pattern, which allows you to increase the speed of hand watering.



HANDI-REACH WANDS

Handi-Reach Wands, known for their light weight and durability, are constructed of extra hand-drawn aluminum tubing, with corrosion-free brass couplings. Fits standard hose connections.

Curved Handi-Reach Wands are the perfect angle to water those hard to reach hanging baskets. A must in every garden center!

The 6" Handi-Grip is all about comfort, it's a short length of the Handi-Reach with a foam cushion grip.

| Catalog # | Item # | Description |
|-----------|---------|-----------------------|
| 79-210061 | 106-GC | 6" Handi-Grip |
| 79-210161 | 116-GC | 16" Hand-Reach |
| 79-210241 | 124-GC | 24" Handi-Reach |
| 79-210301 | 130-GC | 30" Handi-Reach |
| 79-210361 | 136-GC | 36" Handi-Reach |
| 79-210481 | 148-GC | 48" Handi-Reach |
| 79-210362 | 136-GBC | 36" Handi-Reac Curved |
| 79-210482 | 148-GBC | 48" Handi-Reac Curved |



SELECTING A SPRINKLER FOR WATERING:

STEP 1


Visualize the Greenhouse

Evaluate the location of obstacles such as curtains or hanging baskets. Consider aisles and whether they can be wetted. Review cultural practices which might impact the height at which the sprinklers should be placed.

STEP 2

Select a Sprinkler Head for Watering Applications

All sprinkler solutions are based on an average sprinkler working pressure of 30 psi and spacing between the sprinklers of three feet.



| Ordering Guide (All come with Check Valve) | | | | | |
|--|-----------------|--|------------|--|--|
| Catalog # | Item # | Description | Flow (gph) | | |
| 78-150015 | 030150-B | Vibro-Spray Green Nozzle | 13.6 | | |
| 78-330050 | 03551200070L-B | SpinNet Red Body, Red Mist Control, Grey Spinner | 18.4 | | |
| 78-330030 | 03551200070GL-B | SpinNet Red Body, Red Mist Control, Green Spinner | 18.4 | | |
| 78-334430 | 03551600090GL-B | SpinNet Brown Body, Brown Mist Control, Green Spinner | 23.4 | | |
| 78-331450 | 03552000090L-B | SpinNet Yellow Body, Brown Mist Control, Grey Spinner | 23.4 | | |




| ı | | | | | | |
|---|------------|-----------------|-----------------|-------------------|---------|--|
| 1 | | Ş | Single Bench | Solutions | | |
| L | Ben | nch | Spacing Bewteen | Height Above Crop | | |
| | Width (ft) | Sprinklers (ft) | 2' | 4' | | |
| | 4 | ļ | 3 | VS-GN | VS-GN | |
| | 5 | j | 3 | VS-GN | VS-GN | |
| | 6 | i | 3 | VS-GN | VS-GN | |
| | 7 | | 3 | SN-RRGY | SN-RRGY | |
| | 8 | ; | 3 | SN-RRGY | SN-RRGY | |
| | 10 | 1 | 3 | SN-RRGY | SN-RRGY | |

| | | Two Line Solutions for Single Bay or Quonset | | | | | | |
|--|------------|--|-----------------|---------|-------------------|---------|--|--|
| | Bench | Spacing Bewteen | Spacing Between | Hei | Height Above Crop | | | |
| | Width (ft) | | 2' | 4' | 6' | | | |
| | 24 | 3 | 14 | SN-RRGY | SN-RRGY | SN-RRGY | | |
| | 26 | 3 | 14 | SN-RRGY | SN-RRGY | SN-RRGY | | |
| | 28 | 3 | 14 | SN-RRGY | SN-RRGY | SN-RRGY | | |
| | 30 | 3 | 16 | SN-RRGY | SN-RRGY | SN-RRGY | | |
| | 32 | 3 | 18 | SN-RRGN | SN-RRGY | SN-RRGY | | |
| | 34 | 3 | 20 | SN-RRGN | SN-RRGN | - | | |
| | 36 | 3 | 21 | SN-RRGN | SN-RRGN | - | | |

| | One Line Solutions for Single Bay or Quonset | | | | | |
|---|--|-----------------|-------------------|---------|---------|--|
| ſ | Bench | Spacing Bewteen | Height Above Crop | | | |
| | Width (ft) | Sprinklers (ft) | 2' | 4' | 6' | |
| | 12 | 3 | SN-RRGY | SN-YBGY | SN-YBGY | |
| | 14 | 3 | SN-RRGY | SN-YBGY | SN-YBGY | |
| | 16 | 3 | SN-RRGN | SN-YBGY | SN-YBGY | |
| | 18 | 3 | SN-RRGN | SN-RRGN | SN-YBGY | |
| | 20 | 3 | SN-RRGN | SN-RRGN | SN-BBGN | |
| | 22 | 3 | - | SN-RRGN | SN-BBGN | |
| | 24 | 3 | - | SN-RRGN | SN-BBGN | |

| Catalog # | Hanging Assembly: | | Pack |
|-----------|-------------------|-----|------|
| 78-301202 | #0300HSAC-12-B | 12" | 25 |
| 78-302402 | #0300HSAC-24-B | 24" | 25 |
| 78-303002 | #0300HSAC-30-B | 30" | 25 |




| 78-303602 | #0300HSAC-36-B | 36" | 25 |
|-----------|-----------------|-------------|----|
| 78-304802 | #0300HSAC-48-B | 48" | 25 |
| 78-329902 | #0300HSAC-48X-B | extension** | 25 |

^{*}Price listed by each, but sold by pack increments ONLY.

^{**}For increasing tube lengths over 48".

SAMPLE SPRINKLER SYSTEMS


30' x 48' SPRINKLER SYSTEM 2-ZONE



CALL FOR STARTING PACKAGE PRICE

See page 12 for package parts breakdown. Includes controller.


30' x 96' SPRINKLER SYSTEM 4-ZONE



CALL FOR STARTING PACKAGE PRICE

See page 12 for package parts breakdown. Includes controller.

20' x 96' Sprinkler System 2-Zone



CALL FOR STARTING PACKAGE PRICE

See page 12 for package parts breakdown. Includes controller.

| | SPRINKLER SYSTEM PRICING | | | | | |
|----------------|--------------------------|----------------|-----------|--|--|--|
| 30 X 96 QTY | 30 X 48 QTY | 20 X 96 QTY | Catalog # | Description | | |
| 3 | 2 | 2 | 78-127501 | 3/4" x 100' Poly Tubing | | |
| 9 | 5 | 5 | 13-301240 | 20' Aluminum Sleeve | | |
| 1 | 1 | 1 | 78-700121 | 3/4" Insert In-Line Shut-Off | | |
| 4 | 2 | 2 | 81-144907 | 3/4" Plug (1449-007) | | |
| 3 | 1 | 1 | 81-140107 | 3/4" Tee (1401-007) | | |
| 2 | 4 | 1 | 81-140607 | 3/4" Elbow (1406-007) | | |
| 1 | 1 | 1 | 78-900735 | 3/4" Pressure Regulator (35psi, 32prv. 75-35) | | |
| 1 | 1 | 1 | 78-910714 | 3/4" Arkal Disc Filter (140 mesh, 25A45-140) | | |
| 1 | 1 | 1 | 81-143607 | 3/4" Male Adapter (1436-007) | | |
| 3 | 3 | 3 | 81-143507 | 3/4" Female Adapter (1435-007) | | |
| 4 | 2 | 2 | 75-400205 | 1" Solenoid Valve (205TF) | | |
| 8 | 4 | 4 | 81-143613 | 3/4" x 1" MPT Reducer Male Adapter (1436-131) | | |
| 31 | 22 | 13 | 79-350692 | 3/4" Stainless Steel Clamp (#12) | | |
| 56 | 28 | 28 | 78-303002 | 30" Hanging Base Assembly (0300HSAC-30-B) | | |
| 0 | 0 | 28 | 78-330030 | SN-RRGN SpinNet Green Spinner & Check Valve | | |
| 56 | 28 | 0 | 78-330050 | SN-RRGY SpinNet Grey Spinner & Check Valve | | |
| 1 | 1 | 1 | 78-700130 | Blue Sprinkler Punch | | |
| | | | | Rain Dial R6 Station | | |

ORDER GUIDE

| CODE | DESCRIPTION | MODEL NUMBER | FLOW(GPH) |
|----------|---|-----------------|-----------|
| VN-BL | VibroNet Blue Nozzle w/Check Valve | 035404L-B | 10.4 |
| VN-GN | VibroNet Green Nozzle w/Check Valve | 0354050L-B | 13.2 |
| R-R-BL | SpinNet Red Mist Control, Red Body, Blue Spinner w/Check Valve | 0355120070BL-B | 18.4 |
| BR-BR-BL | SpinNet Brown Mist Control, Brown Body, Blue Spinner w/Check Valve | 0355160090BL-B | 23.4 |
| R-R-GY | SpinNet Red Mist Control, Red Body, Grey Spinner w/Check Valve | 03551200070L-B | 18.5 |
| BR-Y-GY | SpinNet Brown Mist Control, Yellow Body, Grey Spinner w/Check Valve | 03552000090L-B | 23.4 |
| R-R-GN | SpinNet Red Mist Control, Red Body, Green Spinner w/Check Valve | 03551200070GL-B | 18.4 |
| BR-BR-GN | SpinNet Brown Mist Control, Borwn Body, Green Spinner w/Check Valve | 03551600090GL-B | 23.4 |


SELECTING A MISTER OR FOGGER

Select a Sprinkler Head for Misting, Propagating and Cooling Applications

COOLNET FOGGER

The Coolnet Fogger is the best nozzle for propagation. It creates a zone of saturated humidity that is ideal for rooting.

| HUMIDIFYING HEAD ASSEMBLIES | | | | | | |
|---|--------------------------------|---|------------|--|--|--|
| Catalog # | Model # | Description | Bag Qty | | | |
| 78-251828 | 0306643LL-B* (Standard) | Coolnet Fogger, 4 Nozzles w/ Check Valve Purple Pin, 8.1 GPH @ 60psi (opening pressure 28psi | 25 | | | |
| 78-252858 | 0306643HL-B (Special Order) | Coolnet Fogger, 4 Nozzles w/ Check Valve Orange Pin, 8.1 GPH @ 60psi (opening pres- sure 58psi) | 25 | | | |
| * For use where pressures over 28psi are not available. | | | | | | |



4-Way Fogger Fogge

VIBRONET SPRINKLER

The Vibronet Sprinkler is used for light watering or propagation on a single bench up to 6 feet wide.

For Misting Single Benches



VIBRONET MISTER

For Misting Larger Areas
The Vibro-Mist Mister is used
when a light mist is required
for watering, for example
when germinating seeds. The
highest uniformity is found
with spacings of 4' x 4', 4' x 6'
and 3' x 7'.



| | | Check Valve | , |
|---|-------|-------------|---|
| 5 | P. C. | Mister | |

| MODEL # | DESCRIPTION | BAG QTY |
|------------|---|---------|
| 0354025L-B | Vibronet Mister w/ Check Valve, 9.29 gph Blue | 25 |
| 0354050L-B | Vibronet Sprinkler, 10.4 GPH @ 30psi | 25 |

SPINNET SPRINKER

SpinNet micro sprinklers are constructed without a bridge to retain the spinner, producing a drip-less operation. This means that plants located below the sprinklers are not damaged from water dripping off the sprinkler.

| SpinNet Sprinkler | | | | |
|-------------------|-------------------|------|--|--|
| Model # | Description | Pack | | |
| 03552000090L-B | SpinNet Sprinkler | 25 | | |





Visit www.waldoinc.com today!



| | | MISTING SYSTEM FOR 2 BENCHES 4' X 48' |
|-----|-----------|---|
| Qty | Catalog # | Description |
| 2 | 78-127501 | 3/4" x 100' Poly Tubing |
| 5 | 13-301240 | 20' Aluminum Sleeve |
| 1 | 78-700121 | 3/4" In-Line Shut-Off |
| 2 | 81-144907 | 3/4" Plug (1449-007) |
| 1 | 81-140107 | 3/4" Tee (1401-007) |
| 1 | 81-140607 | 3/4" Elbow (1406-007) |
| 1 | 78-900735 | 3/4" Pressure Regulator (35psi, 32prv.75-35V2K) |
| 1 | 78-910714 | 3/4" Arkal Disc Filter (140 mesh, 25A45-140) |
| 1 | 81-143607 | 3/4" Male Adapter (1436-007) |
| 3 | 81-143507 | 3/4" Female Adapter (1435-007) |
| 2 | 75-400205 | 1" Solenoid Valve (205TF) |
| 4 | 81-143613 | 3/4" x 1" MPT Reducer Male Adapter (1436-131) |
| 13 | 79-350692 | 3/4" Stainless Steel Clamp #12 |
| 28 | 78-303002 | 30" Hanging Base Assembly (0300HSAC-30-B) |
| 28 | | Vibronet Green Sprinkler |
| 1 | 78-700130 | Blue Sprinkler Punch |

| | | RECOMMENDED CONTROLLER: |
|---|-------|----------------------------------|
| 1 | #1006 | 1626ET Misting 6-Zone Controller |

Note: Misting Heads are 2' to 4' above the crop, spaced 3 ft. apart. Jet-Clear Mister with Blue Nozzle delivers 10.9gph at 30psi.

ELECTRONIC LEAF M #1400




FEATURES:

 Works on the principle of evaporation – The weight of the mist settling on the stainless steel screen turns off the solenoid.

- When the water evaporates, the "leaf" rises and the cycle starts over by again turning on the solenoid valve.
- · Each Electronic Leaf is supplied with a 24 volt AC transformer attached with 20' of bell wire. Durable Stainless steel housing
- L.E.D. signifies the solenoid is energized.
- Very easy to install simply place on the misting bench, balance the "Leaf" and attach the wires to your solenoid valve (solenoid valve not included).
- Leaf is adjustable to provide more or less moisture to plants or cuttings.

MICRONET FOGGER INSTALLATIONS

ROOTING BENCHES (PROPAGATION) INFORMATION



3 to 4 Foot Bench


The height of the fogger assembly should be 18" to 30" above the propagation material. The distance between the fogger assemblies should be 3 feet.

(Place the lateral above the center of a 3 to 4' bench.)



Wide Bench

For wide benches (up to 8') use two lines of foggers equally distanced from the center of the bench. For large areas, use one row of foggers for every 4' width of area to be fogged.




45° Offset

4-Way crosses should be placed at 45° angles to one another.

HUMIDIFICATION AND **COOLING INFORMATION**

- In order to maximize the cooling effect, exhaust fans are recommended to exchange the air about 20 times per
- · These recommendations are general and should be applied in accordance with local conditions and limitations.
- · Duration of pulse and interval is to be fine-tuned according to local conditions; the timing provided is just a starting
- · For crops that are not sensitive to wetting, the pulse can be prolonged, and/or the interval shortened.
- · Other spacing can certainly be used with foggers; the spacings above give some reference points between spacing and operation intervals.

Typical Installation for **HUMIDIFICATION OR COOLING**



| GENERAL SPACING AND OPERATION FOR HUMIDIFYING AND COOLING | | | | | | | |
|---|-----|------|-----|-----|-----|-----|--|
| Distance Between Fogger Units (ft.) | 3 | 5 | 6.5 | 10 | 6.5 | 10 | |
| Distance Between Lines (ft.) | 6.5 | 10.5 | 10 | 10 | 13 | 13 | |
| | | | | | | | |
| Single Fogger - Pulse (sec.) | 3 | 5 | 10 | 20 | 30 | 40 | |
| Single Fogger - Interval (sec.) | 50 | 30 | 50 | 60 | 111 | 85 | |
| | | | | | | | |
| 4-Way Fogger - Pulse (sec.) | 1 | 3 | 5 | 10 | 20 | 30 | |
| 4-Way Fogger - Interval (sec.) | 74 | 91 | 120 | 150 | 355 | 345 | |

Cooling Considerations Include:


- Place foggers as high as possible
- Avoid spraying against the roof or
- Prevent precipitation by adjusting the cycle time

IRRIGATION SYSTEMS... THE SIMPLE SOLUTION

Dramm irrigation nozzles and assembly accessories allow you to create a simple, efficient overhead or "on-the-bench" spraying system. These nozzles can be configured for irrigation, mist cooling and humidifying. With the addition of timers, solenoid valves, chemical injectors and controllers you can automate and enhance your system. All Dramm nozzles can be interchanged or replaced with each other so you have the flexibility to design a system that is right for you.

Basic Installation:

Before you begin an installation, it is recommended that you install one pipeline based on the guidelines listed. After the first pipeline is installed, tested and adjusted, remaining lines can be set-up following the same specifications as the first. If you desire a different set-up, you will need to test the nozzle at the desired height in order to determine the spray diameter. Half of the spray diameter equals the distance nozzles should be spaced apart.



Filters: If your water supply contains debris like sand or algae, a 100 or 120 mesh filter is recommended so nozzles do not clog.

Installation & Spacing for Misty Mist Nozzles

Misty Mist Nozzles produce a 6' diameter spray pattern when your water pipeline is 5' above the crop. To provide uniform coverage the nozzles should be spaced 3' apart so that their spray patterns overlap. Multiple pipelines should be spaced 6' apart for complete coverage. To decrease the spray diameter of the nozzles to 5', lower the water pipeline to 3' over the crop and space the nozzles at 2-1/2' intervals. Multiple pipelines should then be spaced 5' apart for complete coverage.

Installation & Spacing for Pin-Perfect & Nifty Nozzles

Pin-Perfect & Nifty Nozzles produce a 10' diameter spray pattern when your water pipeline is 5' above the crop. To provide uniform coverage the nozzles should be spaced 5' apart so that their spray patterns overlap. Multiple pipelines should be spaced 10' apart for complete coverage. To decrease the spray diameter of the nozzles to 7', lower the water pipeline to 3' over the crop and space the nozzles at 3-1/2' intervals. Multiple pipelines should then be spaced 7' apart for complete coverage. To compensate for pressure loss and ensure uniform water distribution, simply change the color coded nozzle to the nozzle with the next higher output rate. This changing of nozzles will compensate for pressure loss and produce approximately the same amount of output all the way down the pipeline. As a rule of thumb, Dramm recommends changing color coded nozzles every sixth nozzle.

| Flow Rate in Gallons Per Minute | | | | | | | | |
|---------------------------------|---------|----------|----------|----------|---------|--|--|--|
| Description | 15 psi | 22 psi | 29 psi | 36 psi | 73 psi | | | |
| Misty Mist - Blue/White | n/a | n/a | n/a | .17 gpm | .22 gpm | | | |
| Misty Mist - Red/White | n/a | n/a | n/a | .27 gpm | .35 gpm | | | |
| Misty Mist - Black/White | n/a | n/a | n/a | .39 gpm | .50 gpm | | | |
| | | | | | | | | |
| Nifty Nozzle Green | .40 gpm | .49 gpm | .57 gpm | .63 gpm | n/a | | | |
| Nifty Nozzle Blue | .63 gpm | .77 gpm | .89 gpm | .99 gpm | n/a | | | |
| Nifty Nozzle Orange | .90 gpm | 1.10 gpm | 1.28 gpm | 1.43 gpm | n/a | | | |
| | | | | | | | | |
| Pin-Perfect Green | .69 gpm | .82 gpm | .95 gpm | 1.08 gpm | n/a | | | |
| Pin-Perfect Blue | .79 gpm | .95 gpm | 1.11 gpm | 1.27 gpm | n/a | | | |
| Pin-Perfect Orange | .90 gpm | 1.11 gpm | 1.29 gpm | 1.48 gpm | n/a | | | |

Water Pipe Line Set-Up

For new installations it is recommended using 1" or 3/4" diameter schedule 40 PVC pipe for Pin-Perfect/Nifty/Misty Mist nozzle systems. Nozzles can also be installed into galvanized or aluminum pipe. For Overhead systems, the pipeline is hung over the center of the crop to be watered and should be level with the ground. For On-The-Bench installations, the pipe is installed on and down the center of the bench. For 1/2" PVC Pipe Riser installations, the 1" or 3/4" pipeline is installed at ground level, down the center of the area to be watered. Risers should be connected at the proper nozzle spacing.

NOZZLES FOR OVERHEAD OR INVERTED IRRIGATION



MISTY MIST NOZZLE FOR OVERHEAD OR INVERTED IRRIGATION




360° Low - Medium Flow Rate Sprayer

Dramm 360° Misty Mist Nozzles are for overhead mist propagation, irrigating plugs or raising humidity levels. Misty Mist Nozzles produce a 6 foot diameter spray pattern when your water pipeline is 5 feet above the crop.

| MISTY MIST NOZZLE FLOW RATE IN GALLONS PER MINUTE | | | | | | | |
|---|--------|-------------|---------------------|-----------|-----------|--|--|
| Catalog # | Part # | Color | Orifice Diameter | 36 PSI | 73 PSI | | |
| 80-110101 | MM-BW | Blue/White | 1.00 mm | 0.17 | 0.22 | | |
| 80-110601 | MM-KW | Black/White | 1.50 mm | 0.39 | 0.50 | | |

NIFTY NOZZLE FOR OVERHEAD OR INVERTED IRRIGATION



360° Medium - High Flow Rate Sprayer

Dramm 360° Nifty Nozzles offer a economical solution for simple overhead or on-the-bench watering systems. These "Nifty" nozzles produce a 10 foot diameter spray pattern when your water pipeline is 5 feet above the crop.

| NIFTY MIST NOZZLE FLOW RATE IN GALLONS PER MINUTE | | | | | | | |
|---|----------|-------|-----------------|-----------|-----------|-----------|-----------|
| Catalog # | Part # | Color | Orifice Dia. | 15 PSI | 22 PSI | 29 PSI | 36 PSI |
| 80-120300 | 360NN-GN | Green | 2.00mm | 0.40 | 0.49 | 0.57 | 0.63 |
| 80-140700 | 360NN-GR | Grey | 2.25mm | 0.51 | 0.62 | 0.72 | 0.80 |

PIN-PERFECT NOZZLE FOR OVERHEAD IRRIGATION




360° High Flow Rate, On-Off Sprayer

The "perfect" overhead watering nozzle for foliage plants, bedding plants, geraniums and all 4" to 6" pot crops. Pin-Perfect Nozzles can be easily turned "off" by pushing the pin down and "on" again by pulling the pin up. Each nozzle produces a 10 foot diameter spray pattern when your water pipeline is 5 feet above the crop.

| PIN-PERFECT NOZZLE FLOW RATE IN GALLONS PER MINUTE | | | | | | | | |
|--|--------|-------|-----------------|-----------|-----------|-----------|-----------|--|
| Catalog # | Part # | Color | Orifice Dia. | 15 PSI | 22 PSI | 29 PSI | 36 PSI | |
| 80-130300 | PPN-GN | Green | 2.65mm | 0.69 | 0.82 | 0.95 | 1.08 | |
| 80-130100 | PPN-BL | Blue | 2.80mm | 0.79 | 0.95 | 1.11 | 1.27 | |
| 80-130500 | PPN-RD | Red | 2.95mm | 0.87 | 1.03 | 1.21 | 1.40 | |

Nozzle Components:











adapter

Catalog # **Description** 80-150999 Assembly Inserts 80-170999 Drill Tap 80-160999 No-Drip Risers Pipe Adapter 80-520102 #PN-2010 Threaded Pipe Adapter 80-520202 #PN-2020 Slip

DRIPPER ASSEMBLIES



FOR HANGING BASKETS

You've Got Better Things To Do!

Don't waste your time watering by hand again this season. Netafim's drippers take the hassle out of watering baskets. They feature both pressure compensation and a built-in check valve. This combination of features (referred to as PCNL) is the highest level of technology available in drippers today. It ensures that every plant will receive exactly the same amount of water and fertilizer regardless of where the plant is located within the system. This means that several lengths of drippers can be combined on the same line, with each dripper emitting precisely the same amount of water... 24" long drippers flow exactly the same as 48" long drippers.

Easy Does It!


Netafim drippers flow slowly and uniformly, so the soil media is easily wetted without any run-off around the edge of the basket. Plus, the built-in check valve assures that all drippers will turn on at the same time, and off at the same time, preventing the system from draining onto the lowest plants.

| Pre-Assembled SlimLine EZ Close Weight Assemblies | | | | | |
|---|--|--|--|--|--|
| Catalog # | Description | | | | |
| 78-041805 | 18" SlimLine EZ Close Weight Assembly (01HBA2W-18) | | | | |
| 78-042410 | 24" SlimLine EZ Close Weight Assembly (01HBA2W-24) | | | | |
| NEW! | 36" SlimLine EZ Close Weight Assembly (01HBA2W-36) | | | | |
| NEW! | 48" SlimLine EZ Close Weight Assembly (01HBA2W-48) | | | | |


| COMPONENTS | | | | | | | |
|------------|-----------|------------|---|------|--|--|--|
| Picture | Catalog # | Item # | Description | Pack | | | |
| ○—ø | 78-700090 | 11WPSCAP | Dripper Shut-Off Cap | 250 | | | |
| | 78-700130 | 68290133 | Punch, Blue (3mm) | 1 | | | |
| | 78-700070 | 1107737 | Goof Plugs | 10 | | | |
| | non stock | WPC5-250 | Woodpecker PC Dripper 0.5gph | 250 | | | |
| | | 11WPCONB | 3mm FlexTube adapter (nipple) | 250 | | | |
| 0 | 78-040005 | 01WPCJL2-B | Woodpecker Jr. PC Dripper 0.5 gph (red) | 250 | | | |
| | 78-040010 | 01WPCJL4-B | Woodpecker Jr. PC Dripper 1.0 gph (grey) | 250 | | | |
| 4 | 78-040020 | 01WPCJL8-B | Woodpecker Jr. PC Dripper 2.0 gph (green) | 250 | | | |

EASY SHUT-OFF

This feature allows the dripper assembly to be closed easily with one hand, preventing water and fertilizer from dripping on the plants or walkways below. With a quick glance, it's easy to see if the assembly is open or closed.



| | DRIPPER SYSTEM FOR 30' X 96' HOUSE 4-RUNS AND 4-ZONES | | | | | | |
|-----|---|--|--|--|--|--|--|
| Qty | Catalog # | Description | | | | | |
| 1 | 78-127550 | 3/4" x 500' Poly Tubing | | | | | |
| 1 | 78-700121 | 3/4" Insert In-Line Shut Off | | | | | |
| 4 | 81-144907 | 3/4" Plug (1449-007) | | | | | |
| 3 | 81-140107 | 3/4" Tee (1401-007) | | | | | |
| 9 | 81-140607 | 3/4" Elbow (1406-007) | | | | | |
| 1 | 78-900735 | 3/4" Pressure Regulator (35psi 32prv.75-35V2K) | | | | | |
| 1 | 78-910714 | 3/4" Arkal Disc Filter (140 mesh 25A45-140) | | | | | |
| 1 | 81-143607 | 3/4" Male Adapter (1436-007) | | | | | |
| 3 | 81-143507 | 3/4" Female Adapter (1435-007) | | | | | |
| 4 | 75-400205 | 1" Solenoid Valve 205TF | | | | | |
| 8 | 81-143613 | 3/4" x 1" MPT Reducer Male Adapter (1436-131) | | | | | |
| 45 | 79-350692 | 3/4" Stainless Steel Clamp #12 | | | | | |
| 124 | 78-041805 | 18" SlimLine EZ Close Weight Assembly (01HBA2W-18) | | | | | |
| 124 | NEW! | 36" SlimLine EZ Close Weight Assembly (01HBA2W-36) | | | | | |
| 5 | 55-915059 | 15" Galvanized S-Hooks 25/pack | | | | | |
| 1 | 78-700130 | Blue Sprinkler Punch | | | | | |
| 1 | 75-704381 | Irritrol Rain Dial R 6 Station | | | | | |



NOTE:

Water 248 Baskets with this 4-Zone Dripper System. Each Basket is spaced 18" apart with the alternating pattern shown in the diagram using 15" S-Hooks. Drippers are Pressure Compensating with 0.5GPH flow.

4-WAY ASSEMBLIES



Higher Crop Value

Netafim's Multi Outlet Drippers (MOD) feature both pressure compensation and a built-in check valve which ensures that every plant will receive exactly the same amount of water and fertilizers regardless of where the plant is located within the system. Each dripper adjusts itself automatically to the system pressure and elevation so that even on rolling of sloped ground, the uniformity of watering is 94%. The built-in check valve prevents unwanted drainage of the system onto the lowest plants when the watering cycle is complete.

| PAYBACK PERIOD | | | | | | | |
|---|--------|-----|-----|---------|--|--|--|
| Hand Watering Schedule (per plant) 3 Seconds Once A Day | | | | | | | |
| Cost per Plant (for Netafim system) | \$0.50 | | | | | | |
| Wage & Benefits (per hour) \$7.00 \$8.00 \$9.00 \$ | | | | \$12.00 | | | |
| Netafim System Payback (days) | 129 | 113 | 100 | 76 | | | |

Under Typical Conditions:

- Use a 35 PSI pressure regulator
- Use a 120 mesh filter

Hints & Tips:

- The end of both Angle Arrow Drippers can be used as a shut-off.
- Use tubes long enough to cover multiple crops as season progresses.
- 2GPH dripper divided by four drippers = 1/2GPH per plant.



Paybacks Are Not So Bad After All!

Payback for a Netafim system is úsually one season or less. Théreafter, it is a profit generator!

| 4-WAY DRIPPER ASSEMBLIES | | | | | | |
|--|-----------------------|---|------|--|--|--|
| Catalog # | Item # | Description | Pack | | | |
| 78-111818 | 014DM-1818F | 4-Way Dripper Assembly w/ 4-18" tubes | 25 | | | |
| 78-111830 | 014DM-1830F | 4-Way Dripper Assembly w/ 2-18" & 2-30" tubes | 25 | | | |
| 78-112424 | 014DM-2424F | 4-Way Dripper Assembly w/ 4-24" tubes | 25 | | | |
| 78-113030 014DM-3030F 4-Way Dripper Assembly w/ 4-30" tubes 25 | | | | | | |
| These items are d | rop shipped direct fr | om the manufacturer, Minimum 1 pack, F.O.B. CA. | | | | |

Pressure Compensating Drippers


The WPCJL is pressure compensating to provide a constant flow from 10 to 45 psi and has a built-in check valve to prevent system drainage into the lowest plants.

- Flat 4-Way manifold is usually combined with the 2.0 GPH WPCJL Dripper - 0.50 GPH per plant.
- Flat 2-Way manifold is usually combined with the 1.0 GPH WPCJL Dripper - 0.50 GPH per plant.




Flat Stack Manifold

When many small pots are to be watered, two manifold assemblies can be stacked together to create an 8-Way Assembly. The flow per pot is then 0.25 gallons per hour (GPH). For every 10 gallons per minute (GPM) available, 2,000 pots can be watered.




| COMPONENTS | | | | | |
|------------|------------|--|---------|--|--|
| Catalog # | Item # | Description | Bag Qty | | |
| 78-040110 | 01WPCJL4NB | WPC Jr. Dripper 1.0 gph (gray) (use with 2-way) | 250 | | |
| 78-040120 | 01WPCJL8NB | WPC Jr. Dripper 2.0 gph (green) (use with 4-way) | 250 | | |

| Multi-Outlet Dripper Assembly Components | | | | | | |
|--|-----------------|---|--|--|--|--|
| Catalog # | Model # | Description | | | | |
| 78-700151 | 01ADP4WPF-B | Flat 4-Way Manifold | | | | |
| 78-700150 | 01ADP4WPFS-B | Flat Stackable Manifold | | | | |
| 78-700140 | 01ADP2WPF-B | Flat 2-Way Manifold | | | | |
| 78-700040 | 01ADP4WP-B | Stackable Upright 4-Way Manifold | | | | |
| 78-700012 | 01MODS-A-ANG-B | Angle Arrow Dripper (6-3/8" length) | | | | |
| 78-700011 | 01MODS-A-ANGS-B | Short Angle Arrow Dripper (3-3/4" length) | | | | |
| 78-700010 | 01MODS-ST-BK-B | Straight Arrow Dripper | | | | |



4 Runs of 4-Way Drippers/1600 pots total

Great way to water your mum pans (8" x 5") with 4-Way Dripper Assemblies



| Qty | Catalog # | Description |
|-----|-----------|--|
| 1 | 78-127550 | 3/4" x 500' Poly Tubing |
| 4 | 78-700121 | 3/4" In-Line Shut-Off |
| 4 | 81-144907 | 3/4" Plug (1449-007) |
| 3 | 81-140107 | 3/4" Tee (1401-007) |
| 1 | 81-140607 | 3/4" Elbow (1406-007) |
| 1 | 78-900735 | 3/4" Pressure Regulator (35psi 32prv.75-35V2K) |
| 1 | 78-910714 | 3/4" Arkal Disc Filter (140 mesh 25A45-140) |
| 1 | 81-143607 | 3/4" Male Adapter (1436-007) |
| 3 | 81-143507 | 3/4" Female Adapter (1435-007) |
| 23 | 79-350692 | 3/4" Stainless Steel Clamp #12 |
| 400 | 78-111830 | 4-Way Dripper Assembly 2-18" & 2-30 tubes |
| 400 | 78-040120 | WPC JR Dripper 2.0GPH (01WPCJL8N-B) |
| 1 | 78-700130 | Blue Sprinkler Punch |

SPRAY STAKES FOR POT CROPS

Spray Stakes are specifically designed and better matched to the container shape producing a uniform and accurate wetting pattern. Excellent uniformity means a fast growing, evenly sized crop and eliminates water and fertilizer run-off between plants. This spray stake wets the entire container from top down and is ideal for bark-based growing media. High levels of UV inhibitors provide durability in direct sunlight and years of reliable service. Three flow rates are available for maximum design versatility each with individual shut-off capabilities.

| Zone Fl | Zone Flow Chart (GPM) for Spray Stake Assemblies | | | | | | | | | |
|---------|--|------------------------|-----|-----|------|------|------|------|------|------|
| Stake | | Number of Spray Stakes | | | | | | | | |
| Color | 200 | 400 | 600 | 800 | 1000 | 1200 | 1400 | 1600 | 1800 | 2000 |
| Yellow | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 |
| Green | 17 | 33 | 50 | 67 | 83 | 100 | 117 | 133 | 150 | 167 |
| Black | 23 | 47 | 70 | 93 | 117 | 140 | 163 | 187 | 210 | 233 |

| Components | | | | | | |
|------------|-----------|----------|--------------------------------|--|--|--|
| Picture | Catalog # | Item # | Description | | | |
| | 78-700022 | 1109006B | Insert Connector Barb x Thread | | | |
| | 78-700070 | 1107737 | Goof Plugs | | | |
| 1 | 78-100030 | 01SSYL | Yellow Spray Stakes 3.0 gph | | | |
| | 78-100050 | 01SSGN | Green Spray Stakes 5.0 gph | | | |
| | 78-100070 | 01SSBK | Black Spray Stakes 7.0 gph | | | |



Under Typical Conditions:

- · Use a 20 PSI pressure regulator
- · Use a 120 mesh filter
- Yellow: 3-5 gallon containers
- Green: 5-10 gallon containers
- · Black: 10-30 gallon containers

Product Selection Guide

| Pot Size | Flow Rate | Spray Stake |
|-----------------|-----------|-------------|
| 1 to 5 gallons | 3 GPH | Yellow |
| 2 to 7 gallons | 5 GPH | Green |
| 5 to 15 gallons | 7 GPH | Black |

JAIN AQUA SPRAY STICKS FOR POT CROPS

The Aboveground Spot-Spitter is designed to wet the soil surface with a mini-spray pattern. Versatility, reliability, and ease of installation and maintenance have made the Spot-Spitter the #1 choice for greenhouse and nursery growers for many years. Installation of a Spot-Spitter system is easy. Cut Roberts .125 I.D. x .187 O.D. polyethylene tubing to desired length and insert it into Roberts polyethylene hose using the easy-to-grip Hole Punch. The "memory" of the hose creates a water-tight fit. No glue or fittings are needed. Remember the flow rate is determined by the Spot-Spitter groove not the tubing length. Limit tubing to a maximum of 5 feet (60 inches). A Spot-Spitter may be easily cleaned by momentarily removing it from the tubing to flush any obstructions. Reverse ends of the Spot-Spitter to shut off water. Refer to Spot-Spitter guidelines for number of parts per lateral.



Features:

- · Reduces water use and labor cost
- · Easy to install and maintain
- · No need for special tubing lengths
- · Accommodates a variety of container sizes
- · Made with high quality durable plastic
- · Color coded according to flow rates
- · Provides uniform water coverage
- · Allows the liquid feeding of nutrients
- Available in three wetting patterns and different flow rates



| Catalog # | Item # | Description |
|-----------|-----------------|-----------------------|
| 80-811002 | SS-AG160LGN-100 | Roberts Spot-Spitter® |

Pressure Compensating Spray Stakes

PCNL SPRAY STAKE



Improved Control of Water and Fertilizer


- · Pressure Compensation (PC) assures the last container in the row gets the same amount of water as the first.
- Prevents overwatering. The check valve prevents water in the supply pipes from draining into the lowest plants after the valve shuts off.

Efficient Spray Pattern


- · Evenly wets the soil surface to maximize water retention.
- · Misting nearly eliminated prevents wind drift.

Simple, Durable Products

- · Long life, highly resistant to sunlight, fertilizers and chemicals.
- Extremely reliable.
- · Simple close-off mechanism.
- · Simple construction.









| ZONE FLOW CHART (GPM) | | | | | | | | | | | | |
|-----------------------|-----------------|-------|-----------------------------|-----|-----|-----|------|------|------|------|------|------|
| Stake | | Flow | Number of PCNL Spray Stakes | | | | | | | | | |
| Color | | (GPH) | 200 | 400 | 600 | 800 | 1000 | 1200 | 1400 | 1600 | 1800 | 2000 |
| Plum | Plum/ Black | 3.2 | 11 | 21 | 32 | 43 | 53 | 64 | 75 | 85 | 96 | 107 |
| Grey | Orange/ Grey | 6.6 | 22 | 44 | 66 | 88 | 110 | 132 | 154 | 176 | 198 | 220 |

Product Selection Guide

| Container Size | Flow (GPH) | Stake Color |
|------------------|------------|-------------|
| 1 to 5 gallons | 3.2 | Plum |
| 2 to 7 gallons | 6.6 | |
| 5 to 15 gallons | 7.9 | Brown |
| 10 to 30 gallons | 10.6 | Blue |

| PCNL SPRAY STAKE ASSEMBLIES - 3.2 GPH PLUM | | | | | | | |
|--|------------------------------------|--------------|-------------|----------|--|--|--|
| | Catalog # | Model # | Tube Length | Pack Qty | | | |
| Α | 78-063036 | 01PSD032-36B | 36" | 25 | | | |
| Α | 78-063048 | 01PSD032-48B | 48" | 25 | | | |
| В | 78-060199 | 01PSDS-PL1-B | - | 50 | | | |
| | Minimum energting pressures 22 DCI | | | | | | |

NOTE: Sold in pack quantities ONLY

| PCNL SPRAY STAKE ASSEMBLIES - 6.6 GPH GREY | | | | | | | |
|--|--|--------------|--------|-----|----|--|--|
| | Catalog # Model # Pattern Tube Length Pack Qty | | | | | | |
| Α | 78-066336 | 01PSD066-36B | - | 36" | 25 | | |
| Α | 78-066348 | 01PSD066-48B | - | 48" | 25 | | |
| В | 78-069190 | 01PSDS-GY1-B | Single | - | 50 | | |
| В | 78-069191 | 01PSDS-GY2-B | Double | - | 50 | | |
| Mini | Minimum operating pressure: 22 PSI, NOTE: Sold in pack quantities ONLY | | | | | | |

*NON-STOCK (Special order items - sold by pack qty ONLY)

| PCNL SPRAY STAKE ASSEMBY COMPONENTS | | | | | | |
|-------------------------------------|-----------|-----------------------|---|-----|--|--|
| Picture | Catalog # | # Model # Description | | | | |
| 20 | 78-049901 | 01WPCJL12-B | Pressure Compensating Woodpecker Plum/Black | n/a | | |
| | 78-049902 | 01WPCJL25-B | Pressure Compensating Woodpecker Grey/Org | n/a | | |
| | 78-700185 | 11002520-B | 5mm Elbow Connector | n/a | | |
| | 78-610111 | 15FPEW53 | Spaghetti Tubing White 1000' (stock) | n/a | | |
| | 78-610130 | 15FPE53 | Spaghetti Tubing Black 3000' | 1 | | |
| | 78-610103 | 15FPE53-36 | Pre-Cut Spaghetti Tubing 36" length | 100 | | |
| 1 | 78-610104 | 15FPE53-48 | Pre-Cut Spaghetti Tubing 48" length | 100 | | |

On-Off Tube Weights

Tube Weights

Jain's heavy wall Tube Weights are strong and durable resisting damage even if inadvertently stepped on or pulled. They hold firmly in the main, forming a water tight joint which eliminates the need of brass inserts. Two sizes are available with the exclusive on-off feature. As plants are removed from the bed, a quick push on the end of the weight shuts off the individual tubes, saving water and fertilizer.

Pressure Compensating Tube Weights

Jain Tube Weights have always been one of the most durable and reliable greenhouse watering systems and now they're even better. Still easy to install and maintain, the non-draining pressure compensating emitter allows more precise control over irrigation and fertilization. Plus, due to the pressure compensation, you can use a combination of the eight lengths on a single line.





Under Typical Conditions:

- Use a 120 mesh filter
- · Use a .128 OD punch



Maximum Recommended Tubes Per Line

Use the chart below to determine the maximum number of non-pressure compensated tube weights to use per supply line. For instance, based on the charts below, a 50 foot bench with 150 pots can be irrigated with a 3/4" supply line, .060 tubes 36" long and an end of bench water supply.

| | MAXIMUM RECOMMENDED NUMBER OF .060 HEAVY WALL TUBES | | | | | | |
|----------------|---|------------------|------------------|------------------|------------------|------------------|------------------|
| | | 24" LONG TU | JBE WEIGHTS | 36" LONG T | UBE WEIGHTS | 48" LONG TU | JBE WEIGHTS |
| | | 1/2" Supply Pipe | 3/4" Supply Pipe | 1/2" Supply Pipe | 3/4" Supply Pipe | 1/2" Supply Pipe | 3/4" Supply Pipe |
| | 25' | 96 | 158 | 114 | 184 | 131 | 201 |
| | 30' | 88 | 149 | 105 | 166 | 123 | 193 |
| e D | 35' | 82 | 140 | 96 | 162 | 114 | 184 |
| of Supply Pipe | 40' | 79 | 131 | 92 | 158 | 109 | 180 |
| ddn | 45' | 75 | 123 | 88 | 153 | 105 | 175 |
| of 8 | 50' | 70 | 105 | 82 | 149 | 100 | 166 |
| Length | 55' | 65 | 96 | 78 | 131 | 96 | 158 |
| Ē | 60' | 61 | 88 | 75 | 123 | 92 | 149 |
| | 70' | 58 | 79 | 73 | 105 | 88 | 140 |
| | 80' | 53 | 70 | 70 | 88 | 83 | 123 |
| | | MAXII | MUM RECOMME | NDED NUMBER | OF .076 HEAVY W | ALL TUBES | |
| | | 24" LONG TU | JBE WEIGHTS | 36" LONG T | UBE WEIGHTS | 48" LONG TU | JBE WEIGHTS |

| | INFORMATION RECOMMENDED NOMBERS OF ISSUED IN THE FOREST | | | | | | |
|-----------------------|---|------------------|------------------|------------------|------------------|-----------------------|------------------|
| | | 24" LONG TU | JBE WEIGHTS | 36" LONG T | UBE WEIGHTS | 48" LONG TUBE WEIGHTS | |
| | | 1/2" Supply Pipe | 3/4" Supply Pipe | 1/2" Supply Pipe | 3/4" Supply Pipe | 1/2" Supply Pipe | 3/4" Supply Pipe |
| | 25' | 55 | 90 | 65 | 105 | 75 | 115 |
| | 30' | 50 | 85 | 60 | 95 | 70 | 110 |
| <u>B</u> | 35' | 48 | 80 | 55 | 93 | 65 | 105 |
| P | 40' | 45 | 75 | 53 | 90 | 60 | 103 |
| ddng | 45' | 43 | 70 | 50 | 87 | 59 | 100 |
| Length of Supply Pipe | 50' | 40 | 60 | 48 | 85 | 57 | 95 |
| ngth | 55' | 35 | 55 | 47 | 75 | 55 | 90 |
| Ē | 60' | 33 | 50 | 45 | 70 | 53 | 85 |
| | 70' | 30 | 45 | 43 | 60 | 50 | 80 |
| | 80' | 28 | 40 | 40 | 50 | 48 | 70 |

On-Off Tube Weights

FOR POT CROPS & HANGING BASKETS



| .060 I.D. Tuk | e Weights | | | |
|---------------|-----------------------|----------------------------|------|--|
| Catalog # | Item # | Description | Pack | |
| 76-105012 | EOW60-12 | 12" On/Off Tube Weights | 100 | |
| 76-105018 | EOW60-18 | 18" On/Off Tube Weights | 100 | |
| 76-105024 | EOW60-24 | 24" On/Off Tube Weights | 100 | |
| 76-105030 | EOW60-30 | 30" On/Off Tube Weights | 100 | |
| 76-105036 | EOW60-36 | 36" On/Off Tube Weights | 100 | |
| 76-105042 | EOW60-42 | 42" On/Off Tube Weights | 100 | |
| 76-105048 | EOW60-48 | 48" On/Off Tube Weights | 100 | |
| 76-105060 | EOW60-60 | 60" On/Off Tube Weights | 100 | |
| non-stock | EOW60-72 | 72" On/Off Tube Weights | 100 | |
| .076 I.D. Tuk | 076 I.D. Tube Weights | | | |
| Catalog # | Item # | Description | Pack | |
| non-stock | EOW76-12 | 12" On/Off Tube Weights | 100 | |
| 76-106018 | EOW76-18 | 18" On/Off Tube Weights | 100 | |
| 76-106024 | EOW76-24 | 24" On/Off Tube Weights | 100 | |
| 76-106030 | EOW76-30 | 30" On/Off Tube Weights | 100 | |
| 76-106036 | EOW76-36 | 36" On/Off Tube Weights | 100 | |
| 76-106042 | EOW76-42 | 42" On/Off Tube Weights | 100 | |
| 76-106048 | EOW76-48 | 48" On/Off Tube Weights | 100 | |
| 76-106060 | EOW76-60 | 60" On/Off Tube Weights | 100 | |
| 76-106072 | EOW76-72 | 72" On/Off Tube Weights | 100 | |
| Punches | Punches | | | |
| Catalog # | Item # | Description | Pack | |
| 78-149903 | | Hole Punch Set with 3 Tips | each | |
| 76-199002 | 422809 | Quick Punch | each | |



Using Jain Products:

- 1. Make a hole using punch.
- 2. Insert the Tube Weight into the hole.
- 3. Wait a few hours for the poly tubing to constrict and form a water tight seal.

All Jain Products are drop shipped directly from the factory. F.O.B. Watertown, NY.

SPACE-ITTM DRIPPERLINE

Space-It Dripperline is the simplest way to achieve a good, long term quality pot watering system. The general layout of the Space-It Dripperline is very simple:

- · Water is supplied to the dripperlines from a supply header or submain.
- The dripperline is stretched across the top of the pots and is secured at the end connection with enough tension to keep it in place over the top of the pots.
- For lengths over 100 feet, locate the supply header in the center and install the dripperlines outward in both directions with separate connections for each dripperline.

There are several connection options available for the Space-It Dripperlines. Check with an authorized Netafim USA dealer for many installation configurations.







Tubing is visibly marked indicating dripper location.



Opposite side of tubing - dripper outlet.

| | SPACE-IT™ DRIPPERLINE | | | | |
|--------------|-----------------------|-----------|-----------------|-------------|--|
| Item # | Model # | Flow Rate | Dripper Spacing | Coil Length | |
| 16523-000101 | 06SL8636.2DM-12 | 0.2 GPH | 12" | 9000' | |
| 16523-000103 | 06SL8636.4DM-16 | 0.4 GPH | 16" | 9000' | |
| 16523-000106 | 06SL8636.4DM-24 | 0.4 GPH | 24" | 9000' | |

8 mil Wall Thickness, 0.636" Inside Diameter

| | SPACE-IT™ DRIPPERLINE FITTINGS | | | | | |
|-----------------------------|--------------------------------|----------------|--|---------|--|--|
| Space-It Connec- tion | Item # | Model # | Description | Bag Qty | | |
| | 00115-002150 | H5703414018C-B | 1/2" MIPT Male Adapter | 50 | | |
| Fittings for PVC | 32500-011020 | H520IMA075-B | 3/4" MIPT Male Adapter | 50 | | |
| Pipe | 00115-005150 | T63036450170-B | Connector w/Grommet (requires 16mm drill bit) | 100 | | |
| Fittings | 00115-006251 | T63042440170-B | Barb Connector w/close-off valve | 25 | | |
| for Poly- ethlene | 32500-016770 | T630CB-B | Insert Coupling w/ Ring | 100 | | |
| (PE) Pipe | 32500-016490 | T630ENDB | End Plug w/ Ring | 100 | | |

NETAFIM MEGANET™



Advantages:

- Perfectly balanced sprinkler with two equal water jets.
- Robust design is closed and compact preventing insect penetration and protecting internal parts.
- Excellent distribution uniformity.
- Can be installed on solid sets or in removable field stands.
- Each unit has an individual filter to simplify cleaning.
- Color Coded for easy identification.
- •UV protected material are durable in all climates.
- Resistant to fertilizers and chemicals.
- Two water trajectory angles: High: 24 degrees; Low: 15 degrees
- Recommended Operating Pressure Range: 29-45 psi (at sprinkler head)
- •Inlet Connection: 1/2" Male Threaded



| Item # | Description | GPM |
|--------------|---------------|------|
| 63600-001700 | Yellow Nozzle | 0.88 |
| 63600-001000 | Green Nozzle | 1.54 |
| 63600-003000 | Brown Nozzle | 2.42 |
| 63600-004500 | Red Nozzle | 3.30 |

Senninger Irrigation, Inc. Wobblers®



WOBBLERS®

Large droplet size and low operating pressures give the Wobbler the ability to fight the wind and penetrate the foliage better than any other sprinkler.

| | Pressure | Dia at 1.5' height | Flow |
|-----|----------|-----------------------|---------|
| :S | 20 psi | 46.5' | 2.54gpm |
| SPE | 25 psi | 47.5' | 2.84gpm |
| | 35 psi | 49.0' | 3.36gpm |

Under Typical Conditions:

- Use a 20-35 psi Pressure Regulator
- Angle of Throw: approx. 24°

- Mount upright onlyStandard Inlet 3/4" MPT

Features:

- Only one moving part for longer life
- · Large droplet size reduces wind drift



MINI WOBBLER®

With it's outstanding uniformity and distance of throw at low pressures, the Mini-Wobbler is the right choice for container grown material in the field or under shade.

| | Pressure | Dia at 3' height | Dia at 6' height | Flow |
|--------|----------|---------------------|---------------------|---------|
| SPECS: | 15 psi | 33.2' | 39.4' | 0.95gpm |
| SPE | 25 psi | 36.8' | 42.0' | 1.25gpm |
| | 35 psi | 37.6' | 42.2' | 1.47gpm |

Under Typical Conditions:

- Use a 20-35 psi Pressure Regulator
- Angle of Throw: approx. 10°

Notes:

- Mount upright onlyStandard Inlet 1/2" MPT

Features:

- · Color-coded nozzles for size ID
- Outstanding uniformity



I-MINI WOBBLER®

The I-Mini Wobbler (Inverted Mini Wobbler) has the same unique off-center rotarvaction as the standard Wobbler. Provides uniform coverage over a large diameter at low pressures.

| | Pressure | Dia at 3' height | Dia at 6' height | Flow |
|--------|----------|---------------------|---------------------|---------|
| SPECS: | 15 psi | 29.8' | 33.2' | 0.95gpm |
| SPE | 25 psi | 31.4' | 34.4' | 1.25gpm |
| | 35 psi | 32.0' | 35.2' | 1.47gpm |

Under Typical Conditions:


- Use a 20-35 psi Pressure Regulator Notes:
 - Mount inverted (overhead) only
- Standard Inlet 1/2" MPT

Features:


Color-coded nozzles for size ID

| Catalog # | Description | Pack |
|-----------|-----------------------------------|------|
| 80-120106 | Wobbler w/ Grey Nozzle | each |
| 80-130106 | Mini Wobbler w/ Gold Nozzle | each |
| 80-131106 | I-Mini Wobbler w/ Gold Nozzle | each |
| 80-131109 | I-Mini Wobbler w/ Lavendar Nozzle | each |


| I-MINI W | I-MINI WOBBLER SPRINKLER SYSTEM FOR 30' X 96' HOUSE 1-RUN | | | |
|----------|---|--|--|--|
| Qty | Catalog # | Description | | |
| 2 | 78-127501 | 3/4" x 100' Poly Tubing | | |
| 1 | 78-700121 | 3/4" In-Line Shut-Off | | |
| 1 | 81-144907 | 3/4" Plug (1449-007) | | |
| 2 | 81-140607 | 3/4" Elbow (1406-007) | | |
| 1 | 78-900735 | 3/4" Pressure Regulator 35psi 32prv.75-35V2K | | |
| 1 | 78-910714 | 3/4" Arkal Disc Filter 140 Mesh 25A45-140 | | |
| 1 | 81-143607 | 3/4" Male Adapter (1436-007) | | |
| 3 | 81-143507 | 3/4" Female Adapter (1435-007) | | |
| 25 | 79-350692 | 3/4" Stainless Steel Clamp #12 | | |
| 7 | 80-131106 | I-Mini Wobbler with Gold Nozzle | | |
| 7 | 77-897272 | 1/2" x 1/2" FPT Female Coupling | | |
| 7 | 81-882180 | 18" Riser 1/2" MPT x 18" | | |
| 7 | 81-140211 | 3/4" Tee (1402-101) Insert x Insert x 1/2" FPT | | |



| Wobble | Wobbler Sprinkler System For 72' x 120' 2-Runs | | | |
|--------|--|--|--|--|
| Qty | Catalog # | Description | | |
| 2 | 78-127501 | 3/4" x 100' Poly Tubing | | |
| 1 | 78-601001 | 1" x 100' Poly Tubing | | |
| 2 | 81-144907 | 3/4" Plug (1449-007) | | |
| 8 | 81-140207 | 3/4" Tee (1402-007) Insert x Insert x 3/4" FPT | | |
| 1 | 81-140610 | 1" Elbow (1406-010) | | |
| 1 | 81-140613 | 1" x 3/4" Reducing Elbow (1406-131) | | |
| 1 | 80-190403 | 1" Pressure Regulator 40psi PR-40HF | | |
| 1 | 78-911012 | 1" Arkal Disc Filter 120 mesh 25A47-120 | | |
| 2 | 81-143610 | 1" Male Adapter (1436-010) | | |
| 2 | 81-143510 | 1" Female Adapter (1435-010) | | |
| 1 | 81-140113 | 1" x 1" x 3/4" Reducing Tee (1401-131) | | |
| 29 | 79-350692 | 3/4" Stainless Steel Clamp #12 | | |
| 8 | 81-883360 | 36" Riser x 3/4" MPT (883-360) | | |
| 8 | 81-430007 | 3/4" x 3/4" FPT Female Coupling (430-007) | | |
| 8 | 80-230000 | Wobbler with Grey Nozzle | | |




| MINI WOBBLER SPRINKLER SYSTEM FOR 100' X 100' AREA 4-RUNS | | |
|---|-----------|--|
| Qty | Catalog # | Description |
| 1 | 78-127550 | 3/4" x 500' Poly Tubing |
| 1 | 78-601001 | 1" x 100' Poly Tubing |
| 4 | 81-144907 | 3/4" Plug (1449-007) |
| 16 | 81-140211 | 3/4" Tee (1402-101) Insert x Insert x 1/2" FPT |
| 1 | 81-140610 | 1" Elbow (1406-010) |
| 1 | 81-140613 | 1" x 3/4" Reducing Elbow (1406-131) |
| 1 | 80-190403 | 1" Pressure Regulator 40psi PR-40HF |
| 1 | 78-911012 | 1" Arkal Disc Filter 120 Mesh 25A47-120 |
| 2 | 81-143610 | 1" Male Adapter (1436-010) |
| 2 | 81-143510 | 1" Female Adapter (1435-010) |
| 3 | 81-140113 | 1" x 1" x 3/4" Reducing Tee (1401-131) |
| 53 | 79-350692 | 3/4" Stainless Steel Clamp #12 |
| 16 | 81-882360 | 36" Riser x 1/2" MPT 882-360 |
| 16 | 77-897272 | 1/2" x 1/2" FPT Female Coupling |
| 16 | 80-130106 | Mini Wobbler with Gold Nozzle |
| 16 | 81-999999 | Optional Sled Base |



NAAN 501 SPRINKLER

The 501 Sprinkler's innovative turbo hammer drive and complete sand proof design, allows a low operating pressure and low flow rate with excellent water distribution, for very effective irrigation. Our complete system offers an overlap watering pattern for uniform irrigation of annuals and perennials in packs and pots. Perfect for hardy mums.



| 501 COMPONENTS | | |
|----------------|----------|--|
| Catalog # | Item # | Description |
| 80-376004 | 21196520 | Field Stand Complete w/ 39" Tube, male adapter, and rod |
| 80-376005 | 21492784 | 39" Tubing and male adapter |
| 80-376000 | 21493201 | Rod for Field Stand |
| 80-300250 | 21497031 | Plug for Naan 501 (option to cap female adapter/end of season) |
| 80-300227 | 21497041 | Male Barb End |
| 80-300207 | 21497051 | Female Adapter |
| 80-351053 | 501 | 501 Sprinkler w/ green nozzle |

| | COMPLETE 501 SYSTEM SETUP FOR 80' X 80' AREA | | |
|-----|--|--|--|
| Qty | Catalog # | Description | |
| 2 | 78-127501 | 3/4" x 100' Poly Tubing | |
| 1 | 78-700121 | 3/4" In-Line Shut-Off | |
| 3 | 81-144907 | 3/4" Plug (1449-007) | |
| 2 | 81-140107 | 3/4" Tee (1401-007) | |
| 2 | 81-140607 | 3/4" Elbow (1406-007) | |
| 1 | 78-900735 | 3/4" Pressure Regulator 35psi 32prv.75-35 | |
| 1 | 78-910714 | 3/4" Arkal Disc Filter 140 mesh 25A45-140 | |
| 1 | 81-143607 | 3/4" Male Adapter (1436-007) | |
| 3 | 81-143507 | 3/4" Female Adapter (1435-007) | |
| 19 | 79-350692 | 3/4" Stainless Steel Clamp #12 | |
| 9 | 80-351053 | Naan 501 Sprinkler Green Nozzle | |
| 9 | 80-300207 | Female Adapter for Naan Field Stand | |
| 9 | 80-376004 | Field Stand Complete | |

MISTING CONTROLLERS

TRIDENTTM SINGLE ZONE CONTROLLER MODEL T3A #1095



- Solid-state memory chip
- · User friendly digital display
- · Easy user interface
- · Outstanding reliability
- Set-and-forget programming
- Toggle switch for on/off time mode, second/minute, minute/minute, and minute/hour
- 2 seconds on, 2 minutes off to 60 minutes on, 180 hours off
- 24 hour clock and 8 programming event

- · 2 to 60 second on time, 2 to 180 minute or hour off time.
- On and off LEDs show on/off times when programming controller is in use
- · A, B, and C controllers are now combined into one self-contained single-zone controller
- Extra bright LEDs
- · Sturdy plastic enclosure
- · UV protected, mounts securely, resists moisture and chemicals

NOVA 1626ET 6 ZONE CONTROLLER #1405



- Sturdy non-metallic enclosure
- UV protected
- · Resists moisture and chemicals
- · Seconds on, minutes off settings
- 1x, 2x, 3x time extender toggle switch

- · One connection for the common wire
- 24 hour digital clock, with 9 programmable events to turn controller off
- Includes 24VAC plug-in transformer
- · 2 year warranty

| Catalog # | Description |
|-----------|--|
| 33-021095 | Trident Single Zone Controller Model T3A #1095 |
| NEW | Nova 1626ET 6 Zone COntroller Model #1405 |

RAN DIAL-R HYBRID 6, 9, AND 12 STATION OUTDOOR/INDOOR



Key Features and benefits:

- · Remote control ready with a rain sensor ready
- Three independent programs and three water day choices
- · 365 day calender for odd/even date watering
- Water well recovery (delay between stations)
- Master valve/pump start circuit assignable per station
- Test all stations program and program stack or overlap option

From 6 to 48 stations,

Snap-out face panels

| Catalog # | Description |
|-----------|--------------------------------------|
| RD600 | Rain Dial R Series 6 Station Indoor |
| RD900 | Rain Dial R Series 9 Station Indoor |
| RD1200 | Rain Dial R Series 12 Station Indoor |

TOTAL CONTROL®-R



The irritrol® Total Control-R family of models is proof that advanced design controlle's don't have to be complicated. Developed to meet a wide variety of watering requirements, the easy-to-program Total Control Series is available in models ranging from 6 to 48 stations. Programming flexibility is provided by four independent programs. 16 total start times and a 365-day calendar for odd/even day scheduling. And now, the Total Control-R has a weather-based option with irritrol's new Climate Logic.

| Catalog # | Description |
|-----------|--|
| TC6IN | Total Control R Series 6 Station Indoor |
| TC48EX | Total Control R Series 48 Station Indoor |

BATTERY OPERATED CONTROL VALVES

Low Cost Solution For Automatic Irrigation

Get automatic valve control without additional wiring costs.

The Agua Pro Controller mounts on each valve and is individually programmed. A 9 vold DC battery is the only power required to turn the valve on and off. This option is available on and Nylon, PVC, Iron or Bronze valve. It's ideal for seasonal or annual crops requiring system potability.

- Corrosion-proof components and water resistant
- Easy access with four button programming and easy to read large LCD display
- · Easy manual activation if needed
- Multiple cycles per day
- · Indoor or outdoor installations



Description

AP-Controller - P3



Battery-Operated

Provides automatic irrigation in areas without A.C. power

Waterproof (IP68)

To survive the occasional flooded valve box

Valve Mount or Wall Mount Option

Mount right on the D.C. solenoid or wall mount up to 900' away

1-and 4-Station Models

For temporary power to one valve or permanent power to a system without A.C.

Compatible With Wired Rain Sensor

Saves water preventing irrigation during a downpour

Use Irritrol DVL, DC Latching Solenoid



Description

1 Station Control

4 Station Control

SOLENOID VALVES

- · High Flow; Low Pressure Loss
- Manual Bleed
- Minimum pressure 5 psi, maximum 150 psi

Used for regulating flow on water lines using time clocks. Solenoid Valves can be easily installed in any position above or below ground and are simple to service without removal. Valves open when energized and close when de-energized and are slow opening and closing to reduce water hammer damage to pipes.



| Catalog # | Item # | Description |
|-----------|--------|-------------------------|
| 75-400205 | 205TF | Irritrol 1" In-line 24V |

Solo Handheld & Backpack Sprayers



| Catalog# | Item# | Description | Size |
|-----------|-------|---------------------------------------|--------|
| | 416 | Battery-Powered Backpack Sprayer | 5 gal. |
| | 421-S | Portable Spreader | 20 lb |
| 36-214560 | 456 | Solo Sprayer with inflation valve | 2 gal. |
| 36-214570 | 457 | Solo Sprayer with inflation valve | 3 gal. |
| 36-214730 | 473P | Back Pack Sprayer with Piston Pump | 3 gal. |
| 36-214251 | 425 | Back Pack Sprayer with Piston Pump | 4 gal. |
| 36-214350 | 435 | Back Pack Sprayer with Piston Pump | 5 gal. |
| 36-214732 | 473D | Back Pack Sprayer with Diaphragm Pump | 3 gal. |
| 36-214752 | 475 | Back Pack Sprayer with Diaphragm Pump | 4 gal. |
| 36-214852 | 485 | Back Pack Sprayer with Diaphragm Pump | 5 gal. |

COLDFOGGER DRAM FOB - MN

The Dramm ColdFogger™ is a low-volume chemical applicator that can easily apply all formulations of pesticides, growth retardants, fungicides, cleaning products and disinfectants using a highly concentrated spray solution. The "low-volume" method of applying chemical solutions utilized in the ColdFogger diminishes costly runoff and greatly reduces application times. Very small spray droplets are generated to provide deep and even penetration of chemicals.

The 72 liter (20 gallon) chemical tank with built in agitator pump holds enough spray solution to provide up to 72,000 square feet of coverage in as little as 72 minutes. The powerful high pressure fog projects a plume of 30 - 60 micron diameter spray droplets 20 - 25 feet from the hand held spray-gun.



| Item # |
|-------------|
| CF20 |
| CF20-150 BF |

WATER CART DRAM FOB - MN

The Dramm WC20 Watering Cart is designed for portability and ease of use. Utilizing a battery powered pump and Dramm's durable, portable MS20 Cart, the WC20 can pump more than 300 gallons of water on one full charge.

The WC20 comes as a complete unit. A 20 gallon tank and powder coated steel cart, non-marking, locking front casters and solid wheels make up the cart design.

The 12 volt 17ah battery is enclosed in a watertight plastic enclosure. The battery operated pump operates has an output of 4.9 gallons per minute and is connected to a 12 ft. hose with a Dramm One Touch™ wand, offering fingertip control of watering. The Water Cart includes an on-board charger for overnight charging of the unit.



| Item # | |
|--------|--|
| WC-20 | |
| WC-50 | |

BATTERY BACKACK SPRAYER DRAMM

The Dramm BP-4 Back Pack Sprayer is a rechargeable, battery-powered sprayer that fits comfortably on your back. Operating at a maximum pressure of 140 psi, the BP-4 offers an adjustable pressure knob for flexibility in spraying. Using the high-pressure setting, the BP-4 atomizes spray solutions better than other backpack sprayers, ensuring excellent coverage. The battery-operated pump ensures even flow rates, perfect for even application of plant growth regulators, insecticides, fungicides, herbicides and other greenhouse chemicals. The BP-4 can run for up to 2 hours on a full charge and recharges overnight. The 4 gallon tank capacity is just the right size. Perfect for spot treatments or concentrated applications, but small enough to still be comfortable to wear.

- · Dual Fan Nozzle
- Adjustable cone nozzle
- Battery indicator
- Padded backing
- Comfortable straps
- · Priming bubble
- · Tank Drain

Specifications

Weight - 11lbs. (empty)

Chemical tank capacity - 3.95 gal. (15 L)

Pressure - 143 psi

Suction - 0.39 mgal/min (1.5L/min)

Battery - 12V 5.0 Ah

Continuous spray time - 1 or 2 hr.

Recharging time - 12 hrs.

| Catalog # | Description |
|-----------|--------------------------|
| BP-4 | Battery Backpack Sprayer |

Plus S&H F.O.B. Dramm Manitowoc, WI

3 TANK FERTICART

The Dramm 3 tank FertiCart allows for three different stock solutions to be used with a single injector and cart. Three independent 7 gallon tanks ride on the same, durable, vinyl-coated frame as our standard FertiCart. Selecting the source tank is as simple as turning ball valves. Each tank is plumbed to include an isolation valve and a drain from the bottom. As with all FertiCarts, all the plumbing, including a 200 mesh filter and a backflow prevention check valve is included. The unit is finished with unions below the injector to allow for easy assembly and disassembly. The FertiCart comes standard with solid rubber wheels and casters, but can be upgraded with our BigFoot wheel kit to include 15" pneumatic turf tires and pneumatic casters.

- Pre-assembled plumbing
- · Filter and check valve
- Tank selection valves
- · Solid rubber wheels
- PVC unions
- Three 7 gallon tanks
- Vinyl dipped finish

Specifications

Tank size - 3 x 7 gallon

Fits Dosatron™ D14 injector

Dimensions - L 38" x W 21" x H 48"

Hose hook on rear of unit Vinyl coated steel frame

| Catalog # | Description |
|-----------|------------------|
| FC3X7-DT | 3 Tank Ferticart |

Plus S&H F.O.B. Dramm Manitowoc, WI



DRAMM



AUTOFOG UNITS

DRAMM

The Dramm Autofog automatically sprays areas up to 70,000 sq. ft. with no applicator present. The ultra fine cloud droplets penetrate deep into the plant canopy covering all surfaces, ensuring excellent control of greenhouse pests and diseases. The Autofog saves time and money by eliminating the labor needed to control your pests. By creating billions of tiny spray droplets, the Autofog treats large areas with less chemical solution. Just set the timer, mix the chemical and leave. The Autofog does the rest.



- Safely applies pesticides without an applicator
- · Effective eradication of pests and diseases
- Smallest, most consistent droplets available
- Foggerhead separates for easy and best placement
- Four different models for every size greenhouse



| Description | Coverage Area | | Power | Delivery | |
|---|----------------------|-----------------------|-------------|----------------------|--|
| | Machine Alone | With HAF | | | |
| Autofog MLVH-10A | up to 5,000 sq. ft. | up to 7,000 sq. ft. | 120v AC | single nozzle | |
| Autofog SLVH-20A | up to 12,000 sq. ft. | up to 26,000 sq. ft. | 120v AC | air assist | |
| Autofog LVH-20A | up to 30,000 sq. ft. | up to 70,000 sq. ft. | 208/220v AC | air assist | |
| Autofog DLVH-20A | up to 60,000 sq. ft. | up to 140,000 sq. ft. | 208/220v AC | dual head air assist | |
| All Dramm Sprayers: Special Order F.O.B. WI | | | | | |

MSO Sprayers

The Dramm Heavy-Duty Sprayer is powerful and compact. It is designed for every type of chemical application. Model MSO is a hydraulic sprayer with fully adjustable pressures, making it a highly flexible tool for the application of pesticides, fungicides,



wetting agents, cleaning solutions and disinfectants. By simply twisting the spray gun knob you can adjust the pressure from a stream that throws up to 20 feet to an eight foot diameter mist.

| Description |
|--|
| MSO Sprayer w/33' Hose Discharge Hose & Gun |
| MS20 Sprayer 33' Pkg w/20 Gal Tank/Cart |
| MS20-100 Sprayer 100' Pkg w/20 Gal Tank/Cart & Hose Reel |
| MS-20E 20 Gal. Tank w/Cart, Holds up to 150' Hose |
| 33' Discharge Hose Only, 500 PSI |
| 100' Discharge Hose Only, 500 PSI |
| 150' Discharge Hose Only, 500 PSI |
| All Dramm sprayers: Special Order F.O.B. WI |

HYDRA SPRAYTRAX

The Dramm Hydra SprayTrax[™] is a high volume hydraulic sprayer capable of performing a variety of tasks. The Hydra[™] is perfect for the application of insecticides, fungicides, growth regulators, fertilizers, disinfectants and other chemicals. With a maximum pump output of 7 gallons per minute, the Hydra SprayTrax offers enough volume to utilize a choice of guns, drench, and agitate the tank simultaneously. The pump has a maximum operating pressure of 550 psi with a fully adjustable regulator, allowing for flexibility in choice of spray pattern, droplets and distances.



- · Long stroke length pump
- Convex reel
- Variable tension drag
- Forward motion gun
- Dramm bypass bar
- · Balloon Tires
- Self tracking axles
- Sumped tank
- · Close coupled pump and motor

Specifications

Tank size - 50 or 100 Gallons

Cart Design - 4-Wheel SelfTracking

Hose Length - 150', 200' or 250'

Pump - Direct Drive

Dimensions Hydra 50 - L 65" x W 34" x H 57"

Motor - 5.5 HP Honda Engine

Maximum Pump Capaty - 7 gpm

Maximum Pressure - 550 psi

Pump Type - Triplex Piston Pump

Dimensions Hydra 100 - L 60" x W 39" x H 63"

| Catalog # | Description |
|--------------|-----------------|
| HYDRA 50/150 | Hydra SprayTrax |

Plus S&H F.O.B. Dramm Manitowoc, WI

GASOLINE POWERED SPRAYER



The Dramm Portable Gasoline Power Sprayer is a multipurposechemical applicator that can easily apply all formulations of pesticides, fungicides, cleaning products and disinfectants. The GAS-MS features three different regulator settings for your spraying needs. Using conventional high-volume rates, this sprayer will provide thorough and consistent chemical applications.

- Dual piston pump with uniflow design minimizes pump wear
- Bronze and stainless steel pump construction
- · Adjustable, trigger, spray-gun
- Three pressure regulator settings
- · Low 100 PSI
- Medium 220 PSI
- · High 350 PSI
- Applies most chemical formulations
- Discharge hose
- · Optional cart, model MS20GAS

| Catalog # | Description |
|----------------|------------------------|
| MS20-GAS-66-BF | Gasoline Power Sprayer |

Plus S&H F.O.B. Dramm Manitowoc, WI

SuperDos Injectors



| Catalog # | Item # | Description | Max Flow Rate (gpm) | Feed Ratio | PSI | Inlet Outlet |
|--------------------|---------------|---------------------------|------------------------|------------|---------|--------------|
| 48-100250 | 112602 | MiniDos Injector 2.5% | 12 | 0.50-2.50% | 6.0-100 | 3/4" npt |
| 48-100120 | 113205 | SuperDos 20 Injector 2.5% | 20 | 0.20-2.50% | 5.0-100 | 1" npt |
| 48-100130 | 113209 | SuperDos 30 Injector 2.5% | 30 | 0.20-2.50% | 5.0-100 | 1" npt |
| 48-100140 | 113212 | SuperDos 45 Injector 2.5% | 45 | 0.20-2.50% | 5.0-100 | 1-1/4" npt |
| *Non-stock items a | are F.O.B. TX | | | | | |

CALL YOUR WALDO & ASSOCIATE REGIONAL ACCOUNT MANAGER FOR PRICING AND MORE INFORMATION.

GATOR-XL - 8001 INJECTOR

YOUR TIME IS VALUABLE AND SO ARE YOUR CROPS

The Gator-XL is the worldwide choice for proportionally adding any solution into a water system For livestock agriculture, horticulture, sanitation, water treatment, etc.

Water Powered Competitively Priced!

- Designed for simple, low cost maintenance.
- · Able to handle a wide variety of chemicals.
- Made of heavy duty, modular construction, with a separate water motor and chemical pump section, so the motor stays chemical free, and parts are easy to access for service.
- Easily installed into the piping system with flexible hoses or can be installed directly into the piping system with the optional union connectors.

NOW YOU CAN ACCURATELY FEED YOUR CROPS WITH THE EASY TO USE FIXED RATE GATOR-XL™ INJECTOR.

Fixed Rate 1-100 10 GPM Injector Min/Max Pressure: 3-120 PSI

IDEAL FOR USE IN:

Greenhouses, Garden Centers, Nurseries, Landscape Operations, etc. (Add a cart and make it mobile!)

RELIABLE:

Pumps fertilizers, chemicals, wetting agents, soaps and acids through a simple system. Fewer internal components means less chance of breakdown!

ACCURATE:

The proper percentage of concentrate is taken up and mixed in the Gator-XL for the precise dose injected to your crops every time!

AFFORDABLE:

Costs less than comparable fixed rate units.

IN STOCK FOR IMMEDIATE ECONOMICAL UPS SHIPPING

| Catalog # | Description |
|---------------|---|
| 48-020000 | Gator-XL Injector |
| Stock Replace | ement Parts: |
| 48-028031 | Chemical Pump Replacement Cartridge (1/100) |
| 48-028039 | Quick Clip Pump Piston (pack of 1) |



FILTER

Flow Range:

1 to 78 US gpm* (0.2 to 17.7 m³/hr)

Maximum Pressure:

100 psi

(6.9 bar)

Maximum Temperature:

120°F (49°C)

Mesh Size:

- 30 Mesh (600 Micron) Element (Brown)
- 60 Mesh (250 Micron) Element (White)
- 100 Mesh (250 Micron) Element (Gray)
- 140 Mesh (105 Micron) Element (Black)
- 200 Mesh (74 Micron) Element (Blue)



TWISTIICLEAN

INJECTOR CART & TANK

Mobilize any injector designed to work with up to a 34" garden hose. Our sturdy economical design makes it easy to move your injector as needed.

Includes inlet & outlet hoses, fittings, filter and a 5 gallon tank assembled on a heavy duty cart. Injector sold separately.

Recommended injectors include the Gator XL, MiniDos and the SuperDos 20.

| CATALOG # | ITEM # | DESCRIPTION |
|-----------|--------|---------------------------------------|
| 48-601016 | 4200 | 9 Gallon Tank w/drain valve and cart |
| 48-601014 | 4202 | 18 Gallon Tank w/drain valve and cart |



MOBILE CART

Move your injector wherever and whenever you want! This mobile cart is designed to fit the SuperDos 20 and 30. Includes the TwistIIClean Filter and barrel with a graduated decal for accurate measuring. Also included are all necessary hardware and hosing.

| ITEM # | DESCRIPTION |
|----------|--------------------------------------|
| 011818SD | Mobile Cart for SuperDos 20 Injector |

Injector sold separately



HOZON SIPHON MIXER W/ BACK FLOW PREVENTER

A time-tested, accurate proportioning device designed for small scale grower for the dispensing of fertilizers, insecticides, fungicides and other water soluble chemicals through a hose.

LIQUID MEASURE

- 50-60 drops =1 teaspoonful*
- 3 teaspoonfuls* =1 tablespoonful*
- 2 tablespoonfuls*=1 fluid ounce
- 8 fluid ounces = 1 cupful
- 2 cupfuls (4 gills) =1 pint
- 2 pints = 1 quart
- 4 quarts = 1 gallon
 - * level spoonfuls



| Catalog # | Description |
|-----------|-------------|
| 48-210999 | Hozon |

MIXRITE INJECTORS







2.5 / 500 Series

For water flow to 11 gpm or 2.5m³/hr Operates from .08 - 11 gpm and has 3/4" thread connections Chemical injection rates from .1 - 1%, .3 - 2%, .4 - 4% and 3 - 10% Special models for aggressive additives or harsh chemicals



TF5

For water flow to 22 gpm or 5m³/hr Operates from .08 - 22 gpm and has 1" thread connections Chemical injection rates from .1 - 1%, .2 - 2%, and 1 - 5%



TF10

For water flow to 45 gpm or 10m3/hr Operates from 2 - 45 gpm and has 1.5" thread connections Chemical injection rates from .1 - 1%, .2 - 2%, and 1 - 5%



TF25

For water flow to 110 gpm or 25m³/hr Operates from 9 - 110 gpm and has 2" thread connections Chemical injection rates from .1 - 1%, .3 - 2.5%, and 1 - 5.5%

Jack's Professional Fertilizers

The Peters family has designed and produced water soluble fertilizer for both Professionals and home gardeners for over 60 years. From industry standard products to the newest technology in Jack's Professional FeED line. We have a product for you and your customers! We have listed most of our warehouse stock formulas. Please ask a Waldo & Associates sales representative for other Jack's Fertilizer analysis.



JACK'S PROFESSIONAL TM

The Jack's Professional line of fertilizers are the results of 65 years of innovative research and fertilizer blending.

Our four catagories of fertilizer formulations make it easy to choose a product that will improve your plant quality immediately.

Acid [21-7-7]

- This is an ideal fertilizer for acid-loving plants in the nursery and landscape
- Provides a rapid correction of a high pH situation
- Unlike other brands, Jack's 21-7-7 Acid contains no harmful chlorides



All Purpose [21-5-20]

Ideal fertilizer for moderate to high alkalinity waters. It is formulated with over 60% nitrate nitrogen and a peat-lite level of micronutrients. It can be tank-mixed with 15-5-15 and other Jack's LX formulas.

Catalog # 46-421520

Item # 77990



Ca-Mg [15-5-15]

- Use this high phosphorus formulation during period of bud set to increase number and size of blossoms
- Resume use of traditional production fertilizers for the remainder of growing cycle to avoid internode stretch
- Great for vegetable production.

Catalog # 46-421707

Item # 77130



Ca-Mg [15-5-15]

- A truly comprehensive formulation with all of the macro and micro nutrients
- Contains 4% calcium and 2% magnesium, which makes it an ideal choice for use with water that is low in those nutrients
- · Formulated with 80% nitrate nitrogen
- Conatins a Peat-Lite level of micronutrients
- Can be tank mixed with Jack's 21-5-20 All-Purpose or any other Jack's LX formulations.



Dark Weather [15-0-15]

- The traditional high-calcium fertilizer (11%) for growers who need to supplement their fertilizer programs with calcium
- Alternate with 20-10-20 Peat-Lite or use as a "finisher" for flowering plants like poinsettias
- This formula has the traditional micronutrient levels needed for general production

State - State

Catalog # 46-415015

Item # 77190

Fall Pansy [17-3-19]

- Designed specifically for pansy production in late summer and early fall
- A nitrate/ammonium nitrogen system is more efficient in warmer weather than a traditional high nitrate pansy fertilizer
- Results in a potentially acidic product that will lower media pH over time
- This product also contains JR PETERS exclusive FeED iron chelate system plus additional magnesium and boron which is necessary to produce a consistent, high quality crop
- At 17% nitrogen content, you also use less product to achieve your desired rates



Item # 77730





Garanium [15-15-15]

 An ideal fertilizer for geraniums and other neutral pH loving plants. The high phosphorus content promotes strong root growth and bud set - great for pink hydrangeas. The high nitrate nitrogen content (56%) and the general-purpose level of micronutrients help minimize nutritional toxicities on geraniums.





Catalog # 046415115

Item # 77020

General Purpose [20-20-20]

- The general-purpose industry standard, 20-20-20 is great for maintaining plants in garden center and growing facilities
- It provides fast green-up and great foliar expansion due to the high percentage of ammonium and urea nitrogen plus balanced phosphorus and potassium for excellent root and shoot growth

Catalog # 046-420-220

Item # 77010



High Performance [25-5-15]

- High efficiency formula designed to maximize your NPK delivery while keeping a balance of macro secondary and micronutrients for optimum plant growth
- Best as a continuous feed for heavy feeding plants in moderate to warm temperatures
- Micronutrient levels are comparable to Peat-Lite formulas
- Can be used as a nutrient booster for great green-up for almost all varieties

Catalog # 46-425515

Item # 77900

MagMum [21-8-18]

- High Nitrate, High Potential Acidity formulation Mums require
- Extra Magnesium for improved greening
- · Peat-Lite trace element level
- 5% increased efficiency compared to 20-10-20 formulas
- Stretches your fertilizer dollar without compromising performance

Catalog # 46-421820

Item # 71440





Mum Feed [22-5-16]

- Mums are heavy feeders that respond well to additional magnesium, sulfur, and iron
- However, many times the iron becomes unavailable as the pH rises
- The elevated iron levels found in the exclusive FeED iron chelate system keeps the iron available to the plant even if the pH rises during the crop cycle
- The additional 2% nitrogen in this formula reduces your fertilizer usage by approximately 10%, making this product not only nutritionally effective, but cost effective as well





Peat-Lite 15-16-17

- Similar to 20-20-20 but with over 60% nitrate nitrogen, boosted micronutrient levels, and much less acidic reaction in the root media!
- The balanced N-P-K ratio is excellent for producing fast-growing plants or for maintaining plants in a sales environment

Catalog # 46-415617

Item # 77220

Jack's Secretary Secretary

Peat-Lite [20-10-20]

- The most popular formulation, 20-10-20 Peat-Lite has approximately twice the level of micronutrients as the GP formulation
- The additional level of micronutrients provides necessary elements absent from most commercially made peat-lite potting media

Catalog # 46-420120

Item # 77860



Petunia Feed [20-03-19]

- · Contains double the iron found in typical peat-like formulations
- Iron is derived from three chelate sources EDDHA, EDTA, and DTPA to keep it available over a broad range of growing medium pH values
- Contains additional magnesium for optimum crop performance
- · Low phosphorus level helps prevent excessive elongation
- High nitrate nitrogen, moderately high potential acidity and no urea
- Not recommended for geraniums or other iron sensitive crops

and no



Catalog # 46-420319

Item # 77770

Plant Starter [9-45-15]

- Initial use of 9-45-15 when transplanting into cells or beds supplies the highphosphorus ratio designed to boost root growth prior to shoots
- Can also be used to correct or supplement low phosphorus situations, especially in outdoor production.

Catalog # 46-409415

Item # 77140



Plug [13-2-13]

- This is an ideal fertilizer for plug production with 6% calcium and 3% magnesium
- It is formulated with 94% nitrate nitrogen and a low phosphorus content to promote compact, sturdy plugs
- It can be tank-mixed with other Jack's LXTM formulas





Catalog # 46-413213

Item # 77490

F: 419.666.2079


Poinsettia [15-4-15]

- This product is designed to fit the needs of the newer poinsettia varieties that need the micronutrients, but a lesser amount of macronutrients
- It contains 50% more micronutrients than a typical poinsettia peat-lite formula, yet it provides less boron
- The iron is derived from three chelate sources to keep it available over a wide range of growing medium pH values

Catalog # 46-415415

Item # 77560





- The Jack's LXTM blend for growers desiring a 4- 1 -4 ratio for pure water
- This formulation will not cause pH crash in media
- Calcium is supplied at 3% with magnesium at 1.5% to add what pure water does not supply

Catalog # 46-417417

Item # 77560



JACK'S CLASSIC RETAIL FERTILIZER

We introduced our line of consumer products under the Jack's Classic label back in 1999. We offer a full line of fertilizer formulas made with the exact same quality raw materials that we use for the professional greenhouse grower. These formulas are available in many different sizes and packages to fit our home grower's needs.



| Total Nitrogen (N) | 17% |
|--|-------|
| 10.58% Ammoniacal Nitrogen | |
| 6.42% Urea Nitrogen | |
| Available Phosphate (P ₂ O ₅) | 6% |
| Soluble Potash (K ₂ O) | 6% |
| Total Sulphur (N) | 14% |
| 14.0% Combined Sulphur (S) | |
| Boron (B) | 0.02% |

| 0.05% |
|--------|
| .0009% |
| |
| 0.05% |
| |
| 0.30% |
| |
| 0.05% |
| |
| |



| Total Nitrogen (N) | 20% |
|--|-------|
| 2.1% Nitrate Nitrogen | |
| 17.9% Urea Nitrogen | |
| Available Phosphate (P ₂ O ₅) | 20% |
| Soluble Potash (K ₂ O) | 20% |
| Boron (B) | 0.029 |
| Copper (Cu) | 0.05% |
| 0.05% Chelated Copper (Cu) | |

| Iron (Fe) | 0.10% |
|-------------------------------|---------|
| 0.10% Chelated Iron (Fe) | |
| Manganese (Mn) | 0.05% |
| 0.05% Chelated Manganese (Mn) | |
| Molybdenum (Mo) | 0.0009% |
| Zinc (Zn) | 0.05% |
| 0.05% Chelated Zinc (Zn) | |



| Total Nitrogen (N) 5% Ammoniacal Nitrogen | 10% | Copper (Cu) 0.05% Chelated Copper (Cu) | 0.05% |
|--|-------|---|---------|
| 5% Nitrate Nitrogen | | Iron (Fe) | 0.10% |
| Available Phosphate (P ₂ O ₅) | 30% | 0.10% Chelated Iron (Fe) | |
| Soluble Potash (K ₂ O) | 20% | Manganese (Mn) 0.05% Chelated Manganese (Mn) | 0.05% |
| Magnesium (Mg) | 0.50% | Molybdenum (Mo) | 0.0009% |
| 0.50% Water Soluble Magnesium (Mg) | | Zinc (Zn) | 0.05% |
| Boron (B) | 0.02% | 0.05% Chelated Zinc (Zn) | |
| | | | |



| Available Phosphate (P ₂ O ₅) Soluble Potash (K ₂ O) Boron (B) | 30% 15% 0.02% | Manganese (Mn) 0.05% Chelated Manganese (Mn) Molybdenum (Mo) Zinc (Zn) | 0.05% 0.0009% 0.05% |
|--|---------------------|--|---------------------------|
| Total Nitrogen (N) 1.08% Nitrate Nitrogen | 30% | Iron (Fe) 0.10% Chelated Iron (Fe) Manganese (Mn) | 0.10% |



| Total Nitrogen (N) 1.08% Nitrate Nitrogen | 30% | Iron (Fe) 0.10% Chelated Iron (Fe) | 0.10% |
|--|----------------|---|------------------|
| 28.92% Urea Nitrogen Available Phosphate (P ₂ O ₅) | 10% | Manganese (Mn) 0.05% Chelated Manganese (Mn) | 0.05% |
| Soluble Potash (K ₂ O) | 10% | Molybdenum (Mo) Zinc (Zn) | 0.0009% 0.05% |
| Boron (B) Copper (Cu) 0.05% Cheleted Copper (Cu) | 0.02% 0.05% | 0.05% Chelated Zinc (Zn) | |



| Total Nitrogen (N) | 15% | Sulfur (S) | 2.4% |
|--|------|---|---------|
| 1.6% Ammoniacal Nitrogen | | 2.4% Combined Sulfur (S) | 0.00/ |
| 6.3% Nitrate Nitrogen 7.1% Urea Nitrogen | | Iron (Fe) 0.6% Water Soluble Iron (Fe) | 0.6% |
| Available Phosphate (P ₂ O ₅) | 8% | Manganese (MN) | 0.09% |
| Soluble Potash (K ₂ O) | 23% | 0.09% Water Soluble Manganese (Mn) | |
| Magnesium (Mg) | 1.3% | Molybdenum (Mo) | 0.0009% |
| 0.3% Water Soluble Magnesium (Mg) | | | |



| Total Nitrogen (N) | 20% | Copper (Cu) | 0.05% |
|--|-------|-------------------------------|---------|
| 1.0% Ammoniacal Nitrogen | | 0.05% Chelated Copper (Cu) | |
| 5.3% Nitrate Nitrogen | | Iron (Fe) | 0.20% |
| 13.7% Urea Nitrogen | | 0.20% Chelated Iron (Fe) | |
| Available Phosphate (P ₂ O ₅) | 6% | Manganese (Mn) | 0.05% |
| Soluble Potash (K ₂ O) | 22% | 0.05% Chelated Manganese (Mn) | |
| , , | | Molybdenum (Mo) | 0.0009% |
| Boron (B) | 0.02% | Zinc (Zn) | 0.05% |
| | | 0.05% Chelated Zinc (Zn) | |

| Catalog # | Item # | Description | Wt. | Pack |
|-----------|--------|--------------------------------------|-------------|------|
| 37-101707 | 51724 | Acid Special 17-06-06 | 1.5 lb. tub | 12 |
| 37-102002 | 52008 | All Purpose 20-20-20 | 8 oz. tub | 12 |
| 37-102007 | 52024 | All Purpose 20-20-20 | 1.5 lb. tub | 12 |
| 37-102017 | 52064 | All Purpose 20-20-20 | 4 lb. tub | 6 |
| 37-102026 | 52010 | All Purpose 20-20-20 | 10 lb. bag | 1 |
| 37-102080 | 70000 | All Purpose 20-20-20 sample packets | 12 gram | 350 |
| 37-101002 | 51008 | Blossom Booster 10-30-20 | 8 oz. tub | 12 |
| 37-101007 | 51024 | Blossom Booster 10-30-20 | 1.5 lb. tub | 12 |
| 37-101017 | 51064 | Blossom Booster 10-30-20 | 4 lb. tub | 6 |
| 37-101686 | 70001 | ClassiCote 16-9-23 TR sample packets | 15 gram | 200 |
| 37-101609 | 54048 | ClassiCote 16-9-23 Time-Release | 2 lb. tub | 6 |
| 37-101502 | 51508 | Houseplant Special 15-30-15 | 8 oz. tub | 12 |
| 37-103002 | 53008 | Orchid Special 30-10-10 | 8 oz. tub | 12 |
| 37-102207 | 52624 | Petunia FeED 20-6-22 | 1.5 lb. tub | 12 |
| 37-102226 | 52610 | Petunia FeED 20-6-22 | 10 lb. bag | 1 |
| NEW! | 59064 | Jack's Hydroponic 5-12-26 | 4 lb. tub | 6 |
| NEW! | 59164 | Jack's Hydro Herb 16-4-17 | 4 lb. tub | 6 |

MAJOR ELEMENTS

ALUMINUM SULFATE*

Used to acidify alkaline or neutral soil for holly, azaleas, rhododendrons and other plants. Also produces blue flowers on hydrangeas. Acidifying action makes iron in the soil more available in plants. Average use rate ½ to 1 lb. per 10 sq. ft. Use 1 lb. to 5 gals. of water 1/week for 5-7 weeks.

CALCIUM NITRATE 15.5-0-0

Refined, prilled (uncoated) highly soluble material (0.2% or less insoluble). It is an ideal source of water soluble nitrogen and calcium for greenhouse liquid feeding programs. Does not alter pH of medium. Used to promote aggregation of soil colloids & to control blossom end rot in tomatoes. Supplies about 19% Ca.

POTASSIUM NITRATE 13-0-44 HAZMAT

"Nitrate of potash". This water soluble material is a good source of potassium and nitrogen (in the nitrate form) in custom blends of liquid feed. Produces a slight alkaline residual in soils.

MONO-POTASSIUM PHOSPHATE 14-61-0

A soluble salt that is a source of phosphorus and potassium and a buffering agent. When used with urea and ammonium phosphates, it minimizes escape of ammonia by keeping the pH relatively low.

TRIPLE SUPER PHOSPHATE* 0-46-0

A very high source of phosphorus that has to be mixed very well throughout the growing medium. In media lacking sulfur, this material should be supplemented with gypsum or other sulfurcontaining fertilizer.

MINOR ELEMENTS

HYDRO-MAX

Natural wetting agent and soil penetrant derived from the MOhave Yucca plant. Can be mixed with N-P-K fertilizers to improve foliar nutrient absorption.

MAGNESIUM SULFATE

epsom salts Used to supply magnesium where it is lacking. General use: 1/2 lb./100 sq. ft. Contains 9.6% magnesium & 14.5% sulfur.

MICREL TOTAL

Has horticulturally correct ratio of magnesium, sulfur, boron, copper, iron, manganese, molybdenum and zinc. Immediately absorbs.

MILLER IRON CHELATE 10%

Water soluble, readily available to plants. Generally performs best on slightly acid to slightly alkaline and calcareous soils where pH is 6.0 to 7.5.

MOLYBDENUM

Aids in the transformation of nitrate nitrogen into protein. Deficiency is indicated by tissue death on leaf margin and leaves don't fully expand or leaf burn due to nitrate build up in leaves.

TRIPLE TEN 10-10-10

Clear solution containing an equal ratio of N, P, and K and 4% slow release Methylene.

X-XTRA IRON 10%

High Iron 9%, Low Nitrogen 6%. 100% soluble iron for foliar and root applications.

PH ADJUSTERS

PHOSPHORIC ACID HAZMAT

Use for adjusting alkalinity.

PH BOOSTER 0-0-25: Potassium solution for raising pH.

PH REDUCER (CITRIC ACID): Organic citric acid + wetting agent to lower the pH.

SULFURIC ACID

Use for adjusting alkalinity.

*DENOTES FIELD GRADE FORMULATION.

ACIDS NOTE: \$25.00 DRUM DEPOSIT WHICH INCLUDES A \$5.00 EPA WASTE AND CLEANING DISPOSAL CHARGE. \$20.00 REFUNDABLE IF EMPTY DRUM IS RETURNED TO WALDO'S WITH PLUGS INTACT.

| CATALOG # | DESCRIPTION | SIZE | PACK |
|-----------|----------------------------------|----------|--------|
| 45-100551 | Aluminum Sulfate* | 50 lbs | 40/plt |
| 45-170000 | Calcium Nitrate | 50 lbs | 49/plt |
| 45-130044 | Potassium Nitrate (HAZMAT) | 50 lbs | 40/plt |
| 45-100750 | Mono Potassium Phosphate | 50 lbs | 40/plt |
| 45-004600 | Triple Super Phosphate* | 50 lbs | 40/plt |
| 45-100350 | Magnesium Sulfate | 50 lbs | 40/plt |
| 46-351005 | Miller Iron Chelate 10% | 5 lbs | 1 |
| 46-200100 | Molybdenum | 1 oz | 1 |
| 44-021025 | ph Reducer | 2.5 gal | 2 |
| 44-021300 | ph Reducer | 30 gal | 1 |
| 44-022025 | ph Booster 0-0-25 | 2.5 gal | 2 |
| 46-107515 | Phosphoric Acid | 200 lbs. | 1 |
| 46-106615 | Sulfuric Acid 66° | 220 lbs. | 1 |
| 46-101315 | Sulfuric Acid 1.367 diluted, RTU | 155 lbs. | 1 |
| 46-110105 | Triple Ten 10-10-10 | 2.5 gal | 2 |
| 44-023161 | Hydro-Max | 2.5 gal | 2 |
| 46-110325 | X-Xtra Iron 10% | 2.5 gal | 2 |
| 46-110125 | Micrel Total | 2.5 gal | 2 |

PETER PROFESSIONAL®



Peters Professional offered by Everris is the brand to count on when needing 100% water soluble fertilizers. It has different varieties that respond to specific growing situations and different growth phases.



At a glance...

- · The "Original;" the water soluble fertilizer solution that set the industry standard
- · Broad range of formulations
- · Highest quality, soluble ingredients and chelated miconutrients

These fertilizers have been the preferred choice of growers for more than 60 years. There are products for every crop or crop type, including formulas with the exclusive M-77® micronutrient package.

















PETER PROFESSIONAL®



At a glance...



- A one bag solution with a patented technology to counter high alkalinity in irrigation

 water
- Foluations are compatible and can be mixed in on concentrate tank without forming precipitates
- · Offers more flexibility to supply calcium and magnesium
- · Highly soluble to help keep emitters clean

Growers have the aility to deliver complete plant nutrition using a single concentrate stock tank, while reducing or eliminating the need for additional acid injections to counter high alkalinity in irrigation water.











The industry's standard micronutrient supplement, providing the all-important "quick fix" nutrition for more than 50 years.

- C (Customizing) component can be used with a variety of B (Base) formulations
- Effective for all Water Types
- Contains the ideal balance of all essential micronutrients

NATURE'S SOURCE NATURE'S



NATURE'S SOURCE 10-4-3 PROFESSIONAL PLANT FOOD

Easier on plants

Nature's Source is lower in salts than most commonly used water soluble fertilizers and can be used as a foliar mist without burning or stretch. It also reduces the amount of leaching necessary to reduce salt buildup. No residue on leaves, either - or blue stains on your hands!

Nutritional value

In addition to N-P-K, Nature's Source contains micronutrients along with calcium and magnesium, to improve your plants' performance.

Pathogen-free, heavy metal free, GMO free.

| Catalog # | Description |
|-----------|---|
| 46-410403 | Nature's Source 10-4-3 Plant Food (4.7 gal) |





NATURE'S SOURCE 3-1-1 ORGANIC PLANT FOOD

Contains oilseed extract, a renewable source of plant nutrition. Plus, its low salt index lets you feed at higher rates than with most organic fertilizers. May be used as a foliar mist without worrying about burning or stretch.

Pathogen-free, heavy metal free, GMO free, food safety certified.

| Catalog # | Description |
|-----------|--|
| 46-411311 | Nature's Source 3-1-1 Organic Plant Food (4.7 gal) |

NATURE'S SOURCE 10-4-4 LANDSCAPE PLANT FOOD

Nature's Source 10-4-4 is the solution for commercial landscapers who CARE ABOUT THE PLANET AS WELL AS QUALITY PLANTS.

Cost effective.

Concentrated liquid Nature's Source offers an economical alternative to traditional chemical fertilizers. And it works wonders on a wide range of plants.

Sustainable.

Contains oilseed extract, a renewable source of plant nutrition.

Nutritional value. In addition to N-P-K, Nature's Source contains micronutrients along with calcium and magnesium, to help plants thrive - even in high-traffic and high-stress areas.

| Catalog # | Description |
|-----------|---|
| 7514-US | Nature's Source 10-4-4 Landscape Plant Food 5 gal box |



NATURE'S SOURCE PLANT FOOD PROBIATIC

Nature's Source™ Plant Probiotic brings your soil to life. Healthier plants.

Aids in nutrient breakdown, availability, and absorption while reducing nutrient leaching.

Root Boost. Stimulates root development and nutrient uptake. Increases tolerance to environmental stress

| Catalog # | Description |
|-----------|---|
| 7528-US | Nature's Source Plant Food Probiatic 1.25 lb. (5 - 0.25lb pk per bkx) |
| 7521-US | Nature's Source Plant Food Probiatic 5 lb box |

BIO SAFE PLANT FOOD BISSafe



(10-4-3) Sustainable, liquid nutrient that includes oilseed extract, a natural source of plant nutrition. The unique formula promotes stronger stems and roots, greener foliage, and more blooms in all plant types resulting in higher quality plants. It is a foliar and root feed that is safe to use around people and pets*. Easy to use, mixes easily into cold water. Use when growing new plants, maintaining plants, and reviving plants from undesirable growing conditions.

- Cost Effective
- Foliar & Root Feed
- · Non-Salt Based Formula: Won't Burn Plants
- · Reduced Nutrient Leaching

| Catalog # | Code | Description |
|-----------|---------|-----------------------------------|
| 46-350618 | 6700-18 | Plant Food 18oz Concentrate 12/cs |
| 46-350636 | 6700-36 | Plant Food 36oz Concentrate 12/cs |
| 46-350601 | 6700-1 | Plant Food 1 Gal Concentrate 2/cs |



DRAMMATIC® PLANT FOOD



We make our fertilizers from fresh fish carefully processed at low temperatures to maintain the integrity of naturally occurring amino acids, vitamins, hormones and enzymes. The raw material is then stored in digestion tanks to liquify the product.

Drammatic fish hydrolysates contain the natural oils and proteins of fish, which break down slowly to become available over a longer period of time.

In contrast, the majority of fish fertilizers on the market today are known as "emulsions." First the fish is cooked and the oil removed for paints and cosmetics. Then the protein is removed and dried to make fish meal for livestock feeds.

DRAMMATIC "O":

Pure Liquid Fish Hydrolysate Stabilized with Phosphoric acid

Low-temperature processed, Organic Liquid Fish Fertilizer (2-5-1) contains all the macro and micro-nutrients required for healthy plant growth. Ideal for all indoor and outdoor plants. Will NOT burn. OMRI Listed for use in organic production.

| Catalog # | Description | Size |
|-----------|---------------|-------|
| 46-025102 | Drammatic "O" | 1 gal |

Drammatic "O" is OMRI Listed.





Drammatic "K":

Pure Liquid Fish Hydrolysate with Phosphoric acid and Kelp

Provides even more micronutrients, vitamins and hormones which are beneficial to optimal plant growth. Makes nutrients more available to plants, prolong shelf life of fruits and vegetables, increase resistance to insects and disease, and improve soil structure.

| Catalog # | Description | Size |
|-----------|---------------|-------|
| 46-025101 | Drammatic "K" | 1 gal |



WHY KELP?

When using a Drammatic Fertilizer blend, you are receiving the benefit of three species of kelp. Ascophyllum nodosum, Sargassum & Laminariales contain a wide range of naturally chelated plant nutrients and trace elements, carbohydrates, amino acids and other growth promoting substances known as cytokinins. Growers who use kelp in their regular fertility program report increases in yield, quality, shelf life and resistance to environmental stresses such as drought, extreme heat, early frost, pest and disease problems.

Adding kelp to our fish makes for an ideal natural fertilizer. Fish provide the major nutrients and the kelp species supply essential micronutrients to give you a nutritionally complete and all-natural fertilizer.



Monty's Plant Food supplies and enables other nutrients to become available to the plant promoting stronger, more productive growth. It can be used in the root zone but used as a foliar spray is the most effective and efficient method of application.

ALL PURPOSE (8-16-8)

For fertilizer application rate per acre suitable for your geographic area contact your dealer or us directly by phone, mail or our website. Please check with your dealer for availability.

- · Foliar applications for efficient nutrient management
- · Rapid response and growth
- Improved response during periods of crop stress
- · Elevated Nitrogen (N) levels to support vigorous growth
- Tank-mix flexibility
- · Available in 2.5, 30 and 275 gallon sizes.

Rоот & **B**Lоом (2-15-15)

For fertilizer application rate per acre suitable for your geographic area contact your dealer or us directly by phone, mail or our website. Please check with your dealer for availability.

- · Foliar applications for efficient nutrient management
- · Assistance with bloom retention and kernel fill
- Maximized production potential
- · Elevated Phosphorus (P) and Potassium (K) levels to enhance reproductive cycles
- 2-15-15
- Tank-mix flexibility
- · Available in 2.5, 30 and 275 gallon sizes.

INDOOR/OUTDOOR (4-15-12)

For fertilizer application rate per acre suitable for your geographic area contact your dealer or us directly by phone, mail or our website. Please check with your dealer for availability.

- · Options for use in-row or broadcast
- · Nutrients critical for early season development
- Improved response for transplants
- Elevated Phosphorus (P) and Potassium (K) levels to support root establishment
- Tank-mix flexibility
- Available in 2.5, 30 and 275 gallon sizes









MILWAUKEE PH METER M Milwaukee



MW100/MW101/MW102/MW500

Entry level, inexpensive pH/ORP/Temperature Portable Meters for fast and reliable results

MW100, MW101, MW102 and MW500 are compact pH, ORP and temperature Portable Meters with Faster Micro Processor. These handy and ergonomically designed portable meters are ideal for anyone working on a low budget and still requires fast and reliable measurements.

These portable meters are suitable for a wide range of applications, such as Educational, Agriculture and Horticulture, as well as water and environmental analysis. These easier and faster to calibrate portable meters have a smaller, ergonomic and lighter case design. Other features include 100% larger and easier to read LCD Display and long battery life.

All meters are supplied with pH or ORP electrodes and calibration solutions.



- MW100 performs pH measurements with a 0.1 pH resolution and with manual temperature compensation.
- MW101 performs pH measurements with a 0.1 pH resolution and with manual temperature compensation.
- MW102 is a microprocessor based pH/Temperature meter with extended range, AutoTemperature & Atuo Calibration in 2 points and +/- 0.02 pH accuracy.
- MW500 performs ORP measurements with a range of +/- 1000 mV.

MW801/MW802

Entry level, inexpensive pH/EC/TDS Portable Meters for fast and reliable results

MW801, and MW802, are compact portable meters with faster micro processors. These meters allow you to measure pH, EC (conductivity) and TDS with just one instrument and one single probe!

These easier and faster to calibrate portable meters have a smaller, ergonomic and lighter case design. Other features include 100% larger and easier to read LCD Display and long battery life.

Both Meters calibrate manually in pH, Conductivity and TDS.

Each meter is supplied with the MA850 interchangeable probe with 1 meter cable to measure pH, conductivity and TDS. The pH electrode utilizes a fiber junction to reduce contamination when measuring fertilizer solutions.

- MW801 has a conductivity range that goes up to 1990 μS/cm and TDS range that goes up to 1990 ppm is an ideal tool for drinking water measurements.
- MW802 has a conductivity range that goes up to 6.00 mS/cm and the TDS up to 4000 ppm is ideal for testing in crop production.
- Large and Easy-To-Read Display MW801 and MW802 offer highly stable and accurate readings with a large LCD display.

| CATALOG # | DESCRIPTION | PACK |
|-----------|--|------|
| 26-920101 | MW101 PH Meter | 1 |
| 26-920102 | MW801 PH Meter | 1 |
| 26-207230 | PH Buffer 7.0 230 mL | 1 |
| 26-204230 | PH Buffer 4.0 230 mL | 1 |
| MA9060 | Conductivity Calibration Solution 230 ML | 1 |



NUTRICOTE FERTILIZER TO THE



Nutrients supplied through Nutricote fertilizer ideally match the physiology of a plants response to temperature. The release rate is not significantly influenced by soil moisture, soil type or ph and does not need complete decomposition for its action.

Nutricote's ability to outperform other products in extreme weather conditions has earned it much acclaim. During hot, humid and wet environmental conditions Nutricote maintains its consistent release characteristics and will not 'dump' nutrients during these stress conditions. Likewise, during cool periods Nutricote will slow down its release pattern to mimic the slower growth period of a plant's dormant season.

Unique Nutricote Qualities:

- True control of nutrient release
- Leaching of nutrients is minimized
- No salt build-up
- Flexibility in periods of releasing
- Resilient, non-brittle coating resists cracking or breaking when mixed with soil
- Particle size is very consistent
- Higher nitrate nitrogen content in comparison to most other coated fertilizers
- Incorporate in growing media or top-dress



| NUTRICOTE REGULAR | | | | |
|---|-------------------|-----------|--|--|
| Catalog # | Description | Size | | |
| 45-414100 | 14-13-13 Type 100 | 40 lb Bag | | |
| 45-414140 | 14-13-13 Type 140 | 40 lb Bag | | |
| NUTRICOTE TOTAL WITH MINORS | | | | |
| Catalog # | Description | Size | | |
| 45-413100 | 13-11-11 Type 100 | 40 lb Bag | | |
| 45-413140 | 13-11-11 Type 140 | 40 lb Bag | | |
| 45-418160 | 18-6-8 Type 100 | 40 lb Bag | | |
| 45-418140 | 18-6-8 Type 140 | 40 lb Bag | | |
| Pallet = 40 Bags CALL FOR TRUCKLOAD PRICING | | | | |

EVERRIS FERTILIZER



OSMOCOTE

Designed for general nursery and greenhouse production, special circumstances such as sensitive or high value crops, and dibbling equipment. Can be incorporated or surface applied. Get the best return on your fertilizer investment, safely, by matching the nutrient release patterns with plant needs for optimal quality.

- Recommended for use when additional fertility is not required early in the growth cycle; such as in fall plantings or with spring crops that put on growth later in the season
- General nursery and greenhouse production
- Special circumstances such as sensitive or high-value crops
- Dibbling equipment
- Incorporation or Surface Application



| CATALOG # | DESCRIPTION | SIZE |
|-----------|---|-----------|
| 45-792022 | Osmocote 3-4 Month 14-14-14 | 50 lb Bag |
| 45-792070 | Osmocote 8-9 Month 18-6-12 | 50 lb Bag |
| 45-792070 | Osmocote Plus 3-4 Month 15-9-12 | 50 lb Bag |
| 45-792080 | Osmocote Plus 5-6 Month 15-9-12 | 50 lb Bag |
| 45-792090 | Osmocote Plus 8-9 Month 15-9-12 | 50 lb Bag |
| 45-516081 | Osmocote Plus Tablets 15-8-11 7.5 gram | 1 Box |
| 45-411751 | Osmocote Pro w/Micronutrients 17-5-11 | 50 lb Bag |
| 45516081 | Osmocote Pro/IBDU Minors 8-9 month 20-4-8 | 50 lb Bag |

GROWTH® PRODUCTS



ESSENTIAL PLUS 101

- 100% Natural Rooting Substance & Biostimulant w/ 21 L-Amino Acids
- · For Planting, Transplanting and Sizing up
- · For Greener, Denser and more vigorous plants
- Initiate and Enhances Rooting and Plant Growth at Every Stage of the Growing Cycle
- · Overcomes transplant shock, quicker seed germination

| CATALOG # | DESCRIPTION | SIZE | CASE PACK |
|-----------|--------------------|----------|-----------|
| 44-020101 | Essential Plus 101 | 1 gal. | 4 |
| 44-020110 | | 1qt. | 12 |
| 44-020125 | | 2.5 gal. | 2 |





WITH 40% SLOW RELEASE NITROGEN

- 40% Slow Release Nitrogen
- · Liquid Fertilizer with Balance N-P-K
- Provides dual efficiency of foliar and root uptake; no surges in growth just steady continuous feeding;
- Perfectly balanced solution with Low Salt Index for No Burn Potential
- · Safe and Ideal for annuals and perennials

MICREL 5-0-0

WITH 40% SLOW RELEASE NITROGEN

Contains a horticulturally correct ratio of magnesium, sulfur, boron, iron, manganese, molybdenum & zinc (Mg, S, B, Fe, Mn, Mo, and Zn) that quickly and safely corrects chlorosis and other micronutrient problems. Its eight essential micronutrients can be immediately absorbed and utilized by trees and other plants for preventing and correcting problems, and it can be applied year-round.

| CATALOG # | DESCRIPTION | SIZE | CASE PACK |
|-----------|---------------------|--------|-----------|
| 46-110101 | Triple Ten 10-10-10 | 1 gal. | 1 |
| 46-110110 | Micrel 5-0-0 | 1 gal. | 1 |

PH REDUCER

- · Citric Acid Solution for reducing pH in Soil & Water applications
- · For use in Greenhouse, Turf and Ornamental applications
- · Controls Algae
- · Tank Mix Buffer Solutions
- · Soil & Water pH Conditioner

| CATALOG # | DESCRIPTION | SIZE | CASE PACK |
|-----------|-------------|----------|-----------|
| 44-021025 | pH Reducer | 2.5 gal. | 1 |



Bamboo Plant Supports & Stakes

Bamboo Canes

Up to four times stronger than wood and are rot resistant. Excellent crop support for field grown nursery stock and unruly vining plants.




Available in a variety of lengths to support almost any vine for a longer period of time. Use a single hoop or double them up for those extra aggressive vines.



Hyacinth/Floral Stakes

Our Hyacinth/Floral Stakes and Split Bamboo are "pencil" shaped with one pointed end and one blunt end. Ideal alone for supporting spring flowering



Plant Support Ring

See the following pages for info and pricing



| Bamboo Canes | | | | | |
|--|----------------------------------|---------|----------|--|--|
| Catalog # | Description | Color | Pack | | |
| 69-102240 | 2' x 3/16" Bamboo Cane (4/6mm) | Green | 1000/bdl | | |
| 69-101360 | 3' x 5/16" Bamboo Cane (6/8mm) | Green | 1000/bdl | | |
| 69-102361 | 3' x 3/8" Bamboo Cane (8/10mm) | Natural | 500/bdl | | |
| 69-102481 | 4' x 7/16" Bamboo Cane (10/12mm) | Natural | 250/bdl | | |
| 69-102601 | 5' x 1/2" Bamboo Cane (12/14mm) | Natural | 250/bdl | | |
| 69-102721 | 6' x 5/8" Bamboo Cane (15/17mm) | Natural | 100/bdl | | |
| 69-102961 | 8' x 3/4" Bamboo Cane (16/18 mm) | Natural | 50/bdl | | |
| Split Bamboo | | | | | |
| Catalog # | Description | Color | Pack | | |
| 69-111201 | 12" x 3/16" Split Bamboo (4mm) | Green | 5000/bdl | | |
| 69-111800 | 18" x 3/16" Split Bamboo (4mm) | Green | 5000/bdl | | |
| Bamboo Hoops | Bamboo Hoops | | | | |
| Catalog # | Description | Color | Pack | | |
| 69-131800 | 18" Bamboo Hoop | Natural | 100/bdl | | |
| 69-132400 | 24" Bamboo Hoop | Natural | 100/bdl | | |
| 69-133000 | 30" Bamboo Hoop | Natural | 100/bdl | | |
| 69-133600 | 36" Bamboo Hoop | Natural | 100/bdl | | |
| 69-134800 | 48" Bamboo Hoop | Natural | 100/bdl | | |
| Hyacinth/Floral Stakes (seasonal - supply limited) | | | | | |
| Catalog # | Description | Color | Pack | | |
| 69-121200 | 12" Hyacinth/Floral Stake | Green | 1000/bdl | | |
| 69-121500 | 15" Hyacinth/Floral Stake | Green | 1000/bdl | | |
| 69-121800 | 18" Hyacinth/Floral Stake | Green | 1000/bdl | | |

CRAZY CLIPS



Snap together quickly and easily to string and stem to hold plants upright. It is the best plastic clip available for securing tomatoes and cucumbers to twine. Plus, they're reusable!

| Catalog # | Item | Pk |
|-----------|----------------------|-----|
| 69-072200 | Original Crazy Clips | 250 |

Twist-Ems



A quick and economical way to secure plants to stakes. Simply place around stem and twist.

| Catalog # | Description | Pk |
|-----------|---------------|-----|
| 69-060400 | 4" Twist Ems | 250 |
| 69-060600 | 6" Twist Ems | 500 |
| 69-060800 | 8" Twist Ems | 500 |
| 69-061200 | 12" Twist Ems | 500 |

CROSSBOTTOM TRELLIS

YOU NEED THE CROSSBOTTOM TRELLIS IF YOU ARE GROWING FOR RETAIL SALES!

Finally there is an affordable and functional trellis for the grower who wants it all. The Crossbottom Trellis accommodates many 12" to 13" containers. Once you drop your container into the Crossbottom Trellis you can then use the Crossbottom Trellis to move the container without fear of pulling out the trellis and the plant.



| Catalog # | ITEM # | Description | Bundle |
|-----------|----------|--|--------|
| 66-063433 | CPX012-3 | Crossbottom Tomato Cage (Fits Color/Fiber Pot) | 25 |

TOMATO CAGES

Our tomato cages & plant supports come in a variety of sizes and styles to fit your planting needs. Offering standardeconomical round in 3 sizes, collapsible square fits perfectly in planters like our Ultimate Patio Garden and inverted 42" for vines, pillar geraniums & more.

Discounts available on full pallets shipped direct from the manufacturer. Call for our best price!

| Catalog # | Item # | Description | Pack |
|-----------|--------|--|------|
| 66-043333 | 3333 | 33"H x 12"W (3ring/3leg) | 25 |
| 66-044243 | 3424 | 42"H x 14"W (4ring/3leg) | 25 |
| 66-045443 | 4544 | 54"H x 16"W (4ring/4leg) | 25 |
| 66-044293 | 34241 | Inverted (4ring/3leg) 42"H X 8"W Top Ring | 25 |
| 66-044499 | 4440 | 44" Square Collapsible Cage (4ring/4leg) | 25 |
| 66-044233 | 3423 | 42"H x 14"W (3ring/3leg) | 25 |
| 66-065899 | 8580xx | 58" Square Collapsible Cage | 1 |

- · Promotes healthier plant growth
- Durable construction
- Galvanized steel
- Nested for convenient storage



FLAGGING TAPE

Made from 1-3/16" wide vinyl material.

| Catalog # | Color | Description | Size |
|-----------|-------|------------------------------|------|
| 69-221300 | 400 | Flagging Tape, White | 300' |
| 69-221000 | | Flagging Tape, Blue | 300' |
| 69-220900 | | Flagging Tape, Green | 300' |
| 69-220700 | | Flagging Tape, Orange | 300' |
| 69-220600 | | Flagging Tape, Red | 300' |
| 69-221200 | | Flagging Tape, Pink | 300' |
| 69-220800 | | Flagging Tape, Yellow | 300' |
| 69-222400 | | Flagging Tape, Green Glo | 150' |
| 69-222200 | | Flagging Tape, Orange Glo | 150' |
| 69-222100 | | Flagging Tape, Red Glo | 150' |
| 69-222700 | | Flagging Tape, Pink Glo | 150' |
| 69-222900 | | Flagging Tape, Lime Glo | 150' |

EG #2 Bypass Pruner

The Professional Bypass Pruning shear blades are made with SK-5 High carbon steel with a polished finish for the upper blade, a drop forged aluminum handle with anodized finish and a vinyl grip on the handle.

Compare this high quality pruner to pruner Felco #2



| Catalog # | Description |
|-----------|----------------------------------|
| 69-280002 | EG #2 Professional Bypass Pruner |

MINI CLIPPER

- Con
- Surce

Mini Clipper

69-350t400



| VIIIVI | | |
|----------------------|--|--|
| Surgical S Precision | nt Pocket Size tainless Steel Blades cutting eft Hand use | |
| Catalog # | Description | |

Labor Saving Device! MAX TAPENER



Easy, simple operation!

One squeeze of the handle stretches the tape between the jaws ready to wrap around the plant stem and support. A second squeeze staples the tape firmly and cuts it off neatly.

An Amazing Time Saver!

Reducing labor from four people to one! It can tame tomatoes, climbing roses, topiary and all types of

| Catalog # | Stock | Standard Max Tapener & Tape |
|-------------------------------------|-----------------------|--|
| 69-190000 | мнтв | HTB Max Tapener |
| 69-191060 | AMO1 | Green Tape #10, 120' (.004mil) |
| 69-191050 | MHT10 | White Tape #10, 131' (.004mil) |
| 69-191070 | MHT15 | Blue Tape #15, 85' (.006mil) |
| 69-191080 | MHT25 | Red Tape #25, 52' (.010mil) |
| | | |
| Catalog # | Stock | Large Max Tapener & Tape |
| Catalog # 69-190010 | Stock MHTB2 | Large Max Tapener & Tape HTB2 Large Max Tapener |
| Ţ. | | |
| 69-190010 | MHTB2 | HTB2 Large Max Tapener Green Tape #215, 180' |
| 69-190010 69-191090 | MHTB2 MHT215 | HTB2 Large Max Tapener Green Tape #215, 180' (.006mil) Green Tape #225, 108' |
| 69-190010 69-191090 69-191100 | MHTB2 MHT215 MHT225 | HTB2 Large Max Tapener Green Tape #215, 180' (.006mil) Green Tape #225, 108' (.010mil) |

GARDENSHARP

The GardenSharp Tool Sharpener is designed to sharpen all those single-edged, hard-to-sharpen items, will not rust, and can be cleaned with soap and water or in a dishwasher!



| Catalog # | Description |
|-----------|---------------------------|
| 69-400006 | GardenSharp (12 per case) |





GROWER PRICING

CAP 'N' GROW

This soft rubber cap holds three bamboo stakes firmly in place to create a natural appearing teepee for training your plants. The versatile Cap 'n' Grow will support stakes from 2-6 foot in length.

| Catalog # | Item # | Description | Pk | MC Wt. | Master Case |
|-----------|--------|----------------------|-----|--------|-------------|
| NEW! | CC4EP | Single Head Cane Cap | 100 | 2.50# | 250 |
| 69-004130 | PYR2 | Cap 'N Grow | 100 | 22# | 1000 |



PLANT SUPPORT CLIPS

Clips onto any normal split canes. It supports and guides the plant as it grows and is easily altered. Because it grips the cane, there is no tying involved. It is ideal for all types of floppy plants climbers, bulbs, ivy, clematis, freesias and geraniums.

| Catalog # | Item # | Description | Pk | MC Wt. | MC Qty |
|-----------|--------|-------------------|----|--------|--------|
| 69-002830 | PSC11 | 4.3" Support Clip | 50 | 3.3# | 500 |









PLANT RINGS

Plant rings fit onto any size cane and adjust up or down the cane as required. The ring is divided into segments, which gently hold stems in place.

| Catalog # | Item # | Description | Pk | MC Wt. | MC Qty |
|-----------|--------|-----------------|----|-----------|--------|
| 69-006030 | PS62 | 6" Plant Rings | 50 | 13.2# | 250 |
| 69-006230 | PS10 | 10" Plant Rings | 50 | 10# | 100 |

Pot Support Clips

The Pot Clip easily clips over the rim of all types of pots and grips securely. Once attached, it keeps the pots stable and secure, preventing accidental spills or upsets from the wind.

| Catalog # | Item # | Description | Pk |
|-----------|--------|--------------|-----|
| 69-001980 | PC4 | 4" Pot Clip | 100 |
| 69-002280 | PC6 | 6" Pot Clip | 100 |
| 69-002580 | PC9 | 9" Pot Clip | 100 |
| 69-002480 | PC12 | 12" Pot Clip | 100 |



Discontinued Items - Sale prices good while supplies last.





GROWER PRICING

GRO TRIANGLES

Designed to hold three thin canes upright, creating a triangular column.

| Catalog # | Item # | Size | Pk | MC Wt. | MC Qty |
|-----------|--------|--------------------|-----|--------|--------|
| 69-003630 | GRO-T | 3.25" Gro Triangle | 100 | 6.6# | 500 |
| 69-003730 | GRO-T2 | 6.75" Gro Triangle | 100 | 11.2# | 500 |





CLIP-ON TRELLIS

Slips easily onto the rim of most pots without interfering with the roots. Ideal for ivy, clematis and other climbers. Measures 20" above pot. Will not clip onto rolled rim pots, but may be inserted directly into the soil.

| Catalog # | Item # | Description | Pk |
|-----------|--------|----------------|----|
| 69-002693 | PS11G | Trellis, Green | 50 |

POT SUPPORT BASE

Holds most pots 2" - 8 1/2" in diameter to stop blow over. Pots easily insert at top and are held firmly. Bases can attach to form a grid.

| Catalog # | Item # | Description | Pk |
|-----------|--------|---------------------------------------|----|
| 69-004580 | PSB1 | 2" H x 8.5" Diameter Pot Support Base | 25 |





Tripods

Tripod legs are easily spread and inserted into soil. The legs have steps on them to give extra grip in the soil. The legs have protrusions along them so that the plant can grip and secure itself as it grows. The top acts as a cane cap. Features a lug so a label may be clipped on.

| Catalog # | Item # | Size | Pk | MC Wt. | MC Qty |
|-----------|--------|------------|----|--------|--------|
| 69-007030 | TR18 | 18" Tripod | 50 | 22# | 250 |
| 69-007130 | TR24 | 24" Tripod | 50 | 26.4# | 250 |
| 69-007230 | TR32 | 32" Tripod | 50 | 46.2# | 250 |

CANE SUPPORTS

An economical way to reduce the mess and create more saleable items. Cane Supports are designed to grip and hold canes upright and steady in pots, which helps to prevent damage to plants. Cane Supports are not affected by wind and will stay vertical in all weather. Cane Supports are so strong, the pots can be lifted by the cane!

| Catalog # | Item # | Description | Pk | MC Wt. | MC Qty |
|-----------|--------|---------------|-----|--------|--------|
| 69-003180 | CBS1 | Cane Supports | 100 | 44# | 500 |







GROWER PRICING

OBELISK

Made to look like wrought iron. These obelisks have hook type grips on the bottom of their legs to achieve a secure hold in soil.

Steps up the legs allow climbers to attach easily.

| | M | 7 |
|--------|----|----|
| 1 404 | ш | П |
| | ш | П |
| ALC: | ш | ш |
| 1000 | Ш | Ш |
| -17 Th | Ш | Ш |
| - 40 | ш | н |
| -101 | Ш | H |
| THE | Ш | ш |
| - A-1 | ш | П |
| | IJ | Ш |
| | ŧŀ | 11 |
| | | |

- 1 th

| Catalog # | Item # | Description | Pk |
|-----------|--------|--------------|----|
| 69-007480 | OB2 | 6" X 32" | 50 |
| 69-007580 | OB3 | 6" x 25-1/2" | 50 |

BAMBOO TRELLIS

This plastic trellis has grips on the legs, so when inserted into soil it will be stable and not pull out easily. Ideal for ivy, clematis and other climbers.



| Catalog # | Item # | Size | Pk |
|-----------|--------|------------------|----|
| 69-002720 | PS16 | 32" High Trellis | 50 |
| 69-002727 | PS17 | 25" High Trellis | 50 |

TYNE NURSERY GROWER PRICING

No Rust Pegs

Ideal for holding down ground cover. NO RUST pegs are made from a black durable plastic, and feature a wide head and shank for maximum hold. Gently hammer into ground every 2-3 feet.

| Catalog # | Item # | Description | Pack |
|-----------|--------|-------------|------|
| 30-810060 | MMP2 | 6" Peg | 100 |
| 30-811080 | MMP3 | 7.5" Peg | 100 |



YELLOW PLASTIC WASHER

This plastic yellow washer fits both of the NO RUST Peg heads (MMP2 and MMP3) to help secure ground cover.

| Catalog # | Item # | Description | Pack |
|-----------|--------|---------------|------|
| 30-812990 | | Yellow Washer | 100 |



GROUND SHEET PEGS

Sheet Pegs keeps all types of sheeting and frost covers securely in place, SP2 has an 8" prong. Easy to use, made from a durable plastic and are totally reusable. Simply drive the peg into the soil every two meters, ends are best earthed over.

| Catalog # | Item # | Description | Pack |
|-----------|--------|--------------|------|
| 69-006880 | SP2 | 8" Sheet Peg | 50 |







GROWER PRICING

SECURING CLIPS

Secures, protects plants from being blown over. Bend the clip around the plants or cane and slip onto the straining wire. Available in varying lengths that clip onto 3-4mm support wire or cable.

| Catalog # | Item # | Description | Pk | MC Wt. | MC Qty |
|-----------|--------|-------------------|-----|--------|--------|
| 69-005080 | SC53 | 4½" x 3 mm wire | 100 | 4.4# | 1000 |
| 69-005180 | SC54 | 4½" x 4 mm wire | 100 | 4.4# | 1000 |
| 69-005280 | SC55 | 5½" x 4 mm wire | 100 | 4.4# | 1000 |
| 69-005580 | SC60 | 91/4" x 4 mm wire | 100 | 4.4# | 500 |



Discontinued Items - Sale prices good while supplies last.

ADJUSTABLE SHRUB TIES

A single tie for tying of climbers, shrubs and small trees. Made from green polyethylene material, it is very strong and long lasting.

| Catalog # | Item # | Description | Pk | MC Wt | MC Qty |
|-----------|--------|--------------|-----|-------|--------|
| 69-000030 | TP125 | 5" Shrub Tie | 500 | 1.1# | 1000 |
| 69-000130 | TP175 | 7" Shrub Tie | 500 | 2.2# | 1000 |

Discontinued Items - Sale prices good while supplies last.

TREE SUPPORT TIES

The TREE SUPPORT TIE is designed to support and protect the tree when grown against any steel or nylon wire and non slip cord. When the tie is tightened it self grips and does not slip along the wire or cord. The tree is held firmly and it does not suffer any damage to the bark. The tie is soft, strong, black, and UV protected.

| Catalog # | Item # | Size | Pk |
|-----------|--------|-----------------------------------|-----|
| 69-000200 | TST200 | Very Small Tree Tie (11" Long) | 100 |
| 69-000300 | TST300 | Small Tree Tie (12" Long) | 100 |
| 69-000380 | TST400 | Medium Tree Tie (16" Long) | 100 |



SUPER SOFT TREE TIES

Easier to use than other tree ties, Super Soft Ties are made from soft rubberized plastic with molded grooves to prevent damage to the tree. The tie will stretch as the tree grows. Approximate life span is 10-12 years.

| _ | | | | |
|---|-----------|--------|---------------------|----|
| ı | Catalog # | Item # | Size | Pk |
| | 69-000580 | TP30 | 1/2" x 12" Tree Tie | 50 |
| | 69-000830 | TP35 | 5/8" x 14" Tree Tie | 50 |
| | 69-001180 | TP40 | 7/8" x 15" Tree Tie | 50 |
| ſ | 69-001480 | TP45 | 7/8" x 18" Tree Tie | 50 |
| | 69-001780 | TP60 | 7/8" x 23" Tree Tie | 50 |







GROWER PRICING

T-LABELS

T-Labels are designed for use where a larger label is needed. Choose from the straight style or the angled style. The Angled T-label is great for placing near or on the ground for easier viewing. Optional black base is also available and fits all T-label stems.


STRAIGHT T-LABELS

| Catalog # | Item # | Description | Pk |
|-----------|---------|--------------------------------------|------|
| 68-285000 | SL135W | 1 ¼" x 2" w/ 4 ½" stem - White | 1000 |
| 68-285009 | SL135Y | 1 1/4" x 2" w/ 4 1/2" stem - Yellow | 1000 |
| 68-285500 | SL250W | 2-1/8" x 3-5/8" w/ 7" stem - White | 100 |
| 68-285509 | SL250Y | 2-1/8" x 3-5/8" w/ 7" stem - Yellow | 100 |
| 68-285501 | SL250BK | 2-1/8" x 3-5/8" w/ 7" stem - Black | 100 |
| 68-286200 | SL340W | 2-1/8" x 4" w/ 10 ½" stem - White | 100 |
| 68-286209 | SL340Y | 2-1/8" x 4" w/ 10 1/4" stem - Yellow | 100 |
| 68-286945 | SL445W | 3" x 4 1/4" w/ 14" stem - White | 50 |
| 68-287545 | SL545W | 3 ½" x 5 ½" w/ 17 ½" stem - White | 50 |
| 68-281009 | SL735Y | 4 ½" x 7 ½" w/ 24" stem, Yellow | 50 |

ANGLED T-LABELS

| Catalog # | Item # | Description | Pk |
|-----------|---------|-------------------------------------|----|
| 68-285300 | SL190W | 1 ¾" x 2-7/8" w/ 5 ¾" stem, White | 50 |
| 68-285800 | SL275W | 3" x 5" w/ 8" stem, White | 50 |
| 68-285809 | SL275Y | 3" x 5" w/ 8" stem, Yellow | 50 |
| 68-286600 | SL400W | 2 ½" x 4" w/ 14" stem, White | 50 |
| 68-286609 | SL400Y | 2 ½" x 4" w/ 14" stem, Yellow | 50 |
| 68-286601 | SL400BK | 2 ½" x 4" w/ 14" stem, Black | 50 |
| 68-286613 | SL400BL | 2 ½" x 4" w/ 14" stem, Blue | 50 |
| 68-286604 | SL400R | 2 ½" x 4" w/ 14" stem, Red | 50 |
| 68-286900 | SL440W | 3-1/8" x 4 ¾" w/ 14" stem, White | 50 |
| 68-287500 | SL500W | 3-7/8" x 6" w/ 17" stem, White | 25 |
| 68-287509 | SL500Y | 3-7/8" x 6" w/ 17" stem, Yellow | 25 |
| 68-287501 | SL500BK | 3-7/8" x 6" w/ 17" stem, Black | 25 |
| 68-287640 | SL650 | 4 ¾" x 7-3/8" w/ 24 ¼" stem - White | 25 |
| 68-319901 | BASE | Label Base | 25 |

Measurements are Height x Width + Stem



Color choices (shown below) vary for sizes. Look to the pricing information for details.








GROWER PRICING

TY LABELS

TY Labels are made from heavy-duty plastic with an ample writing area. They are available in many sizes. They can be used as a stick-in pot label or to attach to a pot with a label gun through pre-punched holes.

| Catalog # | Item # | Description | Pk |
|-----------|---------|-----------------------------------|------|
| 68-250400 | TY4W | 4" TY Labels - White | 1000 |
| 68-250409 | TY4Y | 4" TY Labels - Yellow | 1000 |
| 68-250407 | TY4O | 4" TY Labels - Orange | 1000 |
| 68-250413 | TY4B | 4" TY Labels - Blue | 1000 |
| 68-250415 | TY4P | 4" TY Labels - Purple | 1000 |
| 68-250600 | TY5W | 5" TY Labels - White | 1000 |
| 68-250609 | TY5Y | 5" TY Labels - Yellow | 1000 |
| 68-250607 | TY5O | 5" TY Labels - Orange | 1000 |
| 68-250613 | TY5B | 5" TY Labels - Blue | 1000 |
| 68-250615 | TY5P | 5" TY Labels - Purple | 1000 |
| 68-250800 | TY6W | 6" TY Labels - White | 1000 |
| 68-251000 | TY8W | 8" TY Labels - White | 500 |
| 68-251400 | TY10W | 10" TY Labels - White | 50 |
| 68-251600 | TYEL12W | 12" Garden Labels w/ slot - White | 50 |
| 68-252200 | TYEL16W | 16" Garden Labels w/ slot - White | 50 |
| 68-252400 | TYEL20W | 20" Garden Labels w/ slot - White | 50 |
| 68-252500 | TYEL24W | 24" Garden Labels w/ slot - White | 50 |

Sizes 10-24 have slots for color coding with loop lock labels and flagging tape.



4" and 5" have five colors available (shown below).
6" through 24" are only available in white.
Look to the pricing information for details.



VINYL LOOP LOCK LABELS

Loop Lock Labels are used to label hanging baskets, vines, bushes, trees, and more! Measures 1/2" wide by 6-1/2" long and has1000 labels on a roll.

| Catalog # | Item # | Description | Pack |
|-----------|---------|---------------------------|------|
| 68-358200 | LL625W | Loop Lock Labels - White | 1000 |
| 68-358209 | LL625Y | Loop Lock Labels - Yellow | 1000 |
| 68-358211 | LL625G | Loop Lock Labels - Green | 1000 |
| 68-358207 | LL625O | Loop Lock Labels - Orange | 1000 |
| 68-358204 | LL625R | Loop Lock Labels - Red | 1000 |
| 68-358217 | LL625PI | Loop Lock Labels - Pink | 1000 |

There are six colors to choose from.
All shown below.







GROWER PRICING

BUCKET LABELS

Bucket labels will clip onto the rim of most nursery containers and will stay on securely. Ideal for large perennials, mums, poinsettias, bushes and trees. Choose from the regular white style or the convenient blackboard style both shown here. The stem for both is white.

| Catalog # | Item # | Description | Pk |
|-----------|---------|--------------------------------|----|
| 68-285900 | SL280W | BL - 2 ½" x 4" w/ 7 ¾" stem | 25 |
| 68-286025 | SL290BB | BL BB - 4" x 6 1/4" w/ 17"stem | 25 |



BLACKBOARD LABELS

These unique labels are ideal for marking sale items. Available in 2 sizes, so no matter how much or how little information you need visible, there is a size to fit your needs. Also a very economical style - use ordinary chalk and simply wipe clean to re-use!


| Catalog # | Item # | Description | Pk |
|-----------|---------|--------------------------------------|----|
| 68-286925 | SL440BB | BBL - 3" x 4 ¾" w/ 14" stem | 50 |
| 68-285820 | SL275BB | BBL - 3-1/4" x 5-1/4" w/10-1/2" stem | 50 |
| 68-287525 | SL500BB | BBL - 4" x 6-3/8" w/ 17 1/4" stem | 25 |
| 68-287650 | SL650BB | BBL - 4-3/8" x 7 ¼" w/ 24 ¼" stem | 25 |



CARD HOLDER

The Card Holder is the easiest and quickest way to place sticky cards in your pots and flats or for easy read insect detection. May also be used as a sign holder. To label plants in greenhouse nursery and retail areas. Measures 13" tall. Choose from the 2.5" square size or the larger 5" x 7" size.

| Catalog # | Item # | Description | Pk |
|-----------|--------|-------------------------------|----|
| 68-287001 | SL450 | 2.5"x 2.5" holder w/ 13" stem | 25 |
| 68-287201 | SL465 | 5" x 7" holder w/ 13" stem | 25 |







GROWER PRICING

INFO STICKS

Info Sticks hold picture labels either vertically or at 45°. Label is very easily and quickly clipped into position. Over non-return prongs. The label is securely held and will not spin, be blown or pulled out easily. The label pivots on prong and the customer can read the back of the label without pulling the stick out of the soil.

| Catalog # | Item # | Size | Pk |
|-----------|--------|-----------------------|-----|
| 67-500010 | IF6 | 6" Info Stick, green | 100 |
| 67-500110 | IF11 | 11" Info Stick, green | 100 |
| 67-500210 | IF15 | 15" Info Stick, green | 100 |
| 67-500310 | IF24 | 24" Info Stick, green | 100 |




BLACK SIGN HOLDERS

Tyne classic black sign holders are made of a sturdy UV resistant, black plastic. Securely holds 11" x 7" or 5" x 7" signs in place. Select Flat Double Face style which supports signs on both sides or Angled Single Face style which supports one sign in an upward facing position. Complete with a 22" stem or adjustable 24"-36" stem and base.

| Catalog # | Item # | Description | Pk | MC Weight | MC Qty |
|-----------|--------|---|----|--------------|--------|
| 67-501100 | SL901 | 7" x 5" Flat Double Face w/ 22" stem | 1 | 28.6# | 50 |
| 67-501400 | SL904 | 7" x 5" Angle Single Face w/ 22" stem | 1 | 28.6# | 50 |
| 67-502000 | SL910 | 11" x 7" Flat Double Face w/ 22" stem | 1 | 30.8# | 25 |
| 67-502100 | SL911 | 11" x 7" Angle Single Face w/ 22" stem | 1 | 30.8# | 25 |
| 67-501500 | SL905 | 11" x 7" Flat Double Face w/ Adjustable stem (24"-36") | 1 | 33# | 25 |
| 67-501600 | SL906 | 11" x 7" Angle Single Face w/ Adjustable stem (24"-36") | 1 | 33# | 25 |







Angled Single Face SL904, SL911, SL906

Includes:


- * 7" x 5" or 11" x 7" head
- * Adjustable or Non-Adjustable Stem
- * 6" Square Base





COROPLAST

Coroplast is a plastic product which refers to a wide range of extruded twinwall plastic-sheet products. It is a lightweight tough material commonly used to erect commercial, political or other types of signs. We print all of our coroplast signs with the "flutes" vertically so you can easily put it on a holder. Our coroplast signs are guaranteed against yellowing.



We offer a large selection of plant informations signs that are already designed. However if we do not have what you are looking for we can create a custom sign for you. Check our pre-designed plant information sign index on page 99-100 and our custom COROPLAST sign pricing below.


CUSTOM COROPLAST SIGNS¹

| 5" X 7" CUSTOM COROPLAST: | ONE-SIDED: \$1.75 EA 93-060507 | TWO-SIDED: \$1.95 EA 93-060507 |
|-----------------------------|--|--|
| 8" X 8" CUSTOM COROPLAST: | ONE-SIDED: \$3.15 EA 93-010-08 | TWO-SIDED: \$3.95 EA 93-020808 |
| 12" X 12" CUSTOM COROPLAST: | ONE-SIDED: \$5.95 EA 93-011212 | TWO-SIDED: \$6.95 EA 93-012212 |
| 8" X 24" CUSTOM COROPLAST: | ONE-SIDED: \$7.95 EA 93-010824 | TWO-SIDED: \$10.25 EA 93-020824 |
| 12" X 24" CUSTOM COROPLAST: | ONE-SIDED: \$12.50 EA 93-011224 | TWO-SIDED: \$15.50 EA 93-021224 |
| 16" X 24" CUSTOM COROPLAST: | ONE-SIDED: \$16.50 EA 93-011624 | TWO-SIDED: \$20.75 EA 93-021624 |
| 24" X 24" CUSTOM COROPLAST: | ONE-SIDED: \$23.75 EA 93-012424 | TWO-SIDED: \$30.75 EA 93-022424 |
| 24" X 48" CUSTOM COROPLAST: | ONE-SIDED: \$49.50 EA | TWO-SIDED: \$61.75 EA |

93-012448

93-022448

RIGID VINYL



Rigid vinyl is a durable thin plastic material perfect for sliding into metallic sign holders. We stock predesigned signs and offer an assortment of custom sizes to print anything your business may need.

We offer a large selection of plant informations signs that are already designed. However if we do not have what you are looking for we can create a custom sign for you. Check our pre-designed plant information sign index on page 99-100 and our custom RIGID VINYL sign pricing below.

CUSTOM VINYL SIGNS 1

5" X 4" CUSTOM RIGID VINYL:

ONE-SIDED: \$1.70 EA

7" X 5" CUSTOM RIGID VINYL:

ONE-SIDED: \$1.75 EA

8" X 8" CUSTOM RIGID VINYL:

ONE-SIDED: \$3.15 EA

11" X 7" CUSTOM RIGID VINYL:

ONE-SIDED: \$3.95 EA

12" X 12" CUSTOM RIGID VINYL:

ONE-SIDED: \$5.95 EA

8" X 24" CUSTOM RIGID VINYL:

ONE-SIDED: \$7.95 EA

24" X 24" CUSTOM RIGID VINYL:

ONE-SIDED: \$23.75 EA

48" X 48" CUSTOM RIGID VINYL:

ONE-SIDED: \$79.95 EA

VINYL BANNER

Our banners have a UV coating to guarantee no yellowing or fading of colors thus providing you with long lasting full color images. All banners come with reinforced backs and grommeted corners. 2 year weather graded.




30" WIDTH: \$9.75 per linear foot (corners reinforced & grommeted)

38" WIDTH: \$10.70 per linear foot (corners reinforced & grommeted)

53.75" WIDTH: \$15.55 per linear foot (corners reinforced & grommeted)

SINTRA



3MM Sintra is the industry's leading PVC board for more than 20 years. It is lightweight yet rigid and durable and is the brightest and whitest PVC board on the market. Made In USA. The minimum order for Sintra is one sheet 48" x 48".


ONE-SIDED SHEET: \$97.70 EA

TWO-SIDED SHEET: \$127.00 EA

WALDO

MAGNETS

Magnetic signs are a great way to promote your business. Whether it be on your building or on the side of your truck/van. You can gain great exposure by using them as an advertising piece. Our high quality magnets will not curl or fade and come printed with the brightest and best colors.



LARGE SIGN 12" X 24": \$29.95 per sheet (1 per sheet)

SMALL SIGN 12" X 12": \$29.95 per sheet (2 per sheet)

SMALL SIGN 6" x 12": \$29.95 per sheet (4 per sheet)

TURN YOUR AUTO INTO A MARKETING MACHINE FOR YOUR COMPANY WITH OUR AFFORDABLE CUSTOM MADE-TO-ORDER MAGNETIC SIGNS!



STOCK SIGNS

PLANT INFORMATION SIGNS - INDEX PG. 90-91


COROPLAST & RIGID VINYL

Our plant information signs are ideally sized for bench displays and contain specific plant information. Each sign offers a large photo with plant care and light requirements and a white box for pricing.



ONE SIDED: \$1.75 TWO SIDED: \$1.95

ONE SIDED: \$3.15 TWO SIDED: \$3.95



EDIBLE VARIETIES BENCH/BED SIGNS - INDEX PG. 90-91 **COROPLAST & RIGID VINYL**

Our edible variety signs are ideally sized for bench displays and contain a large photo and a white box for pricing.



5" X 7"

ONE SIDED: \$1.75 TWO SIDED: \$1.95

ONE SIDED: \$3.15 TWO SIDED: \$3.95



GARDEN CENTER SIGNS - INDEX PG. 90-91

COROPLAST & VINYL BANNER

Our garden center signs are perfect for categorizing and organizing displays and providing visuals for where customers can find things.



ONE SIDED: \$6.95 TWO SIDED: \$8.95



2.5" X 7.5"

ONE SIDED VINYL BANNER: \$73.13

PRICE POINT SIGNS

COROPLAST

Our price point signs are great for a garden center or farm market to showcase product pricing in a clean consistent fashion



2 SIDED 4" X 6" - BLANK CENTER:

CUSTOM 1 SIDED 4" X 6":

CUSTOM 2 SIDED 4" X 6":

\$0.99

\$79.95 \$99.95

CUSTOM PRICE POINT SIGNS MINIMUM ORDER OF 1 SHEET. 96 SIGNS PER SHEET.

STOCK SIGNS

FARM & ROADSIDE MARKET SIGNS - INDEX PG. 90-91 COROPLAST & VINYL BANNER

Our farm & roadside market signs are perfect for drawing in customers by clearly advertising what you have available.


TWO SIDED: \$8.95





2.5" X 7.5"

ONE SIDED VINYL BANNER: \$73.13



TWO SIDED: \$6.95

12" X 12" TWO SIDED: \$6.95

24" X 24" TWO SIDED: \$26.75

BUSINESS STOCK SIGNS - INDEX PG. 90-91

COROPLAST & VINYL BANNER

Provide your business with everything it needs with our business stock signs. Promote sales, clearance items and anything else you need with a sign or banner.



8" X 24"

ONE SIDED: \$6.95 TWO SIDED: \$8.95



2.5" X 7.5"

ONE SIDED VINYL BANNER: \$73.13

HOLIDAY & BUY LOCAL SIGNS - INDEX PG. 90-91

COROPLAST & VINYL BANNER

Promote your holiday sales and specials or encourage patrons to shop local with some great new signs.

8" X 24" **ONE SIDED: \$6.95** TWO SIDED: \$8.95





2.5" X 7.5" **ONE SIDED VINYL BANNER: \$73.13**

ADD YOUR LOGO OR A SIGN CONVERSION KIT FOR ONLY \$1 PER SIGN!

STOCK PLANT INFORMATION SIGN INDEX

| Abutilon | •Bell Flower | | Iresine | New Guinea Impa- | Saponaria |
|----------------|--------------------|--------------------|------------------|-------------------------|-------------------|
| Acalypha | •Blue Clips | Erysimum | Iris | tiens | •Rock Soapwort |
| Achillea | •White Clips | Eucalyptus | Ivy | Nicotiana | Scabiosa |
| Aegopodium | ·Canterbury Bells | Eupatorium | •English | Oenothera | Scaevola |
| Agastache | Campsis | Euphorbia | •Fancy | •Sundrops Missouriensis | Schizachyrium |
| Ageratum | Candy Tuft | Donkey Tail | •Swedish | •Sundrops | Scleranthus |
| Ajuga | Canna | •Yellow | Juncos | Osteospermum | Sedum |
| Akebia | Carex | Festuca | •Spiralis | Outback Sunset | •Upright |
| Alternanthera | Carnations | Fiber Optic Grass | Kniphofia | Oxalis | •Creeping |
| Alyssum | •Grenadin Mix | Filipendula | Lantana | Pansies | •Stone Crop |
| •Gold Dust | Caryopteris | Flax | Lavatera | Papaver | Seed Geraniums |
| •Perennial | Catananche | •Blue | Lavender | Pardancanda | Sempervivum |
| Amaranthus | Celosia | Fragaria | •Munstead | Pennisetum | ·Hens & Chicks |
| Amsonia | Centranthus | Fuchsia | Leucanthemum | Penstemon | Setcreasea |
| Anemone | Centaurea | Gaillardia | •Alaska | Pentas | Sidalcea |
| Angelonia | •Hardy Cornflower_ | Gallium | •Snowcap | Peony | Silene |
| Ageratum | Cerastium | Gaultheria | •Silver Princess | Perovskia | Silver Mound |
| Arabis | Clematis | Gaura | Liatris | Petunias | Snapdragons |
| Argyranthemum | Cleome | Gazania | Licorice Vine | •Mini | •Rocket |
| Arenaria | Coleus | Geraniums | Lewisia | •Fantasy | •Midsize |
| Armeria | •Kong Coleus | •Ivy geranium | Ligularia | •Wave | •Dwarf |
| Artemisia | •Scented | •Zonal | Linum | Phlox | Spikes |
| Aquilegia | Columbine | •Scented | Lisianthus | Physostegia | Springeri |
| Astilbe | Coreopsis | •Seed | Lobelia | Physalis | Straw Flower |
| Asters | Cortaderia | Goldilocks | Bedding Lobelia | •Chinese Lantern | Streptocarpella |
| Asclepias | Cosmos | Guem | •Perennial | Piggy Back Plant | Stachys |
| Asparagus Fern | Cymbopogon | Gypsophilia | Lobulara | Platycodon | Streptocarpella |
| Aubrieta | Dahlia | •Repens White | Lonicera | Balloon Flower | Stroblianthes |
| Aureola | Daisy | Helenium | Lotus Vine | Plectranthus | Sunpatiens |
| Bacopa | •Dazzler | Helichrysum | Lupine | Plumbago | Sweet Potato Vine |
| Baptisia | •Felicia | Heliopsis | Lupinus | Polemonium | Sweet William |
| Begonias | •Gerbera | Heliotrope | Lychnis | •Jacobs Ladder | Tanacetum |
| •Reiger | Day Lily | Helleborus | •Maltese Cross | Polygonum | Thymus |
| •Tuberous | Dazzler | Hemerocallis | Lysimachia | Portulaca | Tiarella |
| •Angel Wing | Dianthus | Heuchera | Malva | Potentilla | Torenia |
| Dragon Wing | Diasca | Hibiscus | Mandevilla | Primula | Tradescantia |
| Bellis | Dichondra | •Southern Bell Mix | Marigolds | Prunella | Tricyrtis |
| Bidens | Delosperma | Hollyhocks | •Inca | Pseduderanthemum | Trollius |
| Bracteantha | Delphinium | Hosta | •Janie | Pulmonaria | Variengata |
| Browallia | Dicentra | Houttuynia | Mexican Heather | Purslane | Verbascum |
| Brunnera | Dichondra | Humulus | Million Bells | Pyrethrum | Verbena |
| Buddleia | Digitalis | Hydrangea | Miscanthus | •Robinson Daisy | •Trailing |
| Calamagrostis | Dipladenia | Hypericum | Monarda | Roses | Veronica |
| Calendula | Dorotheanthus | •Rose of Sharon | Muehlenbeckia | Rudbeckia | Vinca Vine |
| Calibrachoa | Dusty Miller | Hypoestes | Mums | •Black Eyed Susan | Violas |
| •Million Bells | Echinacea | Iberis | •Flowering | Black Eyed Daisy | Zauschneria |
| •Minifamous | Echinops | lbosa | Myosotis | Sagina | Zinnias |
| •Super Bells | Edelweiss Alpina | Imaptiens | Nasturtium | Salvia | Zonal Geraniums |
| •NOA | Erianthus | •Sun Loving | Nemesia | •Perennial | |
| Campanula | Eryngium Planum | •New Guinea | Nettles | Victoria Blue | |
| _ | - | | | | |

STOCK EDIBLE VARIETIES SIGN INDEX

| Arugula Asparagus Crowns | •Pickling •Bush | •White •Sweet | •Plants •Ever Bearing | Carmen Cayenne Long Slim | Mucho Nacho Rainbow |
|-----------------------------|-----------------------------|------------------------------------|--------------------------------|-----------------------------|------------------------|
| Beans | •English | •Spanish | June Bearing | | Red Beauty |
| •Green | Collards | Peas | Squash | Cayenne Long Thick | Red Knight |
| •Pole | Eggplant | Pickles | •Acorn | | Serrano Del Sol |
| •Yellow | Grapes | Potatoes | •Summer | Cherry Bomb | Sweet Banana |
| Beets | Green Beans | •Red | •Winter | Chile | Sweet Heat |
| Blackberries | Gourds | •Seed | •Yellow | Chocolate | Tiburon |
| Blueberries | Herbs | •Sets | Swiss Chard | Early Sunsation | |
| Broccoli | Kale | •White | Tomatillos | Garden Salsa | TOMATOES |
| Brussel Sprouts | Flowering | Red Pontiac | Watermelon | Golden Summer | Amish Paste |
| Cabbage | Kohlrabi | Yukon Gold | Zucchini | | Applause |
| •Flowering | Leeks | Kennebec White | •Bush | Habenero | Better Bush |
| Cantaloupe | Lettuce | Pumpkins | | Holy Mole | Better Boy |
| Cauliflower | •Mesculin | Prize Winning | PEPPERS | Hot | Big Beef |
| Celery | Musk Melon | Radicchio | Apache | Hungarian | Big Boy Burpee |
| Corn | Okra | Raspberries | Banana | Jalapeño | Brandywine |
| •Sweet | Onion | Rhubarb | Bell | King Arthur | Beef Steak |
| •Yellow | •Sets | Shallots | Better Bush | Lilac | Carolina Gold |
| •Bicolor | •Red | Spinach | Big Bertha | Long Thin | Caspian Pink |
| Cucumber | •Green | Strawberries | California Wonder | _ Mariachi | Celebrity |

| Cherry Falls Delicious Early Girl First Lady Golden Jubilee Golden Jubilee Health Kick Heirloom Hillbilly Husky Red Jet Star Hybrid Lemon Boy Marglobe Mortgage Lifter Mountain Fresh | Mr. Stripey Patio Pineapple Red Cherry Roma Rutgers San Marzano Sweetheart Sunbrite Sunsugar Super Sweet 100 Super olic Tom's Viva Italia Yellow Yellow Pear | HERBS Basil •Cinnamon •Genovese •Lemon •Red Rubin Borage Catnip Charmomile Chervil Chives Cilantro Curry Dill Endive •Curly Fennel | Garlic | Rue Sage Sarrol Savory Stevia Tarragon Thyme •Variegated Lemon •Golden Lemon •Silver •Wooly •Creeping •English Verbena •Lemon |
|---|--|--|---|---|
| Annuals Apples Begonias Butterfly Garden Cabbage Clematis Cucumbers Cucumbers Compared to the compared to t | Geraniums Ground Cover Hanging Baskets Herbs Hosta Hot Peppers Hummingbird Garden | Impatiens Mulch New Guinea Impatie Ornamental Grasses Pansies Peat Moss | s Roses | Tomatoes Top Soil Vegetables Water Garden |
| Cantaloupe Corn Maze Firewood Fresh Apples | Fresh Blueberries Fresh Cut Flowers Fresh Produce Hardy Mums | Hayrides Home Grown Locally Grown Mothers Day Flowers_ | Organic Peaches Pumpkins Strawberries | Sweet Corn Sweet Watermelons Vine-Ripened Melons Vine Ripened Tomatoes |
| Cashier Clearance | Open/Close Reversible | Restrooms Sale | Thank You, Come Again | Welcome |
| | formats, desi For Photos Pi or - High-Resolutio higher) jpeg or tii Close to print s increase 1" imag | RK REQUIRENTER The state of the | Shops y-to-print in the acceptable gos and Line-art o size ai, eps, or PDF files ct ord document or e-mail, sign fees may apply for | Buy Local Red, White & Blue |

VISA

- Made with bleeds if applicable

SIGN HANGER & CONVERSION KITS

POST SIGN HANGER

Our Post Sign Hangers offer an easy and attractive way to hang signage at your business! Designed to fit on all standard size greenhouse posts. Choose from three different mounting hardware size kits or purchase the hanger separately.



| CATALOG # | DESCRIPTION | EACH |
|-----------|--|--------|
| 93-992000 | Post Sign Hanger - hanger only | \$2.35 |
| 93-992113 | Post Sign Hanger Kit with 1-3/8" mounting hardware | \$3.25 |
| 93-992115 | Post Sign Hanger Kit with 1-5/8" mounting hardware | \$3.25 |
| 93-992120 | Post Sign Hanger Kit with 2" mounting hardware | \$3.25 |

SIGN CONVERSION KITS

Our coroplast sign conversion kit converts your sign from stake display only to a hanging option. Pair this option with our convenient Post Sign Hanger to easily direct and inform your customers at eye level.

| CATALOG # | DESCRIPTION | EACH | ORDER QTY |
|-----------|--|--------|--------------|
| 93-992210 | Sign Conversion Kit (for hanging signs) includes 2 grommets & 2 clip rings | \$1.00 | |

Select this option for only \$1 more at time of sign order!

YARD SIGN HOLDERS




Ta B 5

LARGE YARD SIGN HOLDER

Heavy duty 9 gauge wire holds larger coroplast signs firmly in place for roadside marketing impact. Your sign firmly inserts on top of 20" leg posts at ideal drive sight height.

| CATALOG # | ITEM | EACH | 25 + | ORDER QTY |
|---------------|---------------------|--------|--------|--------------|
| 67- 301000 | Yard Sign Holder | \$1.90 | \$1.75 | |



a

6" Wide

TABLE TOP SIGN HOLDER

Designed with self-supporting base to evenly display coroplast signs at the perfect height over bench crops.

| | CATALOG # | ITEM | EACH | ORDER QTY |
|---|---------------|-----------------------------|--------|--------------|
|) | 67 301-001 | Table Top Sign Holder | \$1.45 | |

STANDARD SIGN STAKE Perfect for our 8"x24" signs!

| CATALOG # | ITEM | EACH | 25 + | ORDER QTY |
|-----------|-------------------------|--------|--------|--------------|
| 67-300519 | 19" Standard Sign Stake | \$0.95 | \$0.85 | |
| 67-272490 | 24" Standard Sign Stake | \$1.10 | NA | |
| 67-273690 | 32" Standard Sign Stake | \$1.30 | NA | |



WORKMAN PALLET SIGN HOLDER

| CATALOG # | DESCRIPTION | SIZE | PK | PRICE | ORDER QTY |
|-----------|--|---------|------|-------|--------------|
| 67-550501 | Workman Pallet Sign Holder (extendable, black) | 44"-70" | 2/cs | CALL | |



PREMIUM FLOOR STAND

| CATALOG # | DESCRIPTION | SIZE | EACH PRICE | ORDER QTY |
|-----------|-----------------------------------|-------------------|---------------|--------------|
| 67-550201 | Premium Floor Stand (black) | 56.5"x22.5"x15.5" | CALL | |





SIGN GRIPPER

| CATALOG # | DESCRIPTION | SIZE | EACH PRICE | |
|-----------|------------------------------|-----------|---------------|--|
| 67-555000 | Plastic Sign Gripper (clear) | 3"x1 5/8" | \$1.00 | |

RAINBOW SIGNS

| Catalog # | Description | Pack | Each |
|-----------|-----------------------|------|--------|
| 67-269900 | 5" x 7" White Card | 1 | \$0.46 |
| 67-269930 | 5" x 7" Yellow Card | 1 | \$0.46 |
| 67-269920 | 5" x 7" Orange Card | 1 | \$0.46 |
| 67-269950 | 5" x 7" Blue Card | 1 | \$0.46 |
| 67-269940 | 5" x 7" Green Card | 1 | \$0.46 |
| 67-301001 | Table Top Sign Holder | n/a | \$1.45 |

Rainbow signs are perfect for greenhouses and garden centers and are available in four eye-catching colors that are great for color coding items by prices or descriptions. Use with sign stakes for nursery beds and displays. Or try with our new table top sign holder on benches!



TWO TIER FLOOR STAND

| CATALOG # | DESCRIPTION | SIZE | EACH PRICE | ORDER QTY |
|-----------|---------------------------------|-----------------|---------------|--------------|
| 67-550301 | Two Tier Floor Stand (black) | 58"x22.5"x15.5" | CALL | |





DOUBLE FACED SIDEWALK SIGN

| CATALOG # | DESCRIPTION | SIZE | EACH PRICE | ORDER QTY |
|-----------|---|-------------|---------------|--------------|
| 67-550101 | Double Faced Sidewalk Sign (A-Frame, black) | 40"x22"x28" | CALL | |






DOUBLE FACED SIDEWALK SIGN DISPLAY + (TWO) 22" X 28" ONE-SIDED SIGNS

ONLY \$120.78

COROPLAST SIGNS

| DESCRIPTION | SIZE | PRICE EACH |
|----------------------------|---------|---------------|
| Coroplast Sign (One Sided) | 22"x28" | \$31.50 |
| Coroplast Sign (Two Sided) | 22"x28" | \$39.95 |



22" x 28" Coroplast Signs fit the Double Faced Sidewalk Sign, Two Tier Floor Stand, and the Premium Floor Stand!

METAL SIGN HOLDERS

Durable galvanized steel sign holders are tough and ready for years of use. Ideal for identifying perennials, trees, shrubs and much more. Can be placed in pots, stuck into the soil or supported by the universal stake base. The 10" x 10" heavy gauge universal stake base fits all sizes of metal signs.

| Catalog # | Description | Pk | Each Price | Case Price |
|-----------|-------------------------------------|----|---------------|---------------|
| 67-000518 | 5" x 4" x 18" Metal Sign Holder | 25 | \$2.25 | \$50.75 |
| 67-000530 | 5" x 4" x 30" Metal Sign Holder | 25 | \$3.25 | \$73.15 |
| 67-001018 | 7" x 5" x 18" Metal Sign Holder | 25 | \$2.75 | \$61.90 |
| 67-001030 | 7" x 5" x 30" Metal Sign Holder | 25 | \$3.50 | \$78.75 |
| 67-001518 | 11" x 7" x 18" Metal Sign Holder | 25 | \$3.00 | \$67.50 |
| 67-001530 | 11" x 7" x 30" Metal Sign Holder | 25 | \$3.75 | \$84.40 |
| 67-109099 | Stake Base | 25 | \$4.50 | \$102.50 |



WIRE CARD HOLDER

Perfect for holding plant label tags, small placards, or insect detection cards in pots or on the bench for quick and easy recognition.

| Catalog # | Description | Pk | Each |
|-------------|---------------------------|----|--------|
| 068-402-598 | 28" L Wire Card Holder | 1 | \$0.69 |



MARKING DEVICES

For your convenience, we have all the marking supplies you need including black grease pencils, black sharpie markers, liquid chalk pens, long-lasting marking pens, and paint pens in five color choices (white, yellow, orange, red, green).


| Catalog # | Description | Pack | Each |
|-----------|--|------|---------|
| 68-509900 | Paint Pen - Weatherproof (White, Yellow, Orange, Red, Green) | 1 | \$3.25 |
| 68-599901 | Black Sharpie Marker | 1 | \$1.20 |
| 68-549992 | Black Grease Pencil (Season long - UV Fade Resistant) | 1 | \$1.20 |
| 68-519900 | White Liquid Chalk Pen | 3 | \$19.00 |
| 68-519999 | Liquid Chalk Pen (Multi-color) | 9 | \$55.00 |
| 66-100108 | Black Long-lasting Marking Pens | 1 | \$1.95 |



BLANK & PRINTED SIGNS

Fade resistant, completely waterproof, mat finish vinyl signs.

| Catalog # | Item # | Description | Pk | Price |
|-----------|---------|------------------------------|----|---------|
| 67-151000 | PC54 | 5" x 4" Blank Signs | 25 | \$4.00 |
| 67-153000 | PC75 | 7" x 5" Blank Signs | 25 | \$6.25 |
| 67-157000 | PC117 | 11" x 7" Blank Signs | 25 | \$11.25 |
| 67-151100 | VSCH54 | 5" x 4" Sale Signs | 25 | \$4.75 |
| 67-153100 | VSCH75 | 7" x 5" Sale Signs | 25 | \$8.00 |
| 67-157100 | VSCH117 | 11" x 7" Sale Signs | 25 | \$14.25 |
| 67-151200 | PLCD54 | 5" x 4" Plant Info Signs | 25 | \$4.75 |
| 67-153200 | PLCD75 | 7" x 5" Plant Info Signs | 25 | \$8.00 |
| 67-157200 | PLCD117 | 11" x 7" Plant Info Signs | 25 | \$14.25 |




BLANK SIGN MATERIAL


The 4" x 12" and 8" x 12" fit perfectly on our new Table Top Sign Holder (67-301001, \$1.45/ea). The Yard Sign Holder (67-301000, \$1.90) is great for the 8" x 24" and 16" x 24".

CREATE YOUR OWN SIGNS!

BLANK CORRUGATED SIGN MATERIAL

| Catalog # | Size | Each |
|-----------|-----------|--------|
| 70-820412 | 4" x 12" | \$0.22 |
| 70-820812 | 8" x 12" | \$0.44 |
| 70-820824 | 8" x 24" | \$0.88 |
| 70-821624 | 16" x 24" | \$1.75 |





GC-FLEX PRINTER

This stand-alone Garden Center Printer enables weights and measures compliance. You can print waterproof and sun-resistant pot tags, wrap arounds and plug tray labels without a computer! Prints 5000 pot tags/hour. Keypad for variable info input. 3 Label/Tag formats included. Additional formats available. 1 Year phone support. 3 Year warranty.



| Catalog # | Item # | Description | Pk | Price |
|-----------|----------|--|-----------|----------|
| non-stock | GC-FLEX | Garden Center Printer | 1 | \$949.00 |
| 68-804000 | T1X10GC | Wrap Tag 1" x 10" (White) | 1000/roll | \$52.95 |
| 68-804009 | T1X10GC | Wrap Tag 1" x 10" (Yellow) | 1000/roll | \$71.70 |
| 68-814100 | L200100V | Stick-On Label 2" x 1" (White) | 1380/roll | \$29.05 |
| 68-824200 | PT4UP | Pot Tag 3/4" x 5" (White) | 2000/roll | \$70.95 |
| 68-834301 | R330WR | Ribbon Replacement (Black) 3.3" x 244" | each | \$11.25 |

WOOD POT AND GARDEN LABELS

Wood labels offer an excellent writing surface when using pen, pencil or marker. Treated for extended life.

| Catalog # | Description | Pk | Pack Price |
|-----------|---------------|------|------------|
| 68-160890 | 6 5/8" Labels | 1000 | \$43.00 |
| 68-161090 | 8" Labels | 500 | \$36.08 |
| 68-161490 | 10" Labels | 500 | \$44.25 |
| 68-201690 | 12", 1 1/8" W | 250 | \$48.17 |


PYLON PLASTIC LABELS



| Catalog # | Item # | Description | Pack | Pack Price |
|-----------|--------|-------------|------|---------------|
| 68-010400 | L-4WH | 4" Labels | 1000 | \$38.55 |
| 68-010600 | L-5WH | 5" Labels | 1000 | \$45.05 |
| 68-010800 | L-6WH | 6" Labels | 1000 | \$55.25 |

HAVE YOU HEARD?

Every year during March and April Waldo & Associates hosts Plant Sale Saturdays! From 8 AM to Noon you'll find a great selection of plants at fantastic prices!



OTHER AVAILABLE WALDO PUBLICATIONS GROWER SUPPLY CATALOG PLANT SOURCE CATALOG WINTER, SPRING, & SUMMER SALES FLYERS

CALL US AT 800.468.4011 AND PUT YOUR COMPANY ON OUR MAILING LIST TODAY!

VISIT WWW.WALDOINC.COM FOR MORE INFORMATION

What One Bale or Bag Fills

| | Pots per | Pots per | | Pot |
|------------|-----------|----------|-------------|-------|
| Pot Size | 3.8 cf | 2.8 cf | Pot Size | 3. |
| | bale | bag | | b |
| Standard F | Round Pot | | Square Pot | s |
| 2.5" | 1550 | 620 | 2.5" | 1 |
| 3" | 900 | 360 | 3" | 8 |
| 4" | 363 | 145 | 3.5" | 5 |
| 5" | 195 | 78 | 4" | 3 |
| 6" | 105 | 42 | 4.5" | 2 |
| 8" | 50 | 20 | 5.5" JS | - |
| 10" | 24 | 5.4 | Mum Pans | |
| Azalea Pot | s | | | |
| 4" | 490 | 196 | 8"x5" | |
| 5" | 245 | 98 | 9"x6.5" | |
| 5.5" | 155 | 62 | Bulb Pans | |
| 6" | 133 | 53 | 6" | 1 |
| 6.5" | 100 | 40 | 8" | |
| 7" | 83 | 33 | 10" | |
| 8" | 55 | 22 | Perennial 8 | k Nur |
| 10" | 28 | 11 | Quart | 2 |
| Geranium | Pot | | 0.5 Gallon | 1 |
| 4" | 425 | 170 | 1 Gallon | |
| 4.25" | 350 | 140 | 2 Gallon | |
| 4.5" | 313 | 125 | 3 Gallon | |
| | | | C-100 | 2 |
| | | | | |

| This chart | is | а | general | guide. |
|------------|----|---|---------|--------|
|------------|----|---|---------|--------|

The measurements are approximate. They will vary depending upon the pot manufacture and the grower's handling of the product.

| | | | | | 9 | | | |
|-------------|-------------|-----------|------------|------------------|-----------------|-------------|--------------|----------|
| | Pots per | Pots per | | Pots per | Pots per | | Pots per | Pots per |
| Pot Size | 3.8 cf | 2.8 cf | Pot Size | 3.8 cf | 2.8 cf | Pot Size | 3.8 cf | 2.8 cf |
| | bale | bag | | bale | bag | | bale | bag |
| Square Pot | ts | | Decorative | Pots | | Ornamenta | l Plug Trays | ; |
| 2.5" | 1313 | 525 | 6" | 125 | 50 | 128 cell | 65 | 26 |
| 3" | 875 | 350 | 8" | 58 | 23 | 288 cell | 98 | 39 |
| 3.5" | 525 | 210 | 10" | 30 | 12 | 406 cell | 110 | 44 |
| 4" | 325 | 130 | 12" | 16 | 6.5 | 512 cell | 113 | 45 |
| 4.5" | 275 | 110 | 14" | 10 | 4 | Propagatio | n Trays | |
| 5.5" JS | 110 | 44 | Bowls | | | Std Flat | 50 | 20 |
| Mum Pans | | | 10" | 53 | 21 | 36 cell | 45 | 18 |
| 8"x5" | 70 | 28 | 12" | 33 | 13 | 50 cell | 63 | 25 |
| 5 | | | 14" | 23 | 9 | 72 cell | 100 | 40 |
| 9"x6.5" | 45 | 18 | Squares | | | 84 cell | 125 | 50 |
| Bulb Pans | | | 8" | 40 | 16 | 98 cell | 80 | 32 |
| 6" | 163 | 65 | 12" | 15 | 6 | Speedling | Trays | |
| 8" | 73 | 29 | 15" | 8 | 3 | 128 cell | 40 | 16 |
| 10" | 38 | 15 | Ovals | | | 200 cell | 38 | 15 |
| Perennial 8 | & Nursery C | ontainers | 12" | 58 | 23 | 288 cell | 43 | 17 |
| Quart | 240 | 96 | 16" | 28 | 11 | 338D cell | 50 | 20 |
| 0.5 Gallon | 113 | 45 | 20" | 23 | 9 | 392 cell | 43 | 17 |
| 1 Gallon | 65 | 26 | Hanging B | askets without | Saucers | True 10"x2 | 0" Inserts | |
| 2 Gallon | 30 | 12 | 6" | 150 | 60 | 804 | 43 | 17 |
| 3 Gallon | 23 | 9 | 8" | 70 | 28 | 806 | 50 | 20 |
| C-100 | 240 | 96 | 10" | 38 | 15 | 1203 | 50 | 21 |
| C-300 | 65 | 26 | 12" | 23 | 9 | 1204 | 53 | 21 |
| | | | Hanging B | askets without e | xternal Saucers | 1801 | 40 | 16 |
| C-400 | 50 | 20 | 6" | 138 | 55 | Slim Jim 8. | 5"x20" Inse | rts |
| C-600 | 30 | 12 | 8" | 65 | 26 | 606 | 38 | 15 |
| C-900 | 25 | 10 | 10" | 35 | 14 | 806JS | 40 | 16 |
| C-1200 | 16 | 6.5 | 12" | 21 | 8.5 | 1204JS | 43 | 17 |

FERTILIZER CALCULATION

Pounds (oz) of fertilizer per 100 gallons of solution

| Desired ppm N | 20% N | 18% N | 15% N |
|---------------|------------|------------|------------|
| 400 | 1.67 (27) | 1.86 (30) | 2.22 (35) |
| 300 | 1.25 (20) | 1.39 (22) | 1.67 (27) |
| 250 | 1.04 (17) | 1.15 (18) | 1.39 (22) |
| 200 | 0.83 (13) | 0.92 (15) | 1.11 (18) |
| 150 | 0.63 (10) | 0.70 (11) | 0.83 (13) |
| 100 | 0.42 (6.7) | 0.47 (7.4) | 0.56 (9.0) |

DRENCH RATES FOR SOILLESS MEDIA

Pounds (oz) of fertilizer per 100 gallons of solution

| Drench Definitions | Milliliters of Solution/ | Percent of |
|---|--------------------------|-----------------------|
| Drench Delinitions | Liter of Soil Volume | soil Saturation (v/v) |
| Sprench, very light drench, heavy spray | 25 | 2.5 |
| Light drench | 50 | 5.0 |
| Moderate drench- Standard | 100 | 10.0 |
| Heavy drench | 150 | 15.0 |
| Very heavy drench, full saturation | 200 | 20.0 |

SPRAY COVERAGE

| Spray Definitions | Acre | 100 sq ft | 10 sq meter |
|---|------------|---------------|-------------|
| Very light, surface spray (glistening) | 50 gallons | 0.125 gallons | 0.5 gallons |
| Light spray | 100 | 0.25 | 1.0 |
| Moderate spray - Standard | 200 | 0.50 | 2.0 |
| Heavy spray, full plant coverage | 300 | 0.75 | 3.0 |
| Very heavy spray, full coverage, dripping | 400 | 1.00 | 4.0 |



| CUSTOMER ORDER LIST | 11.ldo | O remium |
|---------------------|--|--|
| Date: | & ASSOCIATES, INC. | Horticultural Supply Co. |
| Order Reference #: | Phone: (800) 468-4011 Fax: (419) 666-2079 | Phone: (502) 582-3897 Fax: (502) 582-3898 |

| CATALOG # | QTY - U/M | DESCRIPTION | PRICE |
|-----------|-----------|-------------|-------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| TOTAL | | | |



VISIT

Visit to www.waldoinc.com to view the latest sales flyers, the current catalog online and early order discount programs. Learn more about the products we carry and upcoming events.

SIGN UP

Sign up for "Waldo Blasts" to receive information about product specials, booking reminders and clearance item opportunities by sending your email address to sales@waldoinc.com and asked to be included on the e-mail blast distribution list.

ORDER

Order professional signs and banners at www.waldoinc.com for your beautiful garden or farm and load side market! Custom signs and banners are also available.

TERMS AND CONDITIONS

All prices are F.O.B. Perrysburg or F.O.B. factory. All orders will be invoiced at the prevailing price at time of shipment. Catalog prices are current at PRESS TIME ONLY and are subject to change without notice.

QUOTATIONS:

We welcome the opportunity to do business with your company. Upon your request we will furnish a price quote which will be valid for 30 days unless otherwise stipulated.

METHODS OF PAYMENT:

Cash, check, Check-by-fax, MasterCard, Visa, Discover, and Waldo & Associates Inc. charge (with approved credit). Payments made after a finalized sale that require (or have requested) a change in terms will be charged a 3% convenience fee.

TERMS FOR ESTABLISHED WALDO & ASSOCIATES, INC. **CHARGE ACCOUNTS:**

Terms are net 30 days unless otherwise specified. Finance charges will be added to any invoice not paid within the terms printed on invoice. Invoice will contain discount amount, date due, and date finance charges will be added. Finance charges will be 2% per month (24% annually). All payments must be in our office before the last day of the month or finance charges will be added. Postmarks will not be considered. There will be a \$15.00 fee for NSF checks that have to be re-deposited. There will be an additional \$35.00 fee for NSF checks that are denied for payment the second time.

NEW CUSTOMERS:

If you wish to establish credit, complete our credit application and mail or fax to our main office. Upon approval, you will be notified in writing of your credit limit. However, until credit has been established, orders must be pre-paid by cash, check, checkby-fax, Visa, MasterCard or Discover.

DELIVERIES:

- Regular Delivery Area (Our Truck): Deliveries within our general trading area are made according to our truck delivery schedule. If you are not familiar with our schedule, please check with your sales representative or phone our
 - Drop Charge: All orders are subject to a "drop charge" based on the product and the dollar amount of the order being delivered. For current rates, please talk to your sales representative or phone our main office.
- 2. Out of Regular Delivery Area: Motor freight (common carrier) and UPS are available upon request or for areas not in our normal delivery area. Motor freight charges can be estimated prior to shipment at customer request. Waldo & Associates is not responsible for any charges above the estimate as many accessorial charges are out of our control. Goods once shipped become the customer's property. Any damage or loss must be noted on the carrier's bill of lading at the time of delivery. Any claim for concealed damage must be made within 24 hours of receipt. A handling fee is added to all UPS and motor freight shipments. Terms on motor freight invoices are Net 10.

WILL CALLS (Customer Pick Up):

Customers may pick up merchandise directly from our warehouse. We encourage you to call in your order ahead of time to check availability. Note that fabrication items may require some lead time for preparation.

BACKORDERS:

Occasionally, ordered items may be temporarily out of stock at time of shipment. Every effort will be made to notify the customer of the backorder and a substitution may be offered at that time. If no substitution is adequate, we will automatically backorder the item unless otherwise directed by the customer. Backorders are subject to freight charges and/or drop charges, but are not subject to minimum order charges.

RETURNS:

- No returns are accepted beyond 90 days of date of purchase.
- All claims for shortages or other shipping errors must be reported to our Customer Service Department at (800) 468-4011 within 5 business days of receipt.
- Defective products are subject to manufacturer or vendor
- Customer must provide proof of purchase.
- Special order, non-stock and cut-to-order items are not returnable.
- Waldo employees are not permitted to receive merchandise without authorization from our office.
- All claims regarding billing errors (pricing, terms, etc.) must be reported to our accounts receivable department at (800) 468-4011 within 20 days of invoice receipt.
- In order to avoid lengthy delays, when reporting items for return, credit, or adjustment, please provide invoice number or sales order number.
- Returns are subject to a 10% restocking fee. The only exceptions will be for shortages, damages, defects or shipping errors.

IMPORTANT NOTICE to PURCHASER:

The following is made in lieu of all warranties, expressed or implied. Sellers and manufacturers only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss or damage, direct or consequential arising out of the use of, or the inability to use the product. Before using, user shall determine suitability of the product for his intended use, and user assumes all risk and liability whatsoever in connection therewith. The foregoing may not be changed except by an agreement signed by offices of seller and manufacturer.

LIMITATION of SELLERS LIABILITY:

Sellers liability (and buyers exclusive remedy) shall be limited to replacement or repair, at sellers option, of any defective goods or any part thereof or performance of any services. In no event shall seller be liable for special incidental or consequential damages or for damages in the nature of penalties. If the other remedies provided hereunder fail of their essential purpose, buyer's sole and exclusive remedy shall be, upon return of goods, the refund of whatever portion of the purchase price has been paid. Buyer shall pay all transportation charges to return goods to seller for repair, replacement, or, if required, return of the purchase price. Seller shall make no allowance for repair or alterations made by buyer, unless made with sellers prior written consent.

LIMITATION of ACTIONS:

Any action for any loss or damage with respect to the goods or services covered hereunder must be commenced by buyer within one year after buyers cause of action has occurred.

CREDIT TERMS?

PLEASE CONTACT US TO RECEIVE A CREDIT APPLICATION FOR WALDO & ASSOCIATE OR PREMIUM HORTICULTURAL SUPPLY

BUSINESS HOURS:

Regular Hours: Mon - Fri 8 a.m. to 5 p.m.

Plant Sale Saturdays: Sat 8 a.m. to 12 p.m. (Perrysburg Only)

June - August: 8 a.m. to 3:30 p.m.



A.V Lifetime Benches 118 Abamectin 0.15EC 76

Abide 87

Acephate 97UP 76

Actinovate AG/SP 65

Adept 74

Adjustable Shrub Ties 222

Adorn 65 Agritape® 97

Al's Flower Pocket 6

Al's Flowers Pouch 6

Algaecides 60

Aluminum Profile/Extrusions 149

Anchor Pins & No Rust Pegs 105

Attain TR 83

Autofog Units 195

Axxe Board Spectrum Herbicide 70

Aza-Direct 85 AzaGuard 71

Azatin XL 76



Bamboo Plant Supports & Stakes 216

Bamboo Trellis 221

Banrot 40WP 65

Basket 16,27-28, 31, 35

Battery Backpack Sprayer 194

Battery Operated Control Valves 191

Belden Plastics 53

Bench-Mart Deluxe 119

Bio Safe Plant Food 211

Biosafe Weed Control 61

BioTherm® Benchwarmer™ 117

Black Sign Holders 226

Blackboard Labels 225

Blank Signs 240

Botanigard 73

Bowl 13-14

Bracket & Deflector 103

Brasket 141

Bucket Labels 225

Bulb Pans 29



Calendar 242

Camelot* O 65

Cane Supports 220

Cap 'N' Grow 219

Capsil 63

Captiva 85

Card Holder 225

Cart 129

Cashier Tables 123

Casoron 4G 92

Chipco 26019 66

Chlormequat E-Pro 87

Chlorothalonil DF 66

Chlorpyrifos Pro 4 76

Citadel 87

Clear Vinyl Saucers 5

Clearys 3336 66

Clip-On Trellis 220

CO-EX Corporation 107

Coco lined 42-43

ColdFogger 193

Compass O 66

Complete Germinating Kit 96

Concise 87

Confidential Credit Application 250

Configure 87

Conserve SC 77

Continental Products 109

Controllers-Irrigation 189-919

Controller-Vents 146

Convection Tubing 117

Coolair 115

Corrugated Polycarbonate Sheets 108

Crop Covers 105

Crossbottom Trellis 217

Custom Order List 244

Cycocel 88



Dazide 85 WSG 88

Deadline MP 77

Decathlon 20WP 77

Decree 66

Dewitt 105

Dillen-ITML 17

Dimilin 25W 77

Dip & Grow 623

Dipel Pro DF 77

Discus 77

Disinfectant 60

Distance IGR 78

Door Hangers 141

Door Track 141

Dramm Irrigation System 173

Drammatic® Plant Food 211

Dripper Assemblies 175

Dura Guard ME 78

Duraplex TR 83 Dynasty 50

E-ZY Basket Arbor 127

E-ZY Basket Curve Display 128

Endeavor 78

Enstar AQ 78

Eagle 20 EW 66

Essential Plus 63

Everris Fertilizer 214

Expended Metal Sheets for Bench

E-ZY Grower Bench Frame 121

E-ZY Grower Gothic Greenhouse 132 E-ZY Grower Poly Roll-Up Vents 143

E-ZY Grower Roof & Rigid Side Vents

E-ZY Grower Structures Gothic Arch

E-ZY Grower Winter Chalet 136

E-ZY Stack Display Bench 118

Easy Grower Greenhouse 131

Eco-Safe Alternatives 61

EG #2 Bypass Pruner 218

Electronic Leaf™ #1400 171

E-ZY mini Basket Arbor 127

E-ZY Grower Cold Frame 135

Tops 121

Ez-Breeze Haf Fans 113



144

Style 134

Fans 112-115

Fence On A Step Bench 120

Ferilizer-liquid 210-212

Fertilizer-soluble 201-208

Fiber Pots 39

Filter 198

Filters & Pressure Regulators 162

Fine 89

Flagging Tape 218

Flagship G 78

Flats 7-8, 17-18

Floramite SC 78

Florel 88

Florgib 88

Flower Pouches 6

Foam Fighter 63

Foils 4

Fresco 88 Fungicide 64



Gallery 75DF 92

Garden Sharp 218

Garorshield Steel Tubing 148

Gasoline Powered Sprayer 196

Gator-XL-8001 Injector 198

Generation Dual Grow Pouch 6

Generation II Flower Pouch 6 Germinating Bags 96

Green Clean Pro 62

Green Shield 60

Green-Breeze Haf Fans 112

GreenClean®FX 61

Greenhouse Cover 99-102 Greenhouse Ground Cover 105 Greenhouse Heater 110 Griffolyn Cover 100 Gro Triangles 220 **Ground Sheet Pegs 221** Grower Pots 9-10, 31-15, 38 **Growstat Control Series 146** Growth® Products 215

Hachi Hachi 79 HAF Fans 114 Hanging Basket Remover 5

Haviland 36 Heaters 110-111 Herbicide 91 Hexygon 85

High-Density Sleeves 5

Hormodin 63

Hose Fitting and Accessories 164

Hoses 163 Hozon 199

Hydra Spraytrax 196



Inflation Blowers 103 Info Sticks 226 Injector Cart & Tank 199 Insecticide 74 Insert 7-9, 17-18 ITML 39



J&D Manufacturing 112 Jack's Classic Retail Fertilizer 205 Jack's Professional Fertilizers 201 Jain Aqua Spray Sticks 179 Jiffy 41 Jumper Kits 103 Junior DC 191



Klerks K1 Greenhouse 101 Knitted Shade Cloth 106 Kontos 79

Kool Ray 109

Labels 223-225 Landmark Plastic 7 Line Voltage Thermostats 111 Liquid Shade 109



M-Pede 80 Magellan 67 Major Elements 207 Mallet .5G 79 Mallet 2f T&O 79 Mallet 75 WSP 79 Mantra 1G 79 Marathon 130 Markers 240 Mavrik Aquaflow 80 Max Tapener 218 Measurement 241 Measurol 75WP Measurol75-W 85 Megallion 50W 67 Menace 7.9 Flowable 80 Mending Tape 104 Merit 75WP 80

Met 52 EC 86 Micro Herbi 90 MicroBLOC® 60 Millside 129 MilStop® 72

Milwaukee PH Meter 213

Mini Clipper 218 Minor Elements 207 Mister or Fogger 170 Misting Controllers 189 Mixrite Injectors 200 Mobile Cart 199 Modine 110

Mold-X® Insect Control 73 Monorail Assembly Parts 147 Monty's Liquid Carbon 59 Monty's Plant Food 212 Moolah Basket 42 Moolah Metallic 45 Moolah Moss 44 Mozart TR 83 MSO Sprayers 195

Multiwall Polycarbonate Sheets 107

Myn-Fan 114



Naan 501 Sprinkler 188

Nature Real 47 Nature's Source 210 Netafim Meganet™ 184 No Rust Pegs 221 No-FLY 82

Nova 1626ET 6 Zone Controller #1405 189

Nu-Film 17 63 **Nursery Containers 36** Nutricote Fertilizer 214

Nozzles 174



Oasis 97 Obelisk 221 On-Off Tube Weights 181 Orthene-Acephate 76,83

Orvego 67

Overture 35 WP 80

OxiPhos Bacetricide/Fungicide 70



Pack 7-9, 17-18 Pageant 67

Pant Support Clips 219 Paper Sleeves 5

Pedestal 81

Performance Plants™ 40

Peroxides 62

Peter Professional 208

PGR 87

PH Adjusters 207 Phostrol 67 Physan 20™ 60

Piccolo 88

Plant Protection Natural Burlap 105

Plant Rings 219 Plant Support Clips 216

Plug Pusher 95

Plug/Propagation Trays 12, 19, 37

Poly Films 98

Poly Tubing 159

Poly Pipe Insert Fittings 160

Poly-Tex 119 Polycarbonate sheets 107 Poppelmann 31 Pot Support Base 220 Pot Support Clips 219 PowerRack™ 145

Pramitol 25E 93 Preclude TR 84

Pressure Compensating Spray Stakes 180

Princep 92 Proclipse 65WDG 93

Prodeuce 93

Professional Growing Mixes 52

Promix 53

Propagation Domes 96

Protect DF 67

PX 7021 Double Tri-Step Display 112 PX7001 Fence On A Step Bench 122

Pylon 81 Pylon TR 84 Pyreth-It 81 Pyrethrum TR 84



Quick Lock 151

Quick & E-ZY Sliding Doors 140



Rain Dial™-R 190

Razor 93 Razor Burn 93 Razor Pro 94

Regalia 86

RHT-4 Thermostat 97

Risers, Fittings & Punches 161

Ronstar 50 WSP & G 2% 94

Root Zone Heaters 97

Rooting Compounds 62

RootShield® Plus 72

Rootshield® WP 72

Safari 20SG 81

Sanidate RTU 61

Sanmite 75WP 81

Scythe 85

Securing Clips 222

Seedling Heat Mats 96

Segway 68

Senninger Irrigation, Inc. Wobblers® 184

Shade Cloth 106

Shut Off 158

Sign Holders 239

Signs Blank 240

Slick Cover 4

Snap & Grow 8'x8' Greenhouse 123

Snapshot DG 94

Soax 59

Soil Moist 59

Solo Handheld & Backpack Sprayers 192

Space-It™ Dripperline 183

Spray Aide 63

Spray Aids 62

Spray Equipment 190

Spray Stakes 179

Sprinkler System 167

Stature SC 68

Stay Rools 141

Sterling 111

Sticky Insect Traps 82

Stock Signs 232

Strike 50 WDG 68

SuffOil-X® 73

Sun Master Films 102

Sungro 55

Sunshine 58

SuperDos Injectors 197

Super Soft Tree Ties 222

T-Labels 223

T-Methyl 4.5F 68

T-Methyl 50WSB 68

T.O. Plastics 37

Tame 2.4EC 81

Tame/Orthene TR 84

Tape 104

Taylor 116

Temp Alert 116

Terms and Conditions 249

Tetrasan 5WDG 82

Thermometer 116

Thermostat 111

Tire 130

TM & CTN 90WDG 69

TM 4.5 Select 68

Tomato Cages 217

Topflor 89

Tower Display 124

Trac-Rite® Doors 139

Tree Display 126

Tree Support Ties 222

Treflan 5G 94

Tripods 220

Tristar 8.5 SL 82

Truban 25 EC 69

Truban 30WP 69

Tubing 159

Twist-Ems 216

Ty Labels 224

Tyne Labels 223-225

Tyne Plant Supports 219-222

Tyne Products 219

Type NBF Fans 115



Vapor Guard 63

Vegibee™ 95

Vent Control Systems 142

Versa-Kool Deep Guard Circulation Fans

114

Vibro Hand Seeder 96

Vinyl Loop Lock Labels 224



Waldo Sign Shop 227

Wand Seeder 95

WASP-FREEZE 84

Water Cart 193

Water N' Accessories 158

Watering Breakers 166



Watering Tools 165

Wonder Waterer™ 157

Woven Shade Cloth 106

Yellow Plastic Washer 221

Zerotol Ready to Spray 61

ZeroTol 2.0 62

Zyban WSB 69

ZeroTol 69

WindJammer Series 6000 137

Waldo & Associates, Inc. is not responsible for any typographical or printer errors within the 2015 Grower Supply Catalog. All prices within the Waldo & Associates, Inc. 2015 Grower Supply Catalog are subject to change